



# MAXI-AIR™

## MOBILE AIR COMPRESSOR

Whatever the project or job site condition may be, the **Maxi-Air™ Mobile Air Compressor** will maximize your job site productivity. Its heavy-duty, over-sized rotary screw air end runs at lower RPM for longer life and fuel efficiency. Easy-to-use and easy-to-start, it delivers powerful airflow in all climate conditions. It's the worry-free way to keep job sites working efficiently and smoothly.



A SUBSIDIARY OF



BRIGGS & STRATTON CORPORATION

[www.discount-equipment.com](http://www.discount-equipment.com)

# KEY FEATURES

## Maxi-Air™ Mobile Air Compressor



### Sound Level at Full Load at 23'

- MA100 – 68 dBA
- MA185 – 76 dBA
- MA375DP – 76 dBA
- MA400 – 76 dBA

Fiber Gear Coupler

Externally Mounted Water Separator Filter

Electric Fuel Primer & Air-Bleed (EFPA) Pump

Curbside Fluid Maintenance

Large Capacity Fuel Tank\*

### Air Outlets

- 3/4" x 2 (All Models)
- 2" x 1 (MA375DP & MA400)

2" Ball Coupler (MA100 & MA185)

3" Lunette Ring For Pintle Hitch (MA375DP & MA400)

### Number of Units on 48' Flatbed Truck

- MA100 – 8
- MA185 – 6
- MA375 – 3
- MA400 – 3


### Number of Units on 53' Flatbed Truck

- MA100 – 9
- MA185 – 6
- MA375 – 3
- MA400 – 3

Model Number	MA100	MA185	MA375-DP	MA400
Engine Brand	Kubota	Yanmar	Kubota	Kubota
Engine Model	D1005	4TNV88C	V3800-T	V3800-T
Free Air Delivery (SCFM)	100	185	High Pressure: 330 Low Pressure: 375	400
Max. Working Pressure (PSI)	115	115	175	125
Normal Operating Pressure (PSI)	100	100	High Pressure: 150 Low Pressure: 100	100
Air Receiver Tank (gal)	5.3	5.3	20.3	20.3
Fuel Consumption @ Full Load (gph)	1.6	2.4	High Pressure: 5.1 Low Pressure: 5.0	5.5
Integral Fuel Tank Capacity (gal)*	10.6	24	47	47
Runtime @ Full Load (hrs)	6.5	10	9	8.5
Oil Change Interval (hrs)	500	500	500	500
Engine Fuel Filter Change Interval (hrs)	500	500	500	500
Compressor Oil Change Interval (hrs)	500	500	500	500
Mechanical Output at Rated Speed (HP)**	24.8	47.6	115.8	115.8
Engine Tier	Tier 4 Final	Tier 4 Final	Tier 4 Final	Tier 4 Final
Tires	ST175/80D13 Load Range 'C'	ST205/75R15 Load Range 'C'	ST225/75R15 Load Range 'D'	ST225/75R15 Load Range 'D'
<b>Weights</b>				
Dry Weight with Towing Frame (lbs)	1,393	2,070	4,197	4,227
Operating Wet Weight - Full Fuel (lbs)	1,525	2,320	4,800	4,810

**Height with Towing Frame**

- MA100 – 53.5 in
- MA185 – 60 in
- MA375 – 71 in
- MA400 – 71 in



**Width with Towing Frame**

- MA100 – 55.3 in
- MA185 – 68 in
- MA375 – 78 in
- MA400 – 78 in

**Length with Towing Frame**

- MA100 – 120 in
- MA185 – 132 in
- MA375 – 176 in
- MA400 – 176 in

\* Unit runs at full load for 8+ hours. \*\* All power levels are stated gross horsepower as rated by the engines' manufacturers. Allmand® has a policy of continuous product improvement and reserves the right to modify its specifications at any time and without prior notice.

## OPTIONS

### Maxi-Air™ Mobile Air Compressor

**50 ft Hose Reel** (Only available on MA185)

**Lockable Battery Disconnect** (Only available on MA185)

**Telematics Package** (Customer supplied - consult factory for lead times)

**Battery Charger**

**Skid Mount** (Available on all models)

**Block Heater**

#### Hitch Coupler Options

- 2" Bulldog (Available on all models)
- 2" Ball (Available on all models)
- 3" Lunette Ring (MA100 & MA185)
- 2-5/16" Ball (Available on all models)
- 2-5/16" Bulldog (Available on all models)



## COMPROMISE NOTHING.

At Allmand®, our sole focus is providing job site support equipment to help your customers get the job done. Whenever they need it. Wherever they are. And whatever it takes. What's more, our genuine commitment to you — the highest standard of service and lowest total cost of ownership — is simply unmatched. Choose the equipment that comes with complete confidence that job site productivity won't go dark at 2 a.m. **Allmand. Above All.**

**Discount  
Equipment**

[www.discount-equipment.com](http://www.discount-equipment.com)

**Allmand®**

ALLMAND BROS., INC.  
A subsidiary of Briggs & Stratton Corporation  
P.O. Box 888, Holdrege, NE 68949  
Copyright ©2019. All rights reserved.

**TO PURCHASE THIS PRODUCT PLEASE CONTACT US**



**Equipment Financing and  
Extended Warranties Available**



**Discount-Equipment.com is your online resource for  
commercial and industrial quality parts and equipment sales.**

**561-964-4949**

**visit us on line @ [www.discount-equipment.com](http://www.discount-equipment.com)**

Select an option below to find your Equipment

**Search by Manufacturer**

**Search by Product Type**

**Request a Quote**

We sell worldwide for the brands: Genie, Terex, JLG, MultiQuip, Mikasa, Essick, Whiteman, Mayco, Toro Stone, Diamond Products, Generac Magnum, Airman, Haulotte, Barreto, Power Blanket, Nifty Lift, Atlas Copco, Chicago Pneumatic, Allmand, Miller Curber, Skyjack, Lull, Skytrak, Tsurumi, Husquvarna Target, Stow, Wacker, Sakai, Mi-T-M, Sullair, Basic, Dynapac, MBW, Weber, Bartell, Bennar Newman, Haulotte, Ditch Runner, Menegotti, Morrison, Contec, Buddy, Crown, Edco, Wyco, Bomag, Laymor, EZ Trench, Bil-Jax, F.S. Curtis, Gehl Pavers, Heli, Honda, ICS/PowerGrit, IHI, Partner, Imer, Clipper, MMD, Koshin, Rice, CH&E, General Equipment, Amida, Coleman, NAC, Gradall, Square Shooter, Kent, Stanley, Tamco, Toku, Hatz, Kohler, Robin, Wisconsin, Northrock, Oztec, Toker TK, Rol-Air, APT, Wylie, Ingersoll Rand / Doosan, Innovatech, Con X, Ammann, Mecalac, Makinex, Smith Surface Prep, Small Line, Wanco, Yanmar