



AIRMAN[®]
AIR COMPRESSORS

PDSF330DP-6E1

375-330 cfm

AIRMAN air compressors are manufactured to the highest quality, consistently delivering the industry's best return on investment.

ANA is committed to supplying the finest products with unmatched performance and support, maintaining their value over time.

- 375-330 cfm Free Air Delivery
- Best-in-Class Fuel Efficiency
- Kubota Diesel Engine
- EPA Tier 4F & CARB Compliant



**Discount
Equipment**

www.discount-equipment.com

© COPYRIGHT 2019, ANA • 011819
AIRMEN is a trademark of HOKUETSU INDUSTRIES CO., LTD.

Features and specifications may change without notice. Please consult ANA for all current information.

SPECIFICATIONS



AIRMAN
AIR COMPRESSORS

PDSF330DP-6E1
375-330 cfm

COMPRESSOR SPECIFICATIONS

Type	Dual Pressure, Oil Cooled
Free Air Delivery	375 cfm @100 psi; 330 cfm @ 150 psi
Working Pressure	100 psig
Max. Working Pressure	150 psig
Full Load Sound Level	76 dB
Air Outlets	2" x 1; 3/4" x 2
Engine Coupling Type	Rubber coupling
Lubrication System Type	Forced lubrication by compressed air
Lubrication System Capacity	10.6 gal.
Oil Cooler Type	Separate side-by-side oil cooler and radiator

ENGINE SPECIFICATIONS

Model / EPA Emission Level	Kubota V3800 / Tier 4 Final
Fuel Type	Diesel
Output	110.4 HP (82.3 kW)
Low Idle	1300 rpm
High Idle	2400-2700 rpm
Fuel Tank Capacity	47.0 gal.
Oil Capacity	3.4 gal.
DEF Tank Capacity	5.3 gal.
Cooling System Capacity	4.1 gal.
Battery	12V 130F51

FUEL CONSUMPTION

FULL load	5 gph @100 psi; 5.1 gph @ 150 psi
75% load	3.75 gph @100 psi; 3.825 gph @150 psi
50% load	2.5 gph @100 psi; 2.55 gph @150 psi
Run time @ full load	9.25 hr.

WEIGHTS AND DIMENSIONS

Dry Weight	3,737 lb.
Weight w/ Towing Frame	3,975 lb.
Operating Weight	4,233 lb.
LxWxH w/o Towing frame	106" x 55" x 60"
LxWxH w/ Towing frame	174" x 57" x 69"

OPERATING PARAMETERS

Max. Altitude	4,921 ft. (1500 m)
Max. Ambient Temperature	113° F
Min. Ambient Temperature	5° F
Max. Incline	15°



www.discount-equipment.com

© COPYRIGHT 2019, ANA • 011819
AIRMAN is a trademark of HOKUETSU INDUSTRIES CO., LTD.

Features and specifications may change without notice. Please consult ANA for all current information.

TO PURCHASE THIS PRODUCT PLEASE CONTACT US



**Equipment Financing and
Extended Warranties Available**



**Discount-Equipment.com is your online resource for
commercial and industrial quality parts and equipment sales.**

561-964-4949

visit us on line @ www.discount-equipment.com

Select an option below to find your Equipment

Search by Manufacturer

Search by Product Type

Request a Quote

We sell worldwide for the brands: Genie, Terex, JLG, MultiQuip, Mikasa, Essick, Whiteman, Mayco, Toro Stone, Diamond Products, Generac Magnum, Airman, Haulotte, Barreto, Power Blanket, Nifty Lift, Atlas Copco, Chicago Pneumatic, Allmand, Miller Curber, Skyjack, Lull, Skytrak, Tsurumi, Husquvarna Target, Stow, Wacker, Sakai, Mi-T-M, Sullair, Basic, Dynapac, MBW, Weber, Bartell, Bennar Newman, Haulotte, Ditch Runner, Menegotti, Morrison, Contec, Buddy, Crown, Edco, Wyco, Bomag, Laymor, EZ Trench, Bil-Jax, F.S. Curtis, Gehl Pavers, Heli, Honda, ICS/PowerGrit, IHI, Partner, Imer, Clipper, MMD, Koshin, Rice, CH&E, General Equipment, Amida, Coleman, NAC, Gradall, Square Shooter, Kent, Stanley, Tamco, Toku, Hatz, Kohler, Robin, Wisconsin, Northrock, Oztec, Toker TK, Rol-Air, APT, Wylie, Ingersoll Rand / Doosan, Innovatech, Con X, Ammann, Mecalac, Makinex, Smith Surface Prep, Small Line, Wanco, Yanmar