



Printed in USA JWA ©2014

Search Website by Part Number Discount	Search Manual Library For Parts Manual & Lookup Part Numbers – Purchase or Request Quote	Can't Find Part or Manual? Request Help by Manufacturer, Model & Description
Equipment		Parts Order Form
		1 No.Asc Taic
	Search Manuals	izante
	Histope scale performant and period speptimetic party and some manuality in scale, per parts	NOT.
	theat	Gaar
ni Zapitrami i siya Yoni na kasarata ke tarata di katalari ganity apulartari. Na sali Ina Badu mu Parla na Asaratari ke tarata da da Katani Alak Ying Katala da	SCOL Brand	
When Source Mades The DifferenceIII Sections	* Vold	N(8-1)
Printe universe interest for any posterior in the second s		01
200 2004 tol tourideta for Tableta for	Sond	DaleTegion
a - 2 Stallagrad Str 2	bil: Smilheric	ApVara con -
See Second and Areas	Pathatics. Enter Pathate(Sol reprint)	124.10
All data second participations and the second participation of the second participatio		A
Standard International Standards	Examples Enter Description from You Are Locking For	CdBac
		70
	Silved 1	Ermi -

Discount-Equipment.com is your online resource for quality parts & equipment.

Florida: 561-964-4949 Outside Florida TOLL FREE: 877-690-3101

Need parts?

Click on this link: http://www.discount-equipment.com/category/5443-parts/ and choose one of the options to help get the right parts and equipment you are looking for. Please have the machine model and serial number available in order to help us get you the correct parts. If you don't find the part on the website or on one of the online manuals, please fill out the request form and one of our experienced staff members will get back to you with a quote for the right part that your machine needs.

We sell worldwide for the brands: Genie, Terex, JLG, MultiQuip, Mikasa, Essick, Whiteman, Mayco, Toro Stone, Diamond Products, Generac Magnum, Airman, Haulotte, Barreto,
Power Blanket, Nifty Lift, Atlas Copco, Chicago Pneumatic, Allmand, Miller Curber, Skyjack, Lull, Skytrak, Tsurumi, Husquvarna Target, Stow, Wacker, Sakai, Mi-T-M, Sullair, Basic, Dynapac, MBW, Weber, Bartell, Bennar Newman, Haulotte, Ditch Runner, Menegotti, Morrison, Contec, Buddy, Crown, Edco, Wyco, Bomag, Laymor, EZ Trench, Bil-Jax, F.S.
Curtis, Gehl Pavers, Heli, Honda, ICS/PowerGrit, IHI, Partner, Imer, Clipper, MMD, Koshin, Rice, CH&E, General Equipment, Amida, Coleman, NAC, Gradall, Square Shooter, Kent, Stanley, Tamco, Toku, Hatz, Kohler, Robin, Wisconsin, Northrock, Oztec, Toker TK, Rol-Air, APT, Wylie, Ingersoll Rand / Doosan, Innovatech, Con X, Ammann, Mecalac, Makinex, Smith Surface Prep,Small Line, Wanco, Yanmar

READ AND UNDERSTAND THE OPERATORS INSTRUCTION MANUAL THOROUGHLY BEFORE ATTEMPTING TO OPERATE THIS EQUIPMENT. Death or serious injury could occur if this machine is used improperly.

SAFETY MESSAGES

• Safety Instructions are proceeded by a graphic alert symbol of DANGER, WARNING, or CAUTION.



Indicates an imminent hazard which, if not avoided, will result in death or serious injury.



Indicates an imminent hazard which, if not avoided, can result in death or serious injury.



Indicates hazards which, if not avoided, could result in serious injury and or damage to the equipment.

GASOLINE/PROPANE POWERED EQUIPMENT



 Engine exhaust from this product contains chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.



• Gasoline is extremely flammable and poisonous. It should only be dispensed in well ventilated areas, and with a cool engine.

Small gasoline engines produce high concentrations of carbon monoxide (CO) example: a 5 HP 4 cycle engine operation in an enclosed 100,000 cu. ft. area with only one change of air per hour is capable of providing deadly concentrations of CO in less than fifteen minutes. Five changes of air in the same area will produce noxious fumes in less than 30 minutes. Gasoline or propane powered equipment should not be used in enclosed or partially enclosed areas. Symptoms of CO poisoning include, headache, nausea, weakness, dizziness, visual problems and loss of consciousness. If symptoms occur - get into fresh air and seek medical attention immediately.

ELECTRICAL POWERED EQUIPMENT



Extreme care must be taken when operating electric models with water present: Ensure power cord is properly grounded, is attached to a Ground-Fault-Interrupter (GFI) outlet, and is undamaged.

- Check all electrical cables be sure connections are tight and cable is continuous and in good condition. Be sure cable is correctly rated for both the operating current and voltage of this equipment.
- Improper connection of the equipment-grounding conductor can result in a risk of electric shock. Check with qualified electrician or service person if there is any doubt as to whether the outlet is properly grounded. Adhere to <u>all</u> local codes and ordinances.
- NOTE: In the event of a malfunction or breakdown, grounding provides a path of least resistance for the electric current to dissipate. The motor is equipped with a grounded plug and must be connected to an outlet that is properly installed and properly grounded. DO NOT modify the plug provided on the motor. If the plug does not fit the outlet have a qualified electrician install the proper receptacle.
- Switch motor OFF before disconnecting power.

- Do not disconnect power by pulling cord. To disconnect, grasp the plug, not the cord.
- Unplug power cord at the machine when not in use and before servicing.

GENERAL INSTRUCTIONS

- Equipment should only be operated by trained personnel in good physical condition and mental health (not fatigued). The operator and maintenance personnel must be physically able to handle the bulk weight and power of this equipment.
- This is a one person tool. Maintain a safe operating distance to other personnel. It is the <u>operators' responsibility</u> to keep other people (workers, pedestrians, bystanders, etc.) away during operation. Block off the work area in all directions with roping, safety netting, etc. for a safe distance. Failure to do so may result in others being injured by flying debris or exposing them to harmful dust and noise.
- This equipment is intended for commercial use only.
- For the operator's safety and the safety of others, always keep all guards in place during operation.
- · Never let equipment run unattended.



 Personal Protection Equipment and proper safety attire must be worn when operating this machinery. The operator must wear approved safety equipment appropriate for the job such as hard hat and safety shoes when conditions require. Hearing protection MUST be used (operational noise levels of this equipment may exceed 85db). Eye protection MUST be worn at all times.



Keep body parts and loose clothing away from moving parts. Failure to do so could result in dismemberment or death.

- Do not modify the machine.
- Stop motor/engine when adjusting or servicing this equipment.



WARNING

Maintain a safe operating distance from flammable materials. Sparks from the cutting-action of this machine can ignite flammable materials or vapors.

DUST WARNING

Some dust created by power sanding, sawing, grinding, drilling, and other construction activities contains chemicals known to cause cancer, birth defects, or other reproductive harm. Some examples of these chemicals are:

- Lead from lead-based paints, and
- Crystalline silica from bricks and concrete and other masonry products.

Your risk of exposure to these chemicals varies depending on how often you do this type of work. To reduce your risk: work in a well ventilated area, use a dust control system, such as an industrial-style vacuum, and wear approved personal safety equipment, such as a dust/particle respirator designed to filter out microscopic particles.




PARTS LIST MANUAL **MODEL SECNG-1.5L New Single-Disc Concrete Floor Grinder**

	TABLE OF CONTENTS
Sec	ion Pages
How Illus Illus Illus Illus Illus Illus Swit	y Messages and General Instructions 2 To Order Replacement Parts 3 ation 1: Frame Grouping 4, 5 ation 2: Locking Lever Grouping 6, 7 ation 3: Vacuum Port & Water Hook-Up Grouping 8, 9 ation 4: Motor, Speed Reducer & Disc Assembly 10, 11 ation 5: Quick-Change Multi-Accessory Disc Assembly 12 ation 6: Optional Diamond Disc Adapter 13 ation 7: Switch and Power Cord Grouping 14, 15 h Wiring Diagram 16
	Wiring Diagram
	Continued
	ed Equipment Warranty of Sale - Terms & Conditions
	oiscount-folk
	Printed




E-SECNG-PL-1014





ITEM #	PART #	DESCRIPTION	QT
1	86802	INNER FRAME & SHROUD, SEC-NG	
2	86426K	RUBBER SKIRT W/ VELCRO LOOP & HOOK	\mathbf{P}_1
3	86426	RUBBER SKIRT W/ VELCRO-LOOP NOTE: CUT 37-3/8"	1
4	86427	VELCRO-HOOK ONLY, 1" X 39" (CUT DOWN)	1
5	77528	PLUG, BLACK 1"RD. TUBING 10-14 GA.	1
6	10877	SCREW, CAP STSHW 10-24 X 1/2	2
7	10831	WASHER, LOCK, INT. TOOTH #10	2
8	59117	LEVEL, SCREW ON	1
9	86801	FRAME, OUTER, SEC-NG	1
10	10308	SCREW, CAP 1/2-20 X 1-1/2	4
11	77623	WASHER, FLAT 1/2" SILICON BRONZE	4
12	77622M	FLANGED-SLEEVE, BRONZE (MODIFIED)	4
13	10154	NUT, HEX NYLON LOCK 1/2-20 ZINC	4
14	86815	COVER, SIDE, SEC-NG	2
15	11811	BOLT, FLANGE 1/4-20 X 3/4 ZINC	4
16	79013SH	WHEEL, STL.HUB 8 X 2-1/2 X 3/4"BRG.	2
17	10428	COLLAR, LOCKING 3/4"ID	2
18	86804	HANDLE BAR, SEC-NG	1
19	10608	GRIP, HAND 1" MODEL AT	2
20	10029	SCREW, CAP 3/8-24 X 1-3/4	4
21	10025	WASHER, FLAT 3/8 SAE ZINC	8
22	10004	NUT, HEX LOCK 3/8-24 ZINC	4








ITEM #	PART #	DESCRIPTION	QTY.
1	77620	LEVER, LOCKING	1
2	77621	CABLE, LOCKING LEVER	1
2A		JAM NUT (INCLUDED W/ CABLE, ITEM 2)	2
3	86806	BRACKET 2, LOCKING LEVER	1
4	86805	BRACKET 1, LOCKING LEVER	1
5	10204	SCREW, CAP 5/16-18 X 1-3/4	4
6	10213	WASHER, FLAT 5/16 SAE ZINC	8
7	10151	NUT, HEX NYLON LOCK 5/16-18 ZINC	4
8	77610	PIVOT BRACKET, LOCKING LEVER	1
9	10308	SCREW, CAP 1/2-20 X 1-1/2	1
10	10312	WASHER, FLAT 1/2 SAE ZINC	1
11	10154	NUT, HEX NYLON LOCK 1/2-20 ZINC	1
12	86807	PIVOT LINKAGE BAR, LOCKING LEVER	2
13	10606	SCREW, CAP 5/16-18 X 1-1/4	2
14	10213	WASHER, FLAT 5/16 SAE ZINC	4
15	10151	NUT, HEX NYLON LOCK 5/16-18 ZINC	2
16	10347	SCREW, CAP 1/2-20 X 2-1/4	2
17	10433	WASHER, BELLEVILLE 1/2ID X 3/32THK	2
18	77623	WASHER, FLAT 1/2" SILICON BRONZE	2
_		.562"ID x 1.25"OD x .091"THK	
19	10040	WASHER, GARRET 17/32 X 1 X .054	2*
	12121	WASHER, 1"OD X 17/32"ID X 21G(.033)	2*
		(*USE EITHER WASHER AS NEEDED IN	
20	10072	PLACE OF OR IN ADDITION TO ITEM 18)	2
		NUT, HEX 1/2-20 ZINC	
21 22	10309	SCREW, CAP 3/8-24 X 1-1/4 ZINC SPACER, STEEL 9/16OD X 3/8ID X 7/32	1
23	10919	ROD END, FEMALE 3/8-24 R.H. THREAD	1
24 25	10004 77607	NUT, HEX LOCK 3/8-24 ZINC	1
25		HANDLE BAR (REFER TO ILLUS. 1, ITEM 18) INNER FRAME & SHROUD	1
20	86802	(REFER TO ILLUS. 1, ITEM 1)	I
27	86801	FRAME, OUTER	1
		(REFER TO ILLUS. 1, ITEM 9)	



ILLUSTRATION 3: VACUUM PORT & WATER HOOK-UP GROUPING






Parts

PARTS LISTING - ILLUSTRATION 3: VACUUM PORT & WATER HOOK-UP GROUPING

	ITEM #	PART #	DESCRIPTION	QTY.
	1	86347	BRACKET, MULTI-VAC PORT 2-3"	1
	2	65021	CAP/PLUG 2" RED PLASTIC, FLANGED	1
	3	10846	SCREW, CAP STSHW 1/4-20 X 1/2	2
	4	10038	WASHER, LOCK 1/4 ZINC	2
	5	77113	HOSE, FLEX 2"ID X 32"L, GRINDERS	1
	6	10766	CLAMP, HOSE, SAE #32, ADJ. TO 2-1/2	2
	7	56022	BRACKET, WATER VALVE	1
	8	10711	VALVE, BALL 1/2 FPT	1
	9	80021	CONN., SWIVEL FEM. 3/4HOSE X 1/2MPT	1
	10	10799	BARB ELBOW 90, 3/8HOSE X 1/4MPT	1
	11	10846	SCREW, CAP STSHW 1/4-20 X 1/2	2
	12	10038	WASHER, LOCK 1/4 ZINC	2
	13	56315	HOSE, WATER 3/8"ID X 24"L	1
	14	50069	CLAMP, HOSE, SAE #6, ADJ. TO 13/16	2
	15	11562	BARB ELBOW 90, 3/8HOSE X 1/8MPT	1
	16	10864	NUT 1/8-27 PIPE THREAD (BRASS)	1
Got	DIS			








PARTS LISTING - ILLUSTRATION 4: MOTOR, SPEED REDUCER & DISC GROUPING

ITEM #	PART #	DESCRIPTION	QTY.	X
1	16081	MOTOR, 1.5HP-1PH-60HZ-1725RPM-115/230V	1	\mathbf{X}
		<u>REPLACEMENT PARTS:</u>		0
	16178	CAPACITOR, START, LEESON 003025.15 (500MFD 125V)	s 1	
	16174	CAPACITOR, RUN, LEESON 003014.02 (50MFD 240V)	1	
	16179	RESET BUTTON, LEESON 300033.02 (CED2705)	1	
2		KEY 3/16"SQ. X 1-3/8 (INCLUDED W/ MOTOR)	1	
3	86808	HOLDER, WEIGHT, SEC-NG	1	
4	86809	WEIGHT BLOCK, 21 LB., SEC-NG	1	
5	10806	SCREW, CAP 5/16-18 X 1	4	
6	10801	WASHER, LOCK 5/16 ZINC	4	
7	10054	NUT, HEX 5/16-18 ZINC	4	
8	86803	COVER, SPEED REDUCER	1	
9	76029	SPEED REDUCER, 2.056 RATIO	1	
10	10055	SCREW, CAP 3/8-16 X 1	4	
11	10811	WASHER, LOCK 3/8 ZINC	4	
12	10453	WASHER, LOCK, INT. TOOTH 3/8"	4	
13	10480	BOLT, TAP 3/8-16 X 1-1/2 (FULL THD)	4	
14	10025	WASHER, FLAT 3/8 SAE ZINC	4	
15	10811	WASHER, LOCK 3/8 ZINC	4	
16	10404	NUT, HEX 3/8-16 ZINC	4	
17	80009G	BEARING, BALL 5/8" 2-HOLE	1	
18	10960	FITTING, GREASE 1/4-28 X 45°	1	
19	10412 🔪 🗸	BOLT, CARRIAGE 1/4-20 X 1	2	
20	10602	WASHER, FLAT 1/4 SAE ZINC	2	
21	10861	NUT, KEPS LOCK 1/4-20 ZINC	2	
22	10142	KEY 3/16SQ X 3/4	1	
23	86810	COUPLING, SHAFT, SEC-NG	1	
24	11811	BOLT, FLANGE 1/4-20 X 3/4 ZINC	1	
25	86811	SHAFT, DISC, SEC-NG	1	
26	10063	PIN, ROLL 3/8 X 2	1	
27	10007	PIN, ROLL 3/8 X 2-1/2	1	
28	86391A	QC MULTI-ACCY. 10" DISC ASSY.W/ HUB (REFER TO ILLUS. 5 FOR BREAKDOWN)	1	




ILLUSTRATION 5: QUICK-CHANGE MULTI-ACCESSORY DISC ASSEMBLY




ITEM #	PART #	DESCRIPTION	QTY.*
1-8	86391A	QC MULTI-ACCY. 10" DISC ASSY.W/ HUB (INCLUDES ITEMS 1 THRU 8)	1
1	86391	QC MULTI-ACCY. 10" DISC W/ MAGNETS (INCLUDES ITEMS 1A, 1B AND 1C)	1
1A	36064	MAGNET, NEODYMIUM RING 7/8 X 1/8	3
1B	10647	SCREW, FLAT HD PHILLIPS 8-32 X 1/2	3
1C	10462	NUT, KEPS LOCK 8-32 ZINC	3
2	10112	RING, RUBBER, 4-1/2"OD X 1/2"THK	2
3	77020	RING, HUB CARRIER, 6-HOLE	1
4	77010	HUB, ALUMINUM 6-HOLE (GRINDER)	1
5	10354	SCREW, SKT. HD. CAP 3/8-24 X 1-3/4	6
6	10113	SPACER, STEEL 9/16OD X 3/8ID X 7/32	3
7	10011	SPACER, STEEL 5/8OD X 3/8ID X 3/8T	6
8	11725	NUT, HEX JAM 3/8-24 ZINC (USE BLUE LOCTITE)	6
	*	QUANTITIES ARE PER EACH DISC ASSEMBLY. THERE IS 1 DISC ASSEMBLY PER MACHINE.	





	ITEM #	PART #	DESCRIPTION	QTY.*
	1	77618	ADAPTER, DIAMOND DISC (INCLUDES ITEM 2)	1
	2	10855	SCREW, SKT. BUTTON HD 3/8-24 X 1	3
	3	86108	SCREW, FLAT HD SKT 3/8-24 X 3/4 (NOT INCLUDED)	-
	4	86391A	MULTI-DISC ASSEMBLY (NOT INCLUDED)	-
	5		DIAMOND DISC (NOT INCLUDED)	-
\bigcirc			REFER TO CATALOG FOR OPTIONS.	
		*	QUANTITIES ARE PER EACH DISC ASSEMBLY.	
			THERE IS 1 DISC ASSEMBLY PER MACHINE.	








A Parts

PARTS LISTING - ILLUSTRATION 7:
SWITCH AND POWER CORD GROUPING

	ITEM #	PART #	DESCRIPTION	QTY.
	1	77042	BRACKET, ROTARY CAM SWITCH	1
	2	10038	WASHER, LOCK 1/4 ZINC	2
	3	10846	SCREW, CAP STSHW 1/4-20 X 1/2	2
	4	11663	SCREW, MACHINE 8-32 X 1/2 RHCD ZINC	2
	5	10462	NUT, KEPS LOCK 8-32 ZINC 🚬	2
	6	77043	SWITCH, ROTARY CAM ON/OFF, LOVATO REPLACEMENT PARTS:	1
		77043-2	SWITCH HANDLE, PADLOCKABLE	1
		77043-4	GASKET RING, OPERATOR	1
	7	77043-1	SWITCH ADAPTER, PG16 TO 1/2"NPT	2
	8	40066	STRAIN RELIEF 1/2NPT X .350450"	2
	9	86422	CORD W/ PLUG, 25FT. POWER	1
	10	77045	WIRE HARNESS 12/3 X 42"LOA	1
	11	16176	STRAIN RELIEF 3/4NPT X .350450"	1
	12	10740	CONDUIT LOCK NUT 3/4 NP	1
	13	11690 🦯	CLAMP, LOOM, 3/8"	2
	14	86419	HOLDER, POWER CORD	1
	15	10038	WASHER, LOCK 1/4 ZINC	2
	16	10846	SCREW, CAP STSHW 1/4-20 X 1/2	2
Go				







MOTOR WIRING DIAGRAM

LEESON CAT. NO. 119149 1.5HP 60Hz SINGLE PHASE

USE CONNECTIONS FOR COUNTER CLOCK-WISE (C.C.W.) ROTATION SHOWN BELOW IN CHART POWER CORD: BLACK WIRE - L1, WHITE WIRE - L2, GREEN WIRE - GROUND LOW VOLT (115V) STANDARD, HIGH VOLT (230V) OPTIONAL

										76	005	053-()2
	VIEW FROM OUTSIDE OF MOTOR A	T SWITCH END							LINE L	EADS			
				T1 3		T5 P1 P2 T3 T2 T4 T8)	P1 T2 T3 T4 T8 T5	
						10		ROTATION FACING LEAD END	L1	L2	JOIN	INSULA SEPARA	
							HIGH	C.C.W.	P1	T4 T5	T2,T3 T8	P2	2
							VOLT	C.W.	P1	T4 T8	T2,T3 T5	P2	2
							LOW	C.C.W.	P1		P2,T3 T8		
	* THIS LEAD MAY BE WHITE						VOLT	C.W.	P1		P2,T3 T5		
				TOL	ERANCES S SPECIFIED				โปกกร	3000	DRAWN	ADH 06,	/16,
				DEC.	INCHES	REGA	L-BE	LOIT ((2	1/1(0)1 4.172/011	LUL Nologie	7 CHK	WRK 06/3	0/
				.x .xx	±.1 ±.01	TITLE	FYTE		6	roup	APPD SCALE	1=1	1
04	ADDED "*" TO T5	RLW 7/22/02		.xxx	±.005			E "K" W/PR			REF	1-	
	REDRAWN ON CAD	DBT 05/27/97		.xxxx	±.0005	MAT'L.		DECAL 004			FMF	6K17FB	8A
	ng jarranda serangan ang mang kang kang kang kang kang kang kang k								0.02		PREV		
03	REVISION	BY & DATE	CHK	ANG	±1/2"	FINISH					PREV		_
03 10.	REVISION THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT B IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION	BE USED EXCEPT	RFP	ANG	±1/2*	FINISH CAD FILE	005	05302	SIZ	E DRAWING			



Search Website by Part Number Discount	Search Manual Library For Parts Manual & Lookup Part Numbers – Purchase or Request Quote	Can't Find Part or Manual? Request Help by Manufacturer, Model & Description
Equipment		Parts Order Form
		1 No.Asc Taic
	Search Manuals	izante
	Histope scale performant and period speptimetic party and some manuality in scale, and party	NOT.
	theat	Gaan
ni Zapitrami i siya Yoni na kasarata ke tarata di katalari ganity apulartari. Na sali Ina Badu mu Parla na Asaratari ke tarata da da Katani Alak Ying Katala da	SCOL Brand	
When Source Mades The DifferenceIII Sections	* Vold	N(8-1)
Printe universe interest for any posterior in the second s		01
200 2004 tol tourideta for Tableta for	Sond	DaleTegion
a - 2 Stallagrad Str 2	bil: Smilheric	ApVara con -
See Second and Areas	Pathatics. Enter Pathate(Sol reprint)	124.10
All data second participations and the second participation of the second participatio		A
Standard International Standards	Examples Enter Description from You Are Locking For	CdBac
		70
	Stat	Ermi -

Discount-Equipment.com is your online resource for quality parts & equipment.

Florida: 561-964-4949 Outside Florida TOLL FREE: 877-690-3101

Need parts?

Click on this link: http://www.discount-equipment.com/category/5443-parts/ and choose one of the options to help get the right parts and equipment you are looking for. Please have the machine model and serial number available in order to help us get you the correct parts. If you don't find the part on the website or on one of the online manuals, please fill out the request form and one of our experienced staff members will get back to you with a quote for the right part that your machine needs.

We sell worldwide for the brands: Genie, Terex, JLG, MultiQuip, Mikasa, Essick, Whiteman, Mayco, Toro Stone, Diamond Products, Generac Magnum, Airman, Haulotte, Barreto,
Power Blanket, Nifty Lift, Atlas Copco, Chicago Pneumatic, Allmand, Miller Curber, Skyjack, Lull, Skytrak, Tsurumi, Husquvarna Target, Stow, Wacker, Sakai, Mi-T-M, Sullair, Basic, Dynapac, MBW, Weber, Bartell, Bennar Newman, Haulotte, Ditch Runner, Menegotti, Morrison, Contec, Buddy, Crown, Edco, Wyco, Bomag, Laymor, EZ Trench, Bil-Jax, F.S.
Curtis, Gehl Pavers, Heli, Honda, ICS/PowerGrit, IHI, Partner, Imer, Clipper, MMD, Koshin, Rice, CH&E, General Equipment, Amida, Coleman, NAC, Gradall, Square Shooter, Kent, Stanley, Tamco, Toku, Hatz, Kohler, Robin, Wisconsin, Northrock, Oztec, Toker TK, Rol-Air, APT, Wylie, Ingersoll Rand / Doosan, Innovatech, Con X, Ammann, Mecalac, Makinex, Smith Surface Prep,Small Line, Wanco, Yanmar