

STARTING SERIAL # 160910316

, de

PARTS LIST MANUAL

Magna-Trap™ 9" Turbo-Lite Grinder

MODEL TL-9

PART # 58900

OTROP



Search Website by Part Number Discount	Search Manual Library For Parts Manual & Lookup Part Numbers – Purchase or Request Quote	Can't Find Part or Manual? Request Help by Manufacturer, Model & Description
Equipment		Parts Order Form
		1 Nouline faile
	Search Manuals	22mgb
	Histope scale performant and period speptimetic party and some manuality in scale, per parts	NOC.
	theat	
ni Zapitrami i siya Yoni na kasarata ke tarata di katalari gani yaputanani. Na sali Ina Katalari mu Pani si Akazarata ke tarata da da Kata Alak Ying Katalari katalari Manan di Katan Rajata (Alaman) Katalari katalari padi Katana Raja (Katalari	SCOL Brand	
When Source Mades The DifferenceIII Sections	* Vold	A(8.5.5
Printe universe interest for any posterior in the second s		Oh.
200 2004 tol tourideta for Tableta for	Sond	DateTopics
An Andrew Territory Territory Territory Territory Territory Territory	Bit: Brailforte	Api pra con ·
State Second and Areas	Packharden. Ester Part Norder/Set repared/	24:36
Char State on A and Minash Minash and Minash State of Minash		A = x*
	Examples Enter Description fam Yes Are Locking For	CdPlac
		De
	21/14	Evel *

Discount-Equipment.com is your online resource for quality parts & equipment.

Florida: 561-964-4949 Outside Florida TOLL FREE: 877-690-3101

Need parts?

Click on this link: http://www.discount-equipment.com/category/5443-parts/ and choose one of the options to help get the right parts and equipment you are looking for. Please have the machine model and serial number available in order to help us get you the correct parts. If you don't find the part on the website or on one of the online manuals, please fill out the request form and one of our experienced staff members will get back to you with a quote for the right part that your machine needs.

We sell worldwide for the brands: Genie, Terex, JLG, MultiQuip, Mikasa, Essick, Whiteman, Mayco, Toro Stone, Diamond Products, Generac Magnum, Airman, Haulotte, Barreto,
Power Blanket, Nifty Lift, Atlas Copco, Chicago Pneumatic, Allmand, Miller Curber, Skyjack, Lull, Skytrak, Tsurumi, Husquvarna Target, Stow, Wacker, Sakai, Mi-T-M, Sullair, Basic, Dynapac, MBW, Weber, Bartell, Bennar Newman, Haulotte, Ditch Runner, Menegotti, Morrison, Contec, Buddy, Crown, Edco, Wyco, Bomag, Laymor, EZ Trench, Bil-Jax, F.S.
Curtis, Gehl Pavers, Heli, Honda, ICS/PowerGrit, IHI, Partner, Imer, Clipper, MMD, Koshin, Rice, CH&E, General Equipment, Amida, Coleman, NAC, Gradall, Square Shooter, Kent, Stanley, Tamco, Toku, Hatz, Kohler, Robin, Wisconsin, Northrock, Oztec, Toker TK, Rol-Air, APT, Wylie, Ingersoll Rand / Doosan, Innovatech, Con X, Ammann, Mecalac, Makinex, Smith Surface Prep,Small Line, Wanco, Yanmar

READ AND UNDERSTAND THE OPERATORS INSTRUCTION MANUAL THOROUGHLY **BEFORE ATTEMPTING TO OPERATE THIS EQUIPMENT.** Death or serious injury could occur if this machine is used improperly.

SAFETY MESSAGES

Safety Instructions are proceeded by a graphic alert symbol of DANGER, WARNING, or CAUTION.



Indicates an imminent hazard which, if not avoided, will result in death or serious injury.



Indicates an imminent hazard which, if not avoided, can result in death or serious injury.



Indicates hazards which, if not avoided, could result in serious injury and or damage to the equipment.

GASOLINE/PROPANE POWERED EQUIPMENT



· Engine exhaust from this product contains chemicals known to the State of California to cause cancer, birth defects or other reproductive harm



Gasoline is extremely flammable and poisonous. It should only be dispensed in well ventilated areas, and with a cool engine.

Small gasoline engines produce high concentrations of carbon monoxide (CO) example: a 5 HP 4 cycle engine operation in an enclosed 100,000 cu. ft. area with only one change of air per hour is capable of providing deadly concentrations of CO in less than fifteen minutes. Five changes of air in the same area will produce noxious fumes in less than 30 minutes. Gasoline or propane powered equipment should not be used in enclosed or partially enclosed areas. Symptoms of CO poisoning include, headache, nausea, weakness, dizziness, visual problems and loss of consciousness. If symptoms occur - get into fresh air and seek medical attention immediately.

ELECTRICAL POWERED EQUIPMENT



Extreme care must be taken when operating electric models with water present: Ensure power cord is properly grounded, is attached to a Ground-Fault-Interrupter (GFI) outlet, and is undamaged.

- Check all electrical cables be sure connections are tight and cable is continuous and in good condition. Be sure cable is correctly rated for both the operating current and voltage of this equipment.
- Improper connection of the equipment-grounding conductor can result in a risk of electric shock. Check with qualified electrician or service person if there is any doubt as to whether the outlet is properly grounded. Adhere to all local codes and ordinances.
- **NOTE:** In the event of a malfunction or breakdown, grounding provides a path of least resistance for the electric current to dissipate. The motor is equipped with a grounded plug and must be connected to an outlet that is properly installed and properly grounded. DO NOT modify the plug provided on the motor. If the plug does not fit the outlet have a qualified electrician install the proper receptacle.
- Switch motor OFF before disconnecting power.

- · Do not disconnect power by pulling cord. To disconnect, grasp the plug, not the cord.
- · Unplug power cord at the machine when not in use and before servicing.

GENERAL INSTRUCTIONS

- · Equipment should only be operated by trained personnel in good physical condition and mental health (not fatigued). The operator and maintenance personnel must be physically able to handle the bulk weight and power of this equipment.
- This is a one person tool. Maintain a safe operating distance to other personnel. It is the operators' responsibility to keep other people (workers, pedestrians, bystanders, etc.) away during operation. Block off the work area in all directions with roping, safety netting, etc. for a safe distance. Failure to do so may result in others being injured by flying debris or exposing them to harmful dust and noise.
- This equipment is intended for commercial use only.
- For the operator's safety and the safety of others, always keep all guards in place during operation.
- Never let equipment run unattended.



 Personal Protection Equipment and proper safety attire must be worn when operating this machinery. The operator must wear approved safety equipment appropriate for the job such as hard hat and safety shoes when conditions require. Hearing protection MUST be used (operational noise levels of this equipment may exceed 85db). Eye protection MUST be worn at all times.



Keep body parts and loose clothing away from moving parts. Failure to do so could result in dismemberment or death.

- Do not modify the machine.
- Stop motor/engine when adjusting or servicing this equipment. Maintain a safe operating distance from flammable



materials. Sparks from the cutting-action of this machine can ignite flammable materials or vapors.

DUST WARNING

Some dust created by power sanding, sawing, WARNING grinding, drilling, and other construction activities contains chemicals known to cause cancer, birth defects, or other reproductive harm. Some

- examples of these chemicals are:
- Lead from lead-based paints, and
- Crystalline silica from bricks and concrete and other masonry products.

Your risk of exposure to these chemicals varies depending on how often you do this type of work. To reduce your risk: work in a well ventilated area, use a dust control system, such as an industrial-style vacuum, and wear approved personal safety equipment, such as a dust/particle respirator designed to filter out microscopic particles.



Printed in USA ©2016 KIK Page 2


PARTS LIST MANUAL Magna-Trap™ 9" Turbo-Lite Grinder MODEL TL-9

TABLE OF CONTENTS

	<u>Section</u>			Page Number	<u>ər</u>
				2	
				3	
	Illustration 1: Main Grouping		Crouping		
		ng Diagram			
	Limited Equipment	Warranty of Sale - Te	rms & Conditions	12 (Bac	k Page
			0		
		~	Ve la		
		ht-Foluiph			
		N			
		\sim			
	i S				
~0					



Printed in USA клк ©2016 **Page 3**






Printed in USA ©2016 клк **Page 4**

ITEM #	PART #	DESCRIPTION	QTY
1	58950	MAIN FRAME, TL-9	1
2	58956	DUST RING, TL-9	1
3	10834	SCREW, CAP 1/4-20 X 1/2 ZINC	2
4	10015	NUT, HEX LOCK 1/4-20 ZINC	2
5	59117	LEVEL, SCREW ON	
6	11871	SCREW, MACHINE FHP 8-32 X 1-1/4	
7	10462	NUT, KEPS LOCK 8-32 ZINC 6	
8	58951	REAR AXLE, TL-9	1
9	79013	WHEEL, 8 X 2-1/2 X 3/4"BRG.POLY HUB	2
10	10306	PIN, COTTER 3/16 X 1-1/2	2
11	58952	LOWER HANDLE, TL-9	
12	10885	SCREW, CAP 3/8-24 X 3	
13	10025	WASHER, FLAT 3/8 SAE ZINC	
14	11695	WASHER, 1.1210 X .3750 X .1280	
15	10152	NUT, HEX NYLON LOCK 3/8-24 ZINC	
16	58953	UPPER HANDLE, TL-9	
17	58963	FOUR ARM KNOB, 3/8-16 X 2-1/2, TL-9	
18	58959	QUICK RELEASE PIN W/ LANYARD, TL-9	
19	10608	GRIP, HAND 1" MODEL AT	
20	77043	SWITCH, ROTARY CAM ON/OFF, LOVATO REPLACEMENT PARTS:	1
	77043-2 77043-4	SWITCH HANDLE, PADLOCKABLE, LOVATO GASKET RING, OPERATOR, LOVATO	1
21	11663	SCREW, MACHINE 8-32 X 1/2 RHCD ZINC	4
22	77043-1	SWITCH ADAPTER, PG16 TO 1/2"NPT	2
23	40066	STRAIN RELIEF 1/2NPT X .350450"	2
24	58964	MOTOR CORD 12/3 AWG SJ00W X 56"	1
	58965	POWER CORD 12/3 X 10' AWG SJ00W	1



ILLUSTRATION 2: MOTOR & MAGNA-TRAP™ DISC GROUPING






Printed in USA ©2016 клк Page 6

ITEM #	PART #	DESCRIPTION	QTY
1	16091	MOTOR, EMGR 1.1KW 115V 60HZ, TL-9	1
2	58961	CAPACITOR, START, EMGR MOTOR	2
3	58962	CLAMP, LOOM, FOR CAPACITOR 💦 💦 📉	2
4	28506	STRAIN RELIEF, M20X1.5 .276512"	1
5	10810	NUT, HEX LOCK 3/8-16 ZINC	6
6	10025	WASHER, FLAT 3/8 SAE ZINC 4	
7	10333	SCREW, CAP 3/8-16 X 1-1/4 4	
8	58960	HEAD BRACKET, SPACER, TL-9	1
9	58954	HEAD BRACKET, TL-9	
10	10811	WASHER, LOCK 3/8 ZINC	3
11	11775	SCREW, CAP M8-1.25 X 40MM	1
12	86017	COUPLING, MORFLEX 402 CENTER	1
13	58955	TOOL BRACKET, TL-9	1
14	10317	SCREW, CAP 3/8-16 X 2	2
15	11669	SCREW, CAP 3/8-16 X 2-1/2 FULL THD	2
16	58903	9" MAGNA-TRAP DISC W/ MAGNETS, TL-9 INCLUDES ITEMS (16,17,18,19)	1
17	36064	MAGNET, NEODYMIUM RING 7/8 X 1/8	3
18	10647	SCREW, FLAT HD PHILLIPS 8-32 X 1/2	3
19	10462	NUT, KEPS LOCK 8-32 ZINC	3
20	10055	SCREW, CAP 3/8-16 X 1	3
21	10453	WASHER, LOCK, INT. TOOTH 3/8"	3



Printed in USA клк ©2016 **Page 7**

WIRING DIAGRAM





Printed in USA ©2016 клк **Page 8**

Search Website by Part Number Discount	Search Manual Library For Parts Manual & Lookup Part Numbers – Purchase or Request Quote	Can't Find Part or Manual? Request Help by Manufacturer, Model & Description
Equipment		Parts Order Form
		1 Nouline faile
	Search Manuals	22mgb
	Histope scale performant and period speptimetic party and some manuality in scale, per parts	NOC.
	theat	
ni Zapitrami i siya Yoni na kasarata ke tarata di katalari ganity apulartari. Na sali Ina Badu mu Parla na Asaratari ke tarata da da Katani Alak Ying Katala da	SCOL Brand	
When Source Mades The DifferenceIII Sections	* Vold	Alberts
Printe universe interest for any posterior in the second s		Oh.
200 2004 tol tourideta for Tableta for	Sond	DateTopics
An Andrew Territory Territory Territory Territory Territory Territory	Bit: Brailforte	Api pra con ·
State Second and Areas	Packharden. Ester Part Norder/Set repared/	24:36
Char State on A and Minash Minash and Minash State of Minash		A = x*
	Examples Enter Description from Yes Are Locking For	CdPlac
		De
	21/14	Evel *

Discount-Equipment.com is your online resource for quality parts & equipment.

Florida: 561-964-4949 Outside Florida TOLL FREE: 877-690-3101

Need parts?

Click on this link: http://www.discount-equipment.com/category/5443-parts/ and choose one of the options to help get the right parts and equipment you are looking for. Please have the machine model and serial number available in order to help us get you the correct parts. If you don't find the part on the website or on one of the online manuals, please fill out the request form and one of our experienced staff members will get back to you with a quote for the right part that your machine needs.

We sell worldwide for the brands: Genie, Terex, JLG, MultiQuip, Mikasa, Essick, Whiteman, Mayco, Toro Stone, Diamond Products, Generac Magnum, Airman, Haulotte, Barreto,
Power Blanket, Nifty Lift, Atlas Copco, Chicago Pneumatic, Allmand, Miller Curber, Skyjack, Lull, Skytrak, Tsurumi, Husquvarna Target, Stow, Wacker, Sakai, Mi-T-M, Sullair, Basic, Dynapac, MBW, Weber, Bartell, Bennar Newman, Haulotte, Ditch Runner, Menegotti, Morrison, Contec, Buddy, Crown, Edco, Wyco, Bomag, Laymor, EZ Trench, Bil-Jax, F.S.
Curtis, Gehl Pavers, Heli, Honda, ICS/PowerGrit, IHI, Partner, Imer, Clipper, MMD, Koshin, Rice, CH&E, General Equipment, Amida, Coleman, NAC, Gradall, Square Shooter, Kent, Stanley, Tamco, Toku, Hatz, Kohler, Robin, Wisconsin, Northrock, Oztec, Toker TK, Rol-Air, APT, Wylie, Ingersoll Rand / Doosan, Innovatech, Con X, Ammann, Mecalac, Makinex, Smith Surface Prep,Small Line, Wanco, Yanmar