
REVISED JANUARY 1999 STARTING SERIAL #11950

### CONCRETE SCARIFIER

PARTS LIST MANUAL



Model CPM-8





# PARTS FINDER Search Website Search Website Search Website Search Website







Discount-Equipment.com is your online resource for quality parts & equipment.

Florida: 561-964-4949 Outside Florida TOLL FREE: 877-690-3101

#### Need parts?

Click on this link: <a href="http://www.discount-equipment.com/category/5443-parts/">http://www.discount-equipment.com/category/5443-parts/</a> and choose one of the options to help get the right parts and equipment you are looking for. Please have the machine model and serial number available in order to help us get you the correct parts. If you don't find the part on the website or on one of the online manuals, please fill out the request form and one of our experienced staff members will get back to you with a quote for the right part that your machine needs.

We sell worldwide for the brands: Genie, Terex, JLG, MultiQuip, Mikasa, Essick, Whiteman, Mayco, Toro Stone, Diamond Products, Generac Magnum, Airman, Haulotte, Barreto, Power Blanket, Nifty Lift, Atlas Copco, Chicago Pneumatic, Allmand, Miller Curber, Skyjack, Lull, Skytrak, Tsurumi, Husquvarna Target, Stow, Wacker, Sakai, Mi-T-M, Sullair, Basic, Dynapac, MBW, Weber, Bartell, Bennar Newman, Haulotte, Ditch Runner, Menegotti, Morrison, Contec, Buddy, Crown, Edco, Wyco, Bomag, Laymor, EZ Trench, Bil-Jax, F.S. Curtis, Gehl Pavers, Heli, Honda, ICS/PowerGrit, IHI, Partner, Imer, Clipper, MMD, Koshin, Rice, CH&E, General Equipment, Amida, Coleman, NAC, Gradall, Square Shooter, Kent, Stanley, Tamco, Toku, Hatz, Kohler, Robin, Wisconsin, Northrock, Oztec, Toker TK, Rol-Air, APT, Wylie, Ingersoll Rand / Doosan, Innovatech, Con X, Ammann, Mecalac, Makinex, Smith Surface Prep,Small Line, Wanco, Yanmar

<u>^</u>

READ AND UNDERSTAND THE OPERATORS
INSTRUCTION MANUAL THOROUGHLY
BEFORE ATTEMPTING



TO OPERATE THIS EQUIPMENT.

Death or serious injury could occur if the machine is used improperly.



#### **WARNING**



The engine exhaust from this product contains chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

#### **GASOLINE POWERED EQUIPMENT**



Do not operate gasoline powered equipment without adequate ventilation. Carbon monoxide is an invisible, odorless gas that can kill.





#### **ELECTRIC POWERED EQUIPMENT**



**ELECTRICAL HAZARD** - Be sure equipment is properly grounded. Failure to comply could kill or result in serious injury.



#### WARNING

#### **GENERAL SAFETY PRECAUTIONS**



- 1. You must read and understand the operators instruction manual and all other manuals associated with this machine. For your safety and the safety of others around you, it is extremely important to fully understand how to operate this machine in the way it was intended. Different model machines or older/newer versions of the same model may have different parts and controls that you need to understand. If instructions are not readable or available DO NOT USE this machine and contact the factory for a replacement Manual.
- 2. You must be able to physically handle the bulk weight and power of this machine. If not properly controlled this machine can cause death or serious injury.
- 3. Do not operate this machine in an impaired mental state. You must be able to exercise good judgement and reactions to maintain a safe working environment.
- 4. This is a "one person" machine which means only one operator can be operating the machine at any one time. For the safety of others, maintain a safe operating distance to other personnel. Your work area should be defined and appropriately marked so bystanders and coworkers do not stand or walk near this machine and end up seriously injured by flying debris or exposing them to harmful noise or dust.
- 5. This equipment is for Commercial use. Although this is a "one person" machine your work team should understand how to shut this machine off and quickly get medical help if an accident strikes the operator.
- 6. Keep all guards in place during operation. The guards are to provide protection from inadvertent contact with dangerous moving parts, pinch points, or hot surfaces.
- 7. Wear appropriate Personal Protective Equipment (PPE) including safety glasses, safety boots, work gloves, respiratory protection, hearing protection, and head protection. Do not wear loose clothing that can get tangled in moving parts. Failure to do so could result in dismemberment or death. Wear an approved respirator when removing hazardous materials or when grinding/cutting dry materials. Some dust particles such as concrete dust can contain silicate particles which can cause silicosis (a very serious lung disease). Contact NIOSH or OSHA for further details. When wet grinding/cutting, avoid contact with the concrete/asphalt slurry which can cause serious skin irritations.
- 8. You must maintain this machine per the maintenance schedule in the operator manual. Remember before adjusting, servicing, or fueling this machine, disconnect the source of power to the machine by disconnecting the spark plug (Gas models), or by unplugging the electrical power cord (electric models) or air hose (Pneumatic models) AT THE MACHINE so you can assure yourself it remains unplugged while you are working on it. Do not modify this machine. Use only genuine EDCO parts and accessories. Repairs and service should be performed by approved EDCO dealers or authorized technicians.
- 9. You should look carefully around the area before you begin work so you can identify potential hazards such as deck inserts, pipes, columns, openings, electrical cords or outlets, or any other objects protruding from the slab surface.
- 10. This machine has no brain so you must use your own. There is no substitute for safety. The safety decals on the machine are to serve as a reminder for information you must already know before you begin using this machine. Take a moment to reread the safety decals each time you use the machine. If your machine is missing any decals, contact Discount-equipment.


#### EDCO Model CPM-8, "CONCRETE SCARIFIER"

#### TABLE OF CONTENTS

- 1 General Safety Precautions
- 2 Information Page (Table of Contents)
- 3 Illustration 1: Frame Assembly
- 4 Parts Listing Illustration 1: Frame Assembly
- 5 Illustration/Parts Listing 2: Drum Shaft and Bearings
- 6 Illustration/Parts Listing 3: Engine and Belt Drive Assembly
- 7 Illustration 4: Motor Belt Drive Assembly
- 8 Parts Listing Illustration 4: Motor Belt Drive Assembly
- 9 Illustration/Parts Listing 5: Cutter Wheel Drum Assembly (Standard)
- 10 Illustration/Parts Listing 6: Roto-Peen Flap Hub Assembly (Standard)
- 11 Illustration/Parts Listing 7: Diamond Grooving Head Assembly (Standard)
- 12 Illustration/Parts Listing 8: Optional Edger Assembly
- 13 Illustration/Parts Listing 9: Optional Cutter Wheel Drum Assembly (For use with edger assembly only!)
- 14 Illustration/Parts Listing 10: Optional Roto-Peen Flap Hub Assembly (For use with edger assembly only!)


(Back Cover) - Limited Equipment Warranty

#### **ILLUSTRATION 1: FRAME ASSEMBLY**




The second secon		ARTS LISTING - ILLUSTRATION 1: FRAME ASSEMB		
			QTY.	
2	65009 10055	Handle Bar, CPM-8		
3	10608	Screw, Cap 3/8-16 x 1 Grip, Hand 1" Model AT	2	
4			1	
5	10005	Plug, Hole 7/8" (Chrome) - Electric Models Only	1	
*********	14023	Knob, Ball 1-3/8" DIA. W/ 1/2-13 THD.		
6	10127	Screw, Drive 1/8 x 1/4" L	1	
/	10808	Fitting, Grease 1/4-28 Straight	2	
8 9	65007 10359	Linkage Support, Upper, CPM-4/8	1	
***********************		Screw, Cap 5/8-11 x 3-1/4	3	
10	10073	Washer, Flat 5/8	3 1	
11	79035	Bushing, Rubber 5/8"ID x 1/4"THK Handwheel, Small W/ 5/8-8 x 13"Rod	1	
12	65019	I		
13	80007	Decal, Cut Control - DWN/UP (Small Round)	1	
14	14023	Knob, Ball 1-3/8" DIA. W/ 1/2-13 THD.	1	
15	10346	Screw, Skt. Hd. Cap 1/2-13 x 4-1/2	1	
16 17	50550	Sleeve for 1/2"Capscrew, Tapered	<u> </u>	
	10073	Washer, Flat 5/8	2	
18	85005	Bearing, Ball 5/8"ID x 1-1/2"OD (Thrust)	1	
19	10096	Collar, Locking 5/8" ID	1	
20	65006	Linkage, Lower	1	
21	81001	Screw, Cap 1/2-13 x 4	1	
22	10407	Nut, Lock 1/2-13	1	
23 24	65004	Fork	1 2	
24 25	65005	Spacer, Rear Wheel 2-3/16"	2	
***********************	52001	Wheel, 4 x 1-1/2 x 3/4" Brg. Alum./Rubber		
26	10306	Pin, Cotter 3/16 x 1-1/4	2	
27	65015	Bolt, Allthread Rod 1/2-13 x 8	2	
28	10312	Washer, Flat 1/2	1	
29	10407	Nut , Lock 1/2-13	1	
30	65001	Main Frame		
31	10304	Screw, Cap 1/2-20 x 1	2	
32	10045	Washer, Lock 1/2	2	
33	10312	Washer, Flat 1/2		
34	65014	Axle Shaft , Front 3/4" DIA. x 12-7/32" L, CPM-8	1	
35	10428	Collar, Locking 3/4" ID	2 2 1	
36	52001	Wheel, 4 x 1-1/2 x 3/4" Brg. Alum./Rubber	- 4	
37	65036	Brushes (Set of 4)	8	
38	10834	Screw, Cap 1/4-20 x 1/2	8	
39	10861	Nut, Keps 1/4-20	1	
40	65021	Plug, Cap 2"	1	
41	65003	Cover, Belt	1	
42	65022	Plug, Hole 2"	2	
43	10422	Nut, Acorn 1/2-20 Washer, Lock 1/2	2	
44 45	10045	Washer, Flat 1/2	4	
	10312	***************************************	2	
46	10072	Nut 1/2-20   Spacer Tube 1/2"   D v 3 9/16"   CPM-8	2	
47	65016	Spacer Tube 1/2" ID x 3-9/16" L, CPM-8	2	
48	65017	Screw, Clap 1/2-20 x 5	1	
49	-	Mount, Engine \ Motor	ļ <u>.</u>	
	65002	Standard, CPM-8 (Excluding 5.5 HP Honda)		
- -	65095	5.5 HP Honda, CPM-8 (Export Models Only)	2	
50	10021	Screw, Cap 3/8-24 x 1	4	
51	10025	Washer, Flat 3/8		
52	10004	Nut, Lock 3/8-24	2	
53	10802	Bolt, Carriage 3/8-16 x 1	6	
54	10025	Washer, Flat 3/8	6	
55	10811	Washer, Lock 3/8	3	
56	10404	Nut 3/8-16	1	
57	10388	Bolt, Carriage 3/8-16 x 3 Full THD.	<u> </u>	
58	65096A	Bail Assembly, Lifting, CPM-8 (Contains Items 59 through 62)	1	
59	65096	Bail Only, Lifting, CPM-8		
60	10816	Screw, Cap 3/8-24 x 1-1/2	2	
61	10811	Washer, Lock 3/8	2	
62	10014	Nut 3/8-24	2	


#### **ILLUSTRATION 2: DRUM SHAFT AND BEARINGS**



PARTS LISTING - ILLUSTRATION 2: DRUM SHAFT AND BEARINGS				
ITEM #	PART#	DESCRIPTION	QTY.	
1	65037	Drum/Hub Shaft 18-3/8" Length, CPM-8	1	
2	65039	Nut, Jam 5/8-11 Left-Hand Thread	2	
3	65057	Bearing Assy. Complete, 1" Hex Bore	1	
4 (	65056	Bearing Assy. Complete, 1-1/4" Dia. Bore	1	
5	65031	Retainer, Bearing, CPM-8	2	
6	65030	Bearing, Ball 1-1/4" W/Snap Ring	2	
7	65033	Bushing, Bearing, 1" Hex Bore, CPM-8	1	
8	10808	Fitting, Grease 1/4-28 Straight	1	
9	10961	Fitting, Grease 1/4" -28 X 90°	1	
10	10309	Screw, Cap 3/8-24 X 1-1/4"	8	
11	10811	Washer, Lock 3/8"	8	
12	10025	Washer, Flat 3/8"	8	
13	10878	Screw, Skt. Hd. Cap 3/8-24 X 1"	3	
14	10113	Spacer, Steel 9/16" OD X 3/8" ID X 7/32"	3	
15	65038	Driver, CPM-8	1	
16	10873	Retaining Ring, Ext. 1-1/4" 5100-125	1	



TEM #	PART#	DESCRIPTION	QTY
1		Engine	1
*****************	15027	Honda 9.0 HP GX270	
1+11+1+1+111111111111111	15015	Kohler 8.0 HP Magnum M8T	
	15039	B&S Vanguard 7,5 HP 138432	
	15033	B&S Vanguard 9.0 HP 185432	
	40387	Honda 5.5 HP GX160 (Export Models Only)	
2		Oil Drain Kit for Honda Engines (Contains Items 3 through 6)	1
	40328	Kit for 9 HP Honda	
	40327	Kit for 5.5 HP Honda	
3	10776	Pipe Plug ¼ NPT (Brass)	1
4	11544	Barb, Push-On 3/8 Hose X ¼ FPT	1
5	56116	Hose, Push-On 3/8"ID X 3"L	1
6			11
	11542	3/8 Hose X 12mm X 1.50 Male (9 HP Honda)	
	11541	3/8 Hose X 10mm X 1.25 Male (5.5 HP Honda)	
7	10054	Nut 5/16-18	4
8	10801	Washer, Lock 5/16	4
9	10213	Washer, Flat 5/16	4
10	10025	Washer, Flat 3/8	2
11	10918	Bolt, Carriage 5/16-18 X 1-3/4	4
12	50010	Switch Kit, Stop Button, 7/8" Hole	11
13	40388	Cable, Throttle Control, Lever-Type 24"	111
14	10831	Washer, Lock, Int. Tooth #10	2
15	10828	Screw, Self-Tap Pan Head 10-24 X 1/2	2
16	10307	Key 1/4 SQ X 2-1/4	11
17		Sheave	11
	10553	2.5" OD X 2 Gr. A X 1" Bore (Excluding Honda 5.5 HP GX160)	
	10559	2.5" OD X 2 Gr. A X 3/4" Bore (For use with Honda 5.5 HP only)	
18		Belt	2
	81007	AX-33 (Excluding Honda 5.5 HP GX160)	
	10249	AX-31 (For use with Honda 5.5 HP only)	
19	40317	Key 1/4 SQ X 1-5/8	
20	10505	Bushing, Sheave SH X 1-1/4" Bore	11
21	65045	Sheave 4.05" OD X 2 Gr. A X SH	1 1



Page 7

	P	ARTS LIST	ring - Illus	<b>TRATION 4</b>	# #	
	N	NOTOR & E	BELT DRIVE	<b>ASSEMBLY</b>	r	
ITEM #	PART	# DESCRIP	rion	ESEM en chréateach ann chim den anns ann ann ann ann an ann an deach deach ann ann an an an an an an an an an	Q	TY
1	4000	0 Plug Connec	ctor, Locking 20A/25	0V (See Note)		1
2	4003		g 20A/250V (See No			1
3		Wire Harnes	s (See Note)			1
************************	8602	6 10/3 x 24"	LOA			*********
	8602	2 12/4 x 24"	LOA	······································		
4	1060	5 Connector, S	Strain Relief 3/4 NF	T x .650750" Ran	ge	3
5	1074	0 Conduit Loc	k Nut 3/4 NP	#116609999Php13037A4444PP94447444444444444444444444444444		3
6	8504	5 Starter CA3-	30 W/ Large Enclos	ure		1
		(Specify Hi	P, Phase, Volts, Amp	os, Hertz)		********
7	1036	2 Screw, Mach	nine 8-32 x 3/4			2
8	1085	0 Washer, Fla	t #10			2
9	1046	1 Washer, Loc	k, Int. Tooth #8			2
10	1046	2 Nut 8-32				2
11	8602	7 Mounting Br	kt., Large CA3-30 St	tarter		1
12	1084	6 Screw, Self-	Tap Hex Washer 1/4	I-20 x 1/2		2
13	İ	Wire Harnes	s (See Note)			1
***************************************	6504	0 10/3 x 50"	CPM-8-E 1-Phase			
	6504	1 12/4 x 50"	CPM-8-E 3-Phase			**********
14		Motor				1
***************************************	8102	6 Baldor 5.0	HP-1 PH, 60 HZ, 3	450 RPM		*******
***************************************	8102	2 Baldor 5.0	HP-3 PH, 60 HZ, 3	450 RPM		*********
************************	1602	0 Baldor 5.0	) HP-3 PH, 50 HZ, 2	850 RPM		********
15	1005	4 Nut 5/16-18				4
16	1080	1 Washer, Loc	k 5/16			4
17	1021		***************************************	***************************************		4
18	1081	9 Bolt, Carriag	e 5/16-18 x 1			4
19	1010		x 1-3/4" (Included w	vith motor)		1
20		Sheave (See		······································		1
*************************	1055	5 2.50" OD 3	2 Gr. A x 1-1/8" Bo	re		********
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1052	6 3.00" OD x	c 2 Gr. A x 1-1/8" Bo	re ·		*********
21	1023					2
22	4031	7 Sheave 4.05	" OD x 2 Gr.A x SH			1
23	1050		eave SH x 1-1/4" Bo	re		1
24	6504					1
CONTRACTOR CONTRACTOR AND	damento ana restato	NOTE:	er de partie (no commer e la frage proposito de partie de commentar de la commentar de commentar de commentar d	resemplant en sen en e	gylygygys fyria mendiadda solion hindon brei hen farann nefn sa <sup>t</sup> ann e narann	ancestal to ope
			onnector (Items #	1 & #2)		
$\sim$			plied on 3 Phase			
2		•	se units use 10/3 \			
			se units use 12/4 V			
	BFIT		ICATIONS CHART		PM-8	ersikirana
BACTOR OF		DRUM RPM	MOTOR SHEAVE	DRUM SHEAVE	BELT SIZE	c
MOTOR SI	PEUS	(NO LOAD)	(ITEM #20)	(ITEM #22)	DELI SIZI	ectolisees
5.0 HP/60		1997 RPM	2.50" O.D.	4.05" O.D. (SH 1-1/4)	AP-32	

(1 PIECE)

3.00" O.D.

(1 PIECE)

(SH 1-1/4)

4.05" O.D.

(SH 1-1/4)

2025 RPM

3450 RPM


5.0 HP/50 Hz

2850 RPM

AP-32

#### **CPM-8 CUTTER DRUM ASSEMBLY**

(REVISED JAN. 2002, STARTING SERIAL # 13632)



ITEM#	PART#	DESCRIPTION	QTY.
1	65050	DRUM ASSEMBLY, COMPLETE, CPM-8 CUTTER	1
		(INCLUDES ITEMS 2 THROUGH 6)	
2	65051	DRUM ONLY , CUTTER, CPM-8	1
3	65054	RETAINING PLATE, CUTTER SHAFT, CPM-4/8	2
4	10801	WASHER, LOCK 5/16	6
5	10053	SCREW, CAP 5/16-18 x 3/4	6
6	20150	CP407 CUTTER SHAFT FOR CPM-8, 8-9/16"L	6
7	12230	CG227 SPACER, 1/2" ID	*
8	*	CUTTER WHEELS	*
6	20156	CP206T, 6 POINT TUNGSTEN CARBIDE,	
	(SHOWN)	1-3/4"OD x 5/8"ID x 1/4"THK	
	20206	CP305, 12 TOOTH FLAT TIP HI CARBON STEEL,	
		2"OD x 5/8"ID x 3/16"THK	
	12206	JRS501-P, 18 TOOTH POINTED HI CARBON STEEL,	
		2"OD x 1/2"ID x 3/16"THK	


#### \*NOTE:

CUTTER WHEELS AND SPACERS ARE NOT INCLUDED WITH DRUM ASSEMBLY. THE NUMBER OF CUTTER WHEELS AND SPACERS VARY WITH TYPE OF SET-UP USED. REFER TO ASSEMBLY INSTRUCTIONS FOR SUGGESTED SET-UPS AND QUANTITIES.



#### ILLUSTRATION 6: ROTO-PEEN FLAP HUB ASSEMBLY

(STANDARD)



PARTS LISTING - ILLUSTRATION 6: ROTO-PEEN FLAP HUB ASSEMBLY (STANDARD)				
ITEM #	PART#	DESCRIPTION	QTY.	
1	65060	Hub-8 Assembly, Complete, ROTO-PEEN 7-1/2" (Includes Items 2 thru 8)		
2	65066	Hub Only, ROTO-PEEN 7-1/2" CPM-8	1	
3	25060	Spacer Ring, ROTO-PEEN Hub	2/Set	
4	65067	Flange, End Cap, ROTO-PEEN, CPM-8	1	
5	65068	Flange, Driver, ROTO-PEEN Hub, CPM-8	1	
6	10451	Washer, Lock, Int. Tooth 1/4"	6	
7	10871	Screw, Skt. Button Head 1/4-20 X 1	6	
8	65065	Keeper Pin 7", ROTO-PEEN, Set of 20	1 Set	
9	- 25020	Flap, ROTO-PEEN 2" TYPE B	В	
	25021 25022	2" TYPE C 2" TYPE D		


**¤ NOTE:** 

Flaps are not included with Hub Assembly.

Number of Flaps vary with type of set-up used.

Refer to Assembly Instructions for suggested Flap Types and quantities.


### ILLUSTRATION 7: DIAMOND GROOVING HEAD ASSEMBLY (STANDARD)



		PARTS LISTING - ILLUSTRATION 7: MOND GROOVING HEAD ASSEMBLY	
		(STANDARD)	
ITEM #	PART#	DESCRIPTION	QTY.
1	65077	Diamond Grooving Head Assembly	
		(Includes Items 2 through 5)	
2	65070	Arbor, Diamond Grooving Head, CPM-8	1
3	65071	Arbor, Blade Retaining Cap 6", CPM-8	1
4	65075	Washer, Lock, Int. Tooth 1-1/4"	1
5	65076	Nut, Jam 1 1/4-12	1
6		Spacer, Blade	n
***************************************	65072	6" O.D. X 1-1/4" I.D. X .063" THK	***************************************
***************************************	65073	6" O.D. X 1-1/4" I.D. X 1/2" THK	
******************	65074	6" O.D. X 1-1/4" I.D. X 1" THK	
*********************	65078	6" O.D. X 1-1/4" I.D. X 5/8" THK	
7	39808	DCC-05S Diamond Blade, 7 x .090 x 1.25" W/ Keyway	n
personal and the second second	Andrew Market State Control of the C	¤ NOTE:	
	Diamond	Blades and Spacers are not included with Head Asser	mbly.

These quantities vary with the type of set-up used.


#### ILLUSTRATION 8: OPTIONAL EDGER ASSEMBLY (PART NO. 65027)



PARTS LISTING - ILLUSTRATION 8: OPTIONAL EDGER ASSEMBLY				
ITEM #	PART # DESCRIPTION			
1	65039	Nut, Jam 5/8-11 Left-Hand Thread	2	
2	65028	Pin, Wire Lock 5/16 X 2-3/4	1	
3	65026	Flange, Driver, CPM-8 Edger	1	
4	65025	Drum Shaft, Side Mounted Edger, CPM-8	1	
5	10420	Washer, Lock 1/2 Heavy-Duty	1	
6	10490	Screw, Skt. Hd. Cap 1/2-13 X 1	1	
7	10907	Screw, Cap 3/8-16 X 3/4	2	
8	10811	Washer, Lock 3/8	2	
9	65021	Plug, Cap 2"	1	
10	65023	Cover W/ Brushes, CPM-8 Edger	1	
11	65024	Cover Side Panel W/ Brush, CPM-8 Edger	1	
12	10213	Washer, Flat 5/16	2	
13	10801	Washer, Lock 5/16	2	
14	10627	Screw, Skt. Button Head 5/16-18 X 3/4	2	
15	65029	Brushes (SET OF 3) Edger (Included with Items 10 & 11)	1	
16	10128	Rivet, Blind 1/8 X .265" L X .250" HD. DIA.	4	
17	10134	Rivet, Blind 3/16 X .450" L X .375" HD. DIA.	8	

#### **ILLUSTRATION 9: OPTIONAL CUTTER WHEEL DRUM ASSEMBLY**

(USED WITH EDGER ASSEMBLY ONLY)




PARTS LISTING - ILLUSTRATION 9: OPTIONAL CUTTER WHEEL DRUM ASSEMBLY			
ITEM #	PART#	DESCRIPTION	QTY.
1	C66040	Drum Assembly, Cutter CPM-4 (Includes Items 2 thru 8)	
2	C66041	Drum Only, Cutter, CPM-4	1
3	65055	Bushing, Drum, Hardened Steel 1/2" ID	12
4	65054	Retaining Plate, Cutter Shaft CPM-4/8	2
5	10213	Washer, Flat 5/16	6
6	10801	Washer, Lock 5/16	6
7	10627	Screw, Skt. Button Head 5/16-18 X 3/4	6
8	C66043	CP410 Shaft, 1/2 X 5-1/4"L, CPM-4	6
9	12230	CG227 Spacer 1/2" ID	p
10	12206	Cutter Wheels JRS501-P, 18 Tooth – Pointed Light Scarifying, Hi Carbon Steel, 2" OD x 1/2" ID x 3/16" THK	a
	20206	CP305, 12 Tooth, Flat Tip General Purpose, Hi Carbon Steel, 2" OD x 5/8" ID x 3/16" THK	
	20156	CP206T, 6 Point Long Lasting, Tungsten Carbide, 1-3/4" OD x 5/8" ID x 1/4" THK	
	Printing and the Part of the Control	p NOTE:	

Cutter Wheels and Spacers are not included with Drum Assembly. The number of Cutter Wheels and Spacers vary with type of set-up used. Refer to Assembly Instructions for suggested set-ups and quantities.

#### **ILLUSTRATION 10:** OPTIONAL ROTO-PEEN FLAP HUB ASSEMBLY

(USED WITH EDGER ASSEMBLY ONLY)



PARTS LISTING - ILLUSTRATION 10: OPTIONAL ROTO-PEEN FLAP HUB ASSEMBLY				
ITEM #	PART#	DESCRIPTION	QTY.	
1	C66050	Hub-4 Assembly. Complete, Roto-Peen 5-1/2"		
2	C66051	Hub Only, Roto-Peen, CPM-4	1	
3	25060	Spacer Ring, Roto-Peen Hub	2/Set	
4	C66052	Retaining Plate, Roto-Peen Flap CPM-4	1	
5	10628	Screw, Flat Head Slotted 8-32 X 1/2	4	
6	C66054	Keeper Pin 5", Roto-Peen, Set of 20	1 Set	
7		Roto-Peen Flap 2"	a	
***************************************	25020	Type B		
	25021	Type C		
.*	25022	Type D		
8		Roto-Peen Flap 1" (Cut 2" Flap in Half)	п	
THE PARTY OF THE P	deposition of the second second second second second second	¤ NOTE:		

Flaps are not included with Hub Assembly. Number of Flaps vary with type of set-up used. Refer to Assembly Instructions for suggested Flap Types and quantities.

E-CPM8-PLA-0802 Revised Starting Serial No. 13900 **PARTS LIST ADDENDUM** 






1		DESCRIPTION	C
	56022A	VALVE SUBASSY. w/ BRACKET	. (
		(INCLUDES ITEMS 2 THRU 5)	
2	56022	BRACKET, WATER VALVE	,
3	10711	VALVE, BALL 1/2 FPT	
4	80021	CONN., SWIVEL FEMALE 3/4 HOSE x 1/2 MPT	
		(INCLUDES HOSE WASHER)	
5	10799	BARB ELABOW 90, 3/8 HOSE x 1/4 MPT	
6	10877	SCREW, SELF-TAP HEX WASHER 10-24 x 1/2	
7	50069	CLAMP, HOSE, SIZE M6, ADJ. TO 13/16"	
8	65081	HOSE, WATER 3/8" ID x 34"L	
9	11562	BARB ELBOW 90°, 3/8 HOSE x 1/8 MPT	
10	10864	NUT 1/8-27 PIPE THREAD	
11	10982	TIE, CABLE, BLACK NYLON11-1/4"	
	ount		



#### MODEL CPM-8 SHAFT COVER KIT

PART # 65097K
OPTION FOR MUNICIPALITY UNITS



ITEM#	PART#	DESCRIPTION	QTY.
1	10410	BOLT, TAP 3/8-16x2-1/2 (FULL THD.)	1
2	10811	WASHER, LOCK 3/8	1
3	65097	COVER, SHAFT	1
4	10025	WASHER, FLAT 3/8	1



# PARTS FINDER Search Website Search Website Search Website Search Website







Discount-Equipment.com is your online resource for quality parts & equipment.

Florida: 561-964-4949 Outside Florida TOLL FREE: 877-690-3101

#### Need parts?

Click on this link: <a href="http://www.discount-equipment.com/category/5443-parts/">http://www.discount-equipment.com/category/5443-parts/</a> and choose one of the options to help get the right parts and equipment you are looking for. Please have the machine model and serial number available in order to help us get you the correct parts. If you don't find the part on the website or on one of the online manuals, please fill out the request form and one of our experienced staff members will get back to you with a quote for the right part that your machine needs.

We sell worldwide for the brands: Genie, Terex, JLG, MultiQuip, Mikasa, Essick, Whiteman, Mayco, Toro Stone, Diamond Products, Generac Magnum, Airman, Haulotte, Barreto, Power Blanket, Nifty Lift, Atlas Copco, Chicago Pneumatic, Allmand, Miller Curber, Skyjack, Lull, Skytrak, Tsurumi, Husquvarna Target, Stow, Wacker, Sakai, Mi-T-M, Sullair, Basic, Dynapac, MBW, Weber, Bartell, Bennar Newman, Haulotte, Ditch Runner, Menegotti, Morrison, Contec, Buddy, Crown, Edco, Wyco, Bomag, Laymor, EZ Trench, Bil-Jax, F.S. Curtis, Gehl Pavers, Heli, Honda, ICS/PowerGrit, IHI, Partner, Imer, Clipper, MMD, Koshin, Rice, CH&E, General Equipment, Amida, Coleman, NAC, Gradall, Square Shooter, Kent, Stanley, Tamco, Toku, Hatz, Kohler, Robin, Wisconsin, Northrock, Oztec, Toker TK, Rol-Air, APT, Wylie, Ingersoll Rand / Doosan, Innovatech, Con X, Ammann, Mecalac, Makinex, Smith Surface Prep,Small Line, Wanco, Yanmar