



MAGNUM™

The Next Generation of...



Power

MAGNUM GENERATORS

MPG 3800



MAGNUM Next Generation of Power

Work, Home or Recreation
Trust in the Power you Know

- Work Site
Contractor, Industrial, Agriculture
- Power Emergency
Appliances, Lights, Heating/Cooling,
Office Equipment
- Outdoor Recreation/Events
Camping, Cabin, RV, Concerts, Parties,
Outdoor Projects

MPG 5600



| Model# | MPG 3800 | MPG 3800C | MPG 5600 | MPG 5600E |
|-------------------------------------------------|--------------------|--------------------|--------------------|--------------------|
| Voltage | 120V / 240V | 120V / 240V | 120V / 240V | 120V / 240V |
| Max. Output Watts | 3800 | 3800 | 5600 | 5600 |
| Continuous Output Watts | 3400 | 3400 | 5000 | 5000 |
| Max. Amps | 32 | 32 | 47 | 47 |
| Main Breaker | 16A, 2 Pole | 16A, 2 Pole | 23A, 2 Pole | 23A, 2 Pole |
| Duplex Outlet Breakers | 60 | 60 | 60 | 60 |
| AC Outlets-All GFI Protected: | | | | |
| 120V, 20A Duplex | 2 | 2 | 2 | 2 |
| 120/240, 20A Twistlock | 1 | 1 | 1 | 1 |
| 120/240, 30A Twistlock | 1 | 1 | 1 | 1 |
| Engine | Honda | Honda | Honda | Honda |
| Engine Model# | GX240 | GX240 | GX340 | GX340 |
| Power-Net Prime hp(kW) | 7.1 (5.3) | 7.1 (5.3) | 9.5 (7.1) | 9.5 (7.1) |
| Displacement in ³ (cm ³) | 15 (242) | 15 (242) | 21 (337) | 21 (337) |
| Start System | Recoil | Recoil | Recoil | Recoil & Elec. |
| Auto Idle | STD | STD | STD | STD |
| Fuel Tank gal (L) | 6.6 gallon | 6.6 gallon | 6.6 gallon | 6.6 gallon |
| Run Time Hours @ Full Load | 9.7 | 9.7 | 7.1 | 7.1 |
| Fuel Consumption – 100% prime gph | 0.68 | 0.68 | 0.96 | 0.96 |
| Dimensions LxWxH | 36.8 x 21.4 x 21.5 | 36.8 x 21.4 x 24.5 | 36.8 x 21.4 x 21.5 | 36.8 x 21.4 x 21.5 |
| Dimensions with Wheel Kit | 36.8 x 27 x 27 | 36.8 x 27 x 27 | 36.8 x 27 x 27 | 36.8 x 27 x 27 |
| Dry Weight lbs (kg) | 185 (84) | 185 (84) | 211 (96) | 216 (98) |
| Wheel Kit | Optional | Optional | Optional | Optional |
| CSA Certified | | STD | | |
| Lifting Eye | STD | STD | STD | STD |
| Low Oil Shutdown | STD | STD | STD | STD |

Engine Power Ratings: The power rating of the engine indicated in this document is the net power output tested on a production engine for the engine model and measured in accordance with SAE J1349 at 3600 rpm. Mass production engines may vary from this value. Actual power output for the engine installed in the final machine will vary depending on numerous factors, including the operating speed of the engine in application, environment conditions, maintenance, and other variables.

MPG 6000EC



MPG 6600E

shown with optional wheel kit
P/N #26153



Heavy duty lift eye folds flat for stacking or storage.



All outlets have GFI Protection from central GFI module for added security. Voltage selector switch allows for full power output capabilities.



Battery holder for electric start models stores within the framework, conserves space & adds protection from jobsite damage.



Heavy duty 1.25" tubular steel frame for added protection and durability

Model#

Voltage

Max. Output Watts

Continuous Output Watts

Max. Amps

Main Breaker

Duplex Outlet Breakers

AC Outlets-All GFI Protected:

120V, 20A Duplex

120/240, 20A Twistlock

120/240, 30A Twistlock

Engine

Engine Model#

Power-Net Prime hp(kW)

Displacement in³ (cm³)

Start System

Auto Idle

Fuel Tank gal (L)

Run Time Hours @ Full Load

Fuel Consumption – 100% prime gph

Dimensions LxWxH

Dimensions with wheel kit

Dry Weight

Wheel Kit

CSA Certified

Lifting Eye

Low Oil Shutdown

| | MPG 6000C | MPG 6000EC | MPG 6600 | MPG 6600E |
|--|--------------------|--------------------|--------------------|--------------------|
| | 120V / 240V | 120V 240V | 120V / 240V | 120V / 240V |
| | 6000 | 6000 | 6600 | 6600 |
| | 5500 | 5500 | 6000 | 6000 |
| | 50 | 50 | 55 | 55 |
| | 25A, 2 Pole | 25A, 2 Pole | 28A, 2 Pole | 28A, 2 Pole |
| | 60 | 60 | 60 | 60 |
| | | | | |
| | 2 | 2 | 2 | 2 |
| | 1 | 1 | 1 | 1 |
| | 1 | 1 | 1 | 1 |
| | Honda | Honda | Honda | Honda |
| | GX390 | GX390 | GX390 | GX390 |
| | 11(8.2) | 11(8.2) | 11(8.2) | 11(8.2) |
| | 24 (389) | 24 (389) | 24 (389) | 24 (389) |
| | Recoil | Recoil & Elec. | Recoil | Recoil & Elec. |
| | STD | STD | STD | STD |
| | 6.6 gallon | 6.6 gallon | 6.6 gallon | 6.6 gallon |
| | 6 | 6 | 6 | 6 |
| | 1.04 | 1.04 | 1.04 | 1.04 |
| | 36.8 x 21.4 x 21.5 | 36.8 x 21.4 x 21.5 | 36.8 x 21.4 x 21.5 | 36.8 x 21.4 x 21.5 |
| | 36.8 x 27 x 27 | 36.8 x 27 x 27 | 36.8 x 27 x 27 | 36.8 x 27 x 27 |
| | 236 (107) | 241 (109) | 236 (107) | 241 (109) |
| | Optional | Optional | Optional | Optional |
| | STD | STD | STD | STD |
| | STD | STD | STD | STD |
| | STD | STD | STD | STD |

Choosing the Power You Need is Easy

Total Amps (required for all equipment X 120(volts))

= Total Watts (watts needed from generator)

Note: calculation estimated for running power

Magnum's portable generators are built and designed for performance and rugged reliability, ideal for the construction and rental industries. Proven to keep the pace of even the busiest contractor crews, Magnum's portable generators provide sustained power from 3800-6600 watts. Superior ease of use establishes the Magnum portable generator as perfect for work, home or recreation.

Warranty: 2 year parts and labor from the date of purchase on all models.

Built for Durability, Designed for Ease of Use



Mobility is Essential for the jobsite or shop

- Optional Wheel Kit fits all models; P/N #26153
- Easy to maneuver around site
- Fold down handle takes up less space
- Heavy duty central lift eye for lifting; folds flat for storage (Standard with all models)



Site tested for Ease of Use

- Access and serviceability is a snap with Flip-Down Control Panel (Standard with all models)
- Superior visibility of control panel components
- Well-spaced receptacles and switches for quick and easy access



Patent Approved Flared Frame Design

- Unique "shin saving" design offers a comfortable carry
- Robust 1.25" tubular steel frame; enhances durability and provides component protection
- Reflective decaling for easy site location

For more information contact:

Tele: 800.926.9768

Fax: 920.361.2214

www.m-p-llc.com

