



WALK-BEHIND TROWELS

MQ
MULTIQUIP **WHITEMAN**[®]

Pioneering concrete
finishing since 1939.



TO PURCHASE THIS PRODUCT PLEASE CONTACT US



**Equipment Financing and
Extended Warranties Available**



**Discount-Equipment.com is your online resource for
commercial and industrial quality parts and equipment sales.**

561-964-4949

visit us on line @ www.discount-equipment.com

Select an option below to find your Equipment

Search by Manufacturer

Search by Product Type

Request a Quote

We sell worldwide for the brands: Genie, Terex, JLG, MultiQuip, Mikasa, Essick, Whiteman, Mayco, Toro Stone, Diamond Products, Generac Magnum, Airman, Haulotte, Barreto, Power Blanket, Nifty Lift, Atlas Copco, Chicago Pneumatic, Allmand, Miller Curber, Skyjack, Lull, Skytrak, Tsurumi, Husquvarna Target, Stow, Wacker, Sakai, Mi-T-M, Sullair, Basic, Dynapac, MBW, Weber, Bartell, Bennar Newman, Haulotte, Ditch Runner, Menegotti, Morrison, Contec, Buddy, Crown, Edco, Wyco, Bomag, Laymor, EZ Trench, Bil-Jax, F.S. Curtis, Gehl Pavers, Heli, Honda, ICS/PowerGrit, IHI, Partner, Imer, Clipper, MMD, Koshin, Rice, CH&E, General Equipment, Amida, Coleman, NAC, Gradall, Square Shooter, Kent, Stanley, Tamco, Toku, Hatz, Kohler, Robin, Wisconsin, Northrock, Oztec, Toker TK, Rol-Air, APT, Wylie, Ingersoll Rand / Doosan, Innovatech, Con X, Ammann, Mecalac, Makinex, Smith Surface Prep, Small Line, Wanco, Yanmar

WALK-BEHIND TROWELS

MQ Whiteman power trowels have been at the center of the concrete finishing world since 1939. Our commitment to innovation and development enables us to offer the industry's premier line up of concrete finishing equipment.

Top quality components. Concrete contractors demand reliable equipment to get the job done right. The MQ Whiteman gearbox uses a heat-treated worm gear and composite bronze gear to ensure that your machine isn't sidelined during a critical job.

Low cost of ownership. Our spider assembly uses high-strength wear plates made of trowel steel to prevent wear on key components. Repairing your trowel shouldn't be costly so we make certain our replacement parts are priced right.

Handle Features:

- Ergonomic design provides more comfort and helps eliminate operator fatigue
- Built in height adjustment and isolation mounts.



QXH-Series QuickPitch™ handle

A patented spring-loaded design enables the operator to react rapidly to changing concrete conditions. Blade pitch is increased or decreased in 1/8" increments by moving the latching lever back and forth.



SXH-Series Standard handle

A favorite of contractors who prefer to have infinite blade pitch control. The large knob makes it easy to increase or decrease blade pitch to the desired angle.

The Industry's Best Gearboxes — heavy-duty design for years of trouble-free service.



Upper Wear-Plate
Manufactured of trowel steel to prevent bearing wear.

Thrust Collar Assembly
Sealed Thrust Bearing for years of trouble-free service.



Bronze Bushing
Eliminates wear on the thrust collar and spider, providing tighter running tolerance.



Lower Wear-Plate
Prevents wear on thrust collar surface



Spider Trowel Arm Bushings
Replacement of these high tolerance bushings assure like new trowel arm alignment.

The MQ Whiteman walk-behind power trowel delivers high horsepower, excellent rotor speed and built in durability. It has been the favorite of concrete contractors for many generations.

- 1 Height adjustable handlebar includes vibration dampening for superior ergonomics
- 2 Choose an optional QuickPitch™ or standard knob-style pitch control
- 3 Lifting bail
- 4 Centrifugal shut off switch to ensure safety on the job
- 5 Heavy-duty centrifugal clutch protected by fully enclosed belt guard
- 6 Four blade spider assembly with original combination blades, stabilizer ring and balanced for smooth finishing
- 7 Access panel for easy service and blade replacement



B46H90

Honda GX270
Centrifugal Clutch
60-130 RPM
(shown with QXH QuickPitch™ handle)

ALSO AVAILABLE

B46B90

Briggs & Stratton 8.5kW engine
60-130 RPM
Centrifugal Clutch

B46H11H

Honda GX340
90-155 RPM
Centrifugal Clutch
Ideal for high speed burnishing

J-SERIES — 36" DIAMETER

The **MQ Whiteman J-Series** incorporates amazing balance, durability, and your choice of a Standard or QuickPitch™ handle, providing contractors with the ideal machine for residential and general construction work.

J36H55

Honda GX160; Centrifugal Clutch;
60-115 RPM; (Shown w/ Optional
SXH Standard handle)



J36B65

Vanguard 6.5 HP; Centrifugal Clutch;
60-115 RPM; (Shown with
Optional SXH Standard handle)



J36E2

115/230V 60Hz Motor; 30-160 RPM;
Adjustable Variable Speed Clutch;
Includes Standard Pitch
Electric handle (QuickPitch™
handle not available)



J36H90H

Honda GX270; Centrifugal Clutch;
90-155 RPM; Ideal for high speed
burnishing speed reducing kit
for panning (Lowspeed kit)



INSTACLUTCH™ J SERIES — 36" DIAMETER

The **MQ Whiteman** InstaClutch™ line of walk-behind power trowels are engineered to provide the performance you expect and the reliability you depend upon. This innovative clutch system immediately disengages the drive system should the operator release the handle.

JH55C

(shown w/ Optional QXHC
QuickPitch™ handle)
Honda GX160
60-115 RPM



- **Advanced friction clutch** stops the unit within a quarter of a turn if the operator releases the handle at full RPM.
- **Eliminates the need** to throttle engine down during momentary work stoppages.
- **Four-blade spider assembly** features economically replaceable wear parts that reduce maintenance costs over the life of the machine.
- **Proven gearbox durability** delivers years of trouble-free operation.
- **Handle assemblies** for the InstaClutch system include a Standard Fine Pitch Control (SXHC) or a QuickPitch option (QXHC).

HD-SERIES — 48" WIDTH

The **MQ Whiteman HDA series** trowel features a heavy-duty gearbox, CVT drive system, and a 13 HP Honda engine. With rotor speeds ranging from 35-225, this heavy duty walk behind trowel delivers the power and performance demand.



Maximum Performance

HDA48413H

(Shown with QXHD QuickPitch™ handle)
Honda GX390
CVT (Constantly Variable Transmission)
35-225 RPM

EDGING SERIES — 24" AND 36" WIDTH

The **MQ Whiteman edging trowels** enable the operator to finish tight to the wall without marking or marring. Easily maneuvers around obstacles. Patented ABS plastic rotating ring resists concrete build up. (J3036H55 model edger only)

CA4HC

(shown with STHAC handle)
Honda GX120
70-130 RPM
Centrifugal Clutch



ALSO AVAILABLE

CA4HM

Honda GX120
70-130 RPM
Easy operating Manual Clutch
Includes folding QuickPitch™ handle

CA5BM

Vanguard 5.0 HP engine
70-130 RPM
Easy operating Manual Clutch
Includes folding QuickPitch™ handle

CA5BC

Vanguard 5.0 HP engine
70-130 RPM
Centrifugal Clutch

J3036H55

Honda GX 160
60-115 RPM
Centrifugal clutch.



ADDITIONAL EDGING SERIES FEATURES:



Allows finishing within 7/16" of any obstruction



Also available with QPHAFC Folding QuickPitch™ handle for easy storing (Models CA5BC and CA4HC only)

Use Only Original Whiteman Trowel Blades and Pans



- **Heat treated trowel steel** – for maximum wear resistance and long life
- **Greater torsional strength** – increases machine stability and produces a smoother, flatter finish
- **Enduro Blades guage steel** – to achieve up to 40% longer life than conventional trowel blades
- **Quick Change Blade system** – allows replacement of blades in minutes without the use of tools
- **Float Blades and Pans** – available for early entry conditions. Help to compact aggregate and improve flatness.

Specifications

Model	RPM	Motor	HP (kw)*	Clutch	Operating Weight lb. (kg)	Shipping Weight lb. (kg)	Handle Options (see below)
Edging Series — 24-inch (610 mm), 30-inch (762 mm), and 36-inch (914 mm) Rotating Guard Ring							
CA5BM	70-130	Vanguard	5.0 (3.7)	Manual	145 (65.7)	184 (83.4)	Includes folding QuickPitch™ Handle
CA4HM	70-130	Honda	3.5 (2.6)	Manual	171 (77.5)	204 (92.5)	
CA5BC	70-130	Vanguard	5.0 (3.7)	Centrifugal	145 (65.7)	164 (74.3)	STHAC; QPHAFC
CA4HC	70-130	Honda	3.5 (2.6)	Centrifugal	145 (65.7)	164 (74.3)	
J3036H55	60-115	Honda	4.8 (3.6)	Centrifugal	180 (81)	178 (70)	STX; QXH; QXHP; SXHP
J-Series — 36-inch (914 mm) Guard Ring							
J36E2	30-160	115/230V, 60 Hz Motor	2 (1.5)	Variable Speed	166 (75)	191 (86)	Includes Standard Pitch Electric Handle
J36B65	60-115	Vanguard	6.5 (4.8)	Centrifugal	184 (83.4)	182 (82.5)	SXH; QXH; SXHP; QXHP
J36H55	60-115	Honda	4.8 (3.6)	Centrifugal	184 (83.4)	182 (82.5)	
J36H90H	90-155	Honda	8.6 (6.3)	Centrifugal	209 (94.8)	207 (93.8)	
B-Series — 46-inch (1170 mm) Guard Ring							
B46B90	60-130	Briggs & Stratton	8.5 (6.3)	Centrifugal	277 (125.6)	285 (129.2)	SXH; QXH; QXHP; SXHP
B46H90	60-130	Honda	8.6 (6.3)	Centrifugal	277 (125.6)	285 (129.2)	
B46H11H	90-155	Honda	9.5 (7.1)	Centrifugal	277 (125.6)	285 (129.2)	
HD Series — 48-inch (1219 mm) Guard Ring							
HDA48413H	35-225	Honda	11.1 (8.2)	Variable Speed	327 (148)	335 (151.9)	SXHD; QXHD; SXHDP; QXHDP
INSTACLUTCH - J Series — 36-inch (914 mm)							
JH55C	60-115	Honda	4.8 (3.5)	Friction	204 (92)	182 (82.5)	SXHC or QXHC

Trowel Handle Options and Accessories

- STHAC Standard knob style pitch control for CA4HC (centrifugal clutch) model
- QPHAFC Folding QuickPitch™ control for CA4HC (centrifugal clutch) model
- SXH Standard knob style pitch control for J- and B-Series trowels
- SXHP Standard knob style pitch control for J- and B-Series trowels (includes operator present switch option)
- QXH QuickPitch™ style control for J- and B-Series trowels
- QXHP QuickPitch™ style control for J- and B-Series trowels (includes operator present switch option)
- SXHD Standard knob style pitch control for HD-Series trowels with 2-inch diameter handle mount
- SXHDP Standard knob style pitch control for HD-Series trowels with 2-inch diameter handle mount (includes operator present switch option)
- QXHD QuickPitch™ style control for HD-Series trowels with 2-inch diameter handle mount
- QXHDP QuickPitch™ style control for HD-Series trowels with 2-inch diameter handle mount (includes operator present switch option)

Trowel handles sold separately unless otherwise noted. All models factory equipped with combination blades.

* Engine power ratings are calculated by the individual engine manufacturer and the rating method may vary among engine manufacturers. Multiquip Inc. and its subsidiary companies makes no claim, representation or warranty as to the power rating of the engine on this equipment and disclaims any responsibility or liability of any kind whatsoever with respect to the accuracy of the engine power rating. Users are advised to consult the engine manufacturer's owners manual and its website for specific information regarding the engine power rating.

**Engines using LPG fuel should be operated only in areas with adequate ventilation. NEVER operate in confined areas or in areas where the free flow of air is restricted.

Your Multiquip dealer is:



TO PURCHASE THIS PRODUCT PLEASE CONTACT US



**Equipment Financing and
Extended Warranties Available**



**Discount-Equipment.com is your online resource for
commercial and industrial quality parts and equipment sales.**

561-964-4949

visit us on line @ www.discount-equipment.com

Select an option below to find your Equipment

Search by Manufacturer

Search by Product Type

Request a Quote

We sell worldwide for the brands: Genie, Terex, JLG, MultiQuip, Mikasa, Essick, Whiteman, Mayco, Toro Stone, Diamond Products, Generac Magnum, Airman, Haulotte, Barreto, Power Blanket, Nifty Lift, Atlas Copco, Chicago Pneumatic, Allmand, Miller Curber, Skyjack, Lull, Skytrak, Tsurumi, Husquvarna Target, Stow, Wacker, Sakai, Mi-T-M, Sullair, Basic, Dynapac, MBW, Weber, Bartell, Bennar Newman, Haulotte, Ditch Runner, Menegotti, Morrison, Contec, Buddy, Crown, Edco, Wyco, Bomag, Laymor, EZ Trench, Bil-Jax, F.S. Curtis, Gehl Pavers, Heli, Honda, ICS/PowerGrit, IHI, Partner, Imer, Clipper, MMD, Koshin, Rice, CH&E, General Equipment, Amida, Coleman, NAC, Gradall, Square Shooter, Kent, Stanley, Tamco, Toku, Hatz, Kohler, Robin, Wisconsin, Northrock, Oztec, Toker TK, Rol-Air, APT, Wylie, Ingersoll Rand / Doosan, Innovatech, Con X, Ammann, Mecalac, Makinex, Smith Surface Prep, Small Line, Wanco, Yanmar