

EXHAUST EMISSION DATA SHEET

MQ POWER GENERATOR SET

Model: DCA10SPXU4C



The engine used in this generator set is certified to comply with United States EPA Tier 4 and CARB Mobile Off-Highway emission regulations.

| ENGINE DATA | | |
|---|--------------------------|---|
| Manufacturer: KUBOTA | | Bore: 3.26 in. (83 mm) |
| Model: D1503 | | Stroke: 3.63 in. (92.4 mm) |
| Type:4-Cycle, In-Line, 3-C | ylinder, Diesel | Displacement: 91 cid (1.499 liters) |
| Aspiration: Naturally Aspirated, I | Indirect Injection | Compression Ratio: 21.6:1 |
| PERFORMANCE DATA | | |
| SAE Gross HP @ 1800 RPM (60 Hz | z) Rated 24.8 | |
| Load Fuel Consumption (gal/Hr) Ra | ated 0.97 | |
| Load Exhaust Gas Flow (cfm) Rate | ed Load 109 | |
| Exhaust Gas Temperature (°F) | 1005 | |
| | | |
| United States EPA | - Mobile Off-Highway Tie | er 4 Limits - 11 ≤ ~ < 25 BHP |
| Criteria Pollutant | Emission Requiremen | ts Certified Engine Emissions |
| NOx (Oxides of Nitrogen as NO2) | N/A gr/bhp-hr | N/A gr/bhp-hr |
| HC (Total Unburned Hydrocarbons | s) N/A gr/bhp-hr | N/A gr/bhp-hr |
| NOx + HC (Combined) | N/A gr/bhp-hr | N/A gr/bhp-hr |
| CO (Carbon Monoxide) | 4.92 gr/bhp-hr | 0.82 gr/bhp-hr |
| PM (Particulate Matter) | 0.29 gr/bhp-hr | 0.08 gr/bhp-hr |
| NMHC (Non-Methane Hydrocarbon | s) N/A gr/bhp-hr | N/A gr/bhp-hr |
| NMHC + NOx | 5.59 gr/bhp-hr | 4.47 gr/bhp-hr |
| EPA Engine Family: | MKBXL01.5FCC | |
| EPA Certificate of Conformance: | MKBXL01.5FCC-056 | |
| ARB Executive Order: | U-R-025-0935 | |
| Effective Date: | Model Year 2021 | |
| O' | | |
| Note: Engine operation with exce maximum limits, or with imp | | triction beyond factory published ay result in higher emission levels. |

TO PURCHASE THIS PRODUCT PLEASE CONTACT US



Equipment Financing and Extended Warranties Available



Discount-Equipment.com is your online resource for commercial and industrial quality parts and equipment sales. 561-964-4949

visit us on line @ www.discount-equipment.com

Select an option below to find your Equipment

Search by Manufacturer

Search by Product Type

Request a Quote

We sell worldwide for the brands: Genie, Terex, JLG, MultiQuip, Mikasa, Essick, Whiteman, Mayco, Toro Stone, Diamond Products, Generac Magnum, Airman, Haulotte, Barreto, Power Blanket, Nifty Lift, Atlas Copco, Chicago Pneumatic, Allmand, Miller Curber, Skyjack, Lull, Skytrak, Tsurumi, Husquvarna Target, Stow, Wacker, Sakai, Mi-T-M, Sullair, Basic, Dynapac, MBW, Weber, Bartell, Bennar Newman, Haulotte, Ditch Runner, Menegotti, Morrison, Contec, Buddy, Crown, Edco, Wyco, Bomag, Laymor, EZ Trench, Bil-Jax, F.S. Curtis, Gehl Pavers, Heli, Honda, ICS/PowerGrit, IHI, Partner, Imer, Clipper, MMD, Koshin, Rice, CH&E, General Equipment ,Amida, Coleman, NAC, Gradall, Square Shooter, Kent, Stanley, Tamco, Toku, Hatz, Kohler, Robin, Wisconsin, Northrock, Oztec, Toker TK, Rol-Air, APT, Wylie, Ingersoll Rand / Doosan, Innovatech, Con X, Ammann, Mecalac, Makinex, Smith Surface Prep,Small Line, Wanco, Yanmar

| | | | | | on | | |
|--|---|---|---|---|--|--|--|
| Contractor to the states | CERTIFICA | ONMENTAL PROT I MODEL YEAR ATE OF CONFORM HE CLEAN AIR AC | OFFICE OF TRANSPORTATION AND AIR QUALITY ANN ARBOR, MICHIGAN 48105 | | | | |
| Certificate Issued To: Kub (U.S.) Certificate Number: MKB3 | Manufacturer or Importer) | Effective Date 12/03/2020 Expiration Dat 12/31/2021 | e: Byron J/B | unker, Division Director npliance Division | Issue Date: 12/03/2020 Revision Date: N/A | | |
| Model Year: 2021 Manufacturer Type: Origin Engine Family: MKBXL01. | - | | Mobile/Stationary Indicator: M Emissions Power Category: 8<= Fuel Type: Diesel After Treatment Devices: No Af Non-after Treatment Devices: E | ∙kW<19 fter Treatment Devices Installed | | | |
| issued with respect to the test of required by 40 CFR Part 1039 This certificate of conformity documentation required by 40 It is a term of this certificate th warrant or court order may lea rendered void <i>ab initio</i> for othe | Clean Air Act (42 U.S.C. section 7547) and 40 Cl engines which have been found to conform to appl and produced in the stated model year. covers only those new compression-ignition engin CFR Part 1039 and which are produced during th hat the manufacturer shall consent to all inspection id to revocation or suspension of this certificate for er reasons specified in 40 CFR Part 1039. • engines sold, offered for sale, or introduced, or de | nes which conform in all m he model year stated on thi ns described in 40 CFR 100 or reasons specified in 40 C | hich represent the following engi aterial respects to the design spec s certificate of the said manufactu 88 and authorized in a warrant or FR Part 1039. It is also a term of nto commerce in the U.S. prior to | incs, by engine family, more fully descri ifications that applied to those engines d irer, as defined in 40 CFR Part 1039. court order. Failure to comply with the this certificate that this certificate may b | bed in the documentation lescribed in the requirements of such a | | |
| 10 | | | | | | | |

Pursuant to the authority vested in California Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

| MODEL YEAR | ENGINE FAMILY | DISPLACEMENT (liters) | FUEL TYPE | USEFUL LIFE (hours) | | |
|---|------------------------|--------------------------|-------------------------------------|------------------------|--|--|
| 2021 | 021 MKBXL01.5FCC 1.500 | | Diesel | 3000 | | |
| SPECIAL FEATURES & EMISSION CONTROL SYSTEMS | | | TYPICAL EQUIPMENT APPLICATION | | | |
| | Indirect Diesel Injed | ction | Generator Set, Light Tower, Welder, | Wood Chipper | | |

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for non-methane hydrocarbon (NMHC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

| RATED | EXHAUST (g/kw-hr) | | | | OPACITY (%) | | | | | |
|-----------------------|----------------------|------|------|-----|-------------|-----|-------|-----|------|-----|
| POWER CLASS | STANDARD CATEGORY | | NMHC | NOx | NMHC+NOx | РМ | ACCEL | LUG | PEAK | |
| 8 <u><</u> kW < 19 | Tier 4 Final | STD | N/A | N/A | 7.5 | 6.6 | 0.40 | N/A | N/A | N/A |
| | | CERT | | | 6.0 | 1.1 | 0.11 | | | |

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed on this 15th

day of October 2020.

Allen/Lyons, Chief Emissions Certification and Compliance Division



Engine Model Summary Form

| Manufacturer: | KUBOTA Corpora | tion | • | | - | | Date: 10/ | 5/2020 |
|--------------------|----------------|--------------------------|--|--|-------------------------------|--|---|--|
| Engine category: | Nonroad Cl | | | Attachment I | Page 1 of 1 | | 0 | |
| EPA Engine Family: | MKBXL01.5FCC | | | / | age i ei i | | | |
| Mfr Family Name: | N/A | | | | | | | |
| Process Code: | New Submission | | | | | • | | |
| 1.Engine Code | 2.Engine Model | 3.BHP@RPM (SAE Gross) | 4.Fuel Rate: mm/stroke @ peak HP (for diesel only) | 5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only) | 6.Torque @ RPM (SEA Gross) | 7.Fuel Rate: mm/stroke@peak torque | 8.Fuel Rate: (lbs/hr)@peak torque | 9.Emission Control Device Per SAE J1930 |
| D1503-M-BG-EF01 | D1503-M-BG-EF | 24.4@1800 | 33.8 | 10.2 | 71.2@1800 | 33.8 | 10.2 | EM, IFI |
| D1503-M-BG-EF01e | D1503-M-BG-EF | 24.4@1800 | 33.8 | 10.2 | 71.2@1800 | 33.8 | 10.2 | EM, IFI |
| D1503-M-BG-EF02e | D1503-M-BG-EF | 24.1@1800 | 33.7 | 10.2 | 70.4@1800 | 33.7 | 10.2 | EM, IFI |
| | | | | | | | | |
| | | | | | <u> </u> | * | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

TO PURCHASE THIS PRODUCT PLEASE CONTACT US



Equipment Financing and Extended Warranties Available



Discount-Equipment.com is your online resource for commercial and industrial quality parts and equipment sales. 561-964-4949

visit us on line @ www.discount-equipment.com

Select an option below to find your Equipment

Search by Manufacturer

Search by Product Type

Request a Quote

We sell worldwide for the brands: Genie, Terex, JLG, MultiQuip, Mikasa, Essick, Whiteman, Mayco, Toro Stone, Diamond Products, Generac Magnum, Airman, Haulotte, Barreto, Power Blanket, Nifty Lift, Atlas Copco, Chicago Pneumatic, Allmand, Miller Curber, Skyjack, Lull, Skytrak, Tsurumi, Husquvarna Target, Stow, Wacker, Sakai, Mi-T-M, Sullair, Basic, Dynapac, MBW, Weber, Bartell, Bennar Newman, Haulotte, Ditch Runner, Menegotti, Morrison, Contec, Buddy, Crown, Edco, Wyco, Bomag, Laymor, EZ Trench, Bil-Jax, F.S. Curtis, Gehl Pavers, Heli, Honda, ICS/PowerGrit, IHI, Partner, Imer, Clipper, MMD, Koshin, Rice, CH&E, General Equipment ,Amida, Coleman, NAC, Gradall, Square Shooter, Kent, Stanley, Tamco, Toku, Hatz, Kohler, Robin, Wisconsin, Northrock, Oztec, Toker TK, Rol-Air, APT, Wylie, Ingersoll Rand / Doosan, Innovatech, Con X, Ammann, Mecalac, Makinex, Smith Surface Prep,Small Line, Wanco, Yanmar