



**Service Bulletin No. GS20071003**  
**Subject: Fuel Cap Replacement**  
**Models: GA25H, GA29R and GAW135H**  
**Product Group: Generator/Welder-Generator**  
**Date: October 03, 2007**

**SERVICE BULLETIN** **Groups: GS/GW**

**THIS SERVICE BULLETIN IS MANDATORY!**

**Series/Parts Affected:**  
**Machines Affected**  
**GA25H: 5586107 to 5590907**  
**GA29R: 5584718 to 5586096**  
**GAW135H: 5590461 to 5590468**

**SERVICE INFORMATION**

**MANDATORY UPDATE: FAILURE TO FOLLOW INSTRUCTIONS MAY LEAD TO INJURY OR DEATH AND CAUSE SEVERE UNIT DAMAGE!**

**Problem:**

- Multiquip has become aware that the fuel cap has insufficient venting.
- Fuel may erupt when the fuel cap is removed. This condition *may lead to injury or death and severe unit damage!*

**Solution:** Replace existing fuel cap with new fuel cap (blue dot on underside of cap).

**Action Required:** See following pages for removal and replacement of fuel cap.

<b>PARTS INFORMATION</b>			
<b>Quantity</b>	<b>Part #</b>	<b>Description</b>	<b>Remarks</b>
1	0605505065	CAP, FUEL	




## INSTRUCTIONS

### **WORK SAFELY!**

Only a qualified service technician with proper training should perform this installation. Follow all shop safety regulations when working on the machine.

### Required Tools/Materials

- Pliers



If applicable, please make sure all parts are accounted for.

### Safety Procedures

Perform the following before attempting any work on the machine:

1. Place the generator/generator welder on a level secure surface that is free of dirt and debris.
2. Follow all shop safety guidelines when working on the generator/welder generator.
3. Wear safety glasses, steel toed boots and any other safety protection that might be required for the installation.

### Procedures

1. Remove the existing fuel cap (twist-off) from fuel tank.
2. Next, using pliers, grip and squeeze the tabs on the retaining clamp (Figure 1) and slide clamp backwards on the vent hose away from the fuel cap. Pull off the vent hose removing it from the fuel cap vent inlet.




Figure 1. Fuel Cap Removal

3. Identify new fuel cap (Figure 2), blue dot on underside of fuel cap. Insert vent hose onto fuel cap vent inlet. Using pliers grip and squeeze the tabs on the retaining clamp and slide clamp upwards on the vent hose towards the fuel cap.



Figure 2. Fuel Cap Installation

4. Place new fuel cap onto unit.
5. ***In order to receive full credit, old fuel cap must be returned to the MQ Warranty Department.***

# PARTS FINDER

**Search Website  
by Part Number**



**Search Manual  
Library For Parts  
Manual & Lookup Part  
Numbers – Purchase  
or Request Quote**

**Search Manuals**

Enter your information to help us find the right parts manual for your machine.

\* Brand:

\* Model:

\* Serial:

\* Part Number:

SEARCH

**Can't Find Part or  
Manual? Request Help  
by Manufacturer,  
Model & Description**

**Parts Order Form**

Please fill in the following information to help us find the right part for your machine.

Manufacturer:	<input type="text"/>
Model:	<input type="text"/>
Description:	<input type="text"/>
Part Number:	<input type="text"/>
Quantity:	<input type="text"/>
Notes:	<input type="text"/>

Submit

Discount-Equipment.com is your online resource for quality parts & equipment.

Florida: **561-964-4949** Outside Florida TOLL FREE: **877-690-3101**

**Need parts?**

Click on this link: <http://www.discount-equipment.com/category/5443-parts/> and choose one of the options to help get the right parts and equipment you are looking for. Please have the machine model and serial number available in order to help us get you the correct parts. If you don't find the part on the website or on one of the online manuals, please fill out the request form and one of our experienced staff members will get back to you with a quote for the right part that your machine needs.

We sell worldwide for the brands: Genie, Terex, JLG, MultiQuip, Mikasa, Essick, Whiteman, Mayco, Toro Stone, Diamond Products, Generac Magnum, Airman, Haulotte, Barreto, Power Blanket, Nifty Lift, Atlas Copco, Chicago Pneumatic, Allmand, Miller Curber, Skyjack, Lull, Skytrak, Tsurumi, Husquvarna Target, Stow, Wacker, Sakai, Mi-T-M, Sullair, Basic, Dynapac, MBW, Weber, Bartell, Bennar Newman, Haulotte, Ditch Runner, Menegotti, Morrison, Contec, Buddy, Crown, Edco, Wyco, Bomag, Laymor, EZ Trench, Bil-Jax, F.S. Curtis, Gehl Pavers, Heli, Honda, ICS/PowerGrit, IHI, Partner, Imer, Clipper, MMD, Koshin, Rice, CH&E, General Equipment, Amida, Coleman, NAC, Gradall, Square Shooter, Kent, Stanley, Tamco, Toku, Hatz, Kohler, Robin, Wisconsin, Northrock, Oztec, Toker TK, Rol-Air, APT, Wylie, Ingersoll Rand / Doosan, Innovatech, Con X, Ammann, Mecalac, Makinex, Smith Surface Prep, Small Line, Wanco, Yanmar