

EXHAUST EMISSION DATA SHEET

MQ POWER GENERATOR SET

Model: DIS100SSK4F



The engine used in this generator set is certified to comply with United States EPA Tier 4 and CARB Mobile Off-Highway emission regulations.

ENGINE DATA

Manufacturer:KUBOTABore:2.99 in.(76 mm)Model:D1005Stroke:2.90 in.(73.6 mm)Type:4-Cycle, In-Line, 3-Cylinder, DieselDisplacement: 61.08 cid (1.001 liters)

Aspiration: Naturally Aspirated, Indirect Injection Compression Ratio: 24:1

PERFORMANCE DATA

SAE Gross HP @ 3200 RPM (60 Hz) Rated 24.4
Load Fuel Consumption (gal/Hr) Rated 1.61
Load Exhaust Gas Flow (cfm) Rated Load N/A
Exhaust Gas Temperature (°F) N/A

United States EPA - Mobile Off-Highway Tier 4	Limits -	11 ≤ ~ < 25 BHP

Criteria Pollutant	Emi	ssion Requirements	Certifie	d Engine Emissions
NOx (Oxides of Nitrogen as NO2)	N/A	gr/bhp-hr	N/A	gr/bhp-hr
HC (Total Unburned Hydrocarbons)	N/A	gr/bhp-hr	N/A	gr/bhp-hr
NOx + HC (Combined)	N/A	gr/bhp-hr	N/A	gr/bhp-hr
CO (Carbon Monoxide)	4.92	gr/bhp-hr	1.26	gr/bhp-hr
PM (Particulate Matter)	0.29	gr/bhp-hr	0.18	gr/bhp-hr
NMHC (Non-Methane Hydrocarbons)	N/A	gr/bhp-hr	N/A	gr/bhp-hr
NMHC + NOx	5.59	gr/bhp-hr	4.92	gr/bhp-hr

EPA Engine Family: NKBXL01.0BCB
EPA Certificate of Conformance: NKBXL01.0BCB-019
ARB Executive Order: U-R-025-0986
Effective Date: Model Year 2022

Note: Engine operation with excessive air intake or exhaust restriction beyond factory published maximum limits, or with improper service maintenance, may result in higher emission levels.

Data And Specifications Subject To Change Without Notice Date: 4/15/21

TO PURCHASE THIS PRODUCT PLEASE CONTACT US



Equipment Financing and Extended Warranties Available



Discount-Equipment.com is your online resource for commercial and industrial quality parts and equipment sales. 561-964-4949
visit us on line @ www.discount-equipment.com

Select an option below to find your Equipment

Search by Manufacturer

Search by Product Type

Request a Quote

We sell worldwide for the brands: Genie, Terex, JLG, MultiQuip, Mikasa, Essick, Whiteman, Mayco, Toro Stone, Diamond Products, Generac Magnum, Airman, Haulotte, Barreto, Power Blanket, Nifty Lift, Atlas Copco, Chicago Pneumatic, Allmand, Miller Curber, Skyjack, Lull, Skytrak, Tsurumi, Husquvarna Target, Stow, Wacker, Sakai, Mi-T-M, Sullair, Basic, Dynapac, MBW, Weber, Bartell, Bennar Newman, Haulotte, Ditch Runner, Menegotti, Morrison, Contec, Buddy, Crown, Edco, Wyco, Bomag, Laymor, EZ Trench, Bil-Jax, F.S. Curtis, Gehl Pavers, Heli, Honda, ICS/PowerGrit, IHI, Partner, Imer, Clipper, MMD, Koshin, Rice, CH&E, General Equipment, Amida, Coleman, NAC, Gradall, Square Shooter, Kent, Stanley, Tamco, Toku, Hatz, Kohler, Robin, Wisconsin, Northrock, Oztec, Toker TK, Rol-Air, APT, Wylie, Ingersoll Rand / Doosan, Innovatech, Con X, Ammann, Mecalac, Makinex, Smith Surface Prep, Small Line, Wanco, Yanmar



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY 2022 MODEL YEAR CERTIFICATE OF CONFORMITY WITH THE CLEAN AIR ACT

OFFICE OF TRANSPORTATION AND AIR QUALITY ANN ARBOR, MICHIGAN 48105

Certificate Issued To: Kubota Corporation

(U.S. Manufacturer or Importer)

Certificate Number: NKBXL01.0BCB-019

Effective Date: 07/21/2021

Expiration Date: 12/31/2022

Issue Date: 07/21/2021

Revision Date: N/A

Model Year: 2022

Manufacturer Type: Original Engine Manufacturer

Engine Family: NKBXL01.0BCB

Mobile/Stationary Indicator: Mobile Emissions Power Category: 8<=kW<19

Fuel Type: Diesel

After Treatment Devices: No After Treatment Devices Installed **Non-after Treatment Devices:** Engine Design Modification

Byron J. Bunker, Division Director

Compliance Division

Pursuant to Section 213 of the Clean Air Act (42 U.S.C. section 7547) and 40 CFR Part 1039, and subject to the terms and conditions prescribed in those provisions, this certificate of conformity is hereby issued with respect to the test engines which have been found to conform to applicable requirements and which represent the following engines, by engine family, more fully described in the documentation required by 40 CFR Part 1039 and produced in the stated model year.

This certificate of conformity covers only those new compression-ignition engines which conform in all material respects to the design specifications that applied to those engines described in the documentation required by 40 CFR Part 1039 and which are produced during the model year stated on this certificate of the said manufacturer, as defined in 40 CFR Part 1039.

It is a term of this certificate that the manufacturer shall consent to all inspections described in 40 CFR 1068 and authorized in a warrant or court order. Failure to comply with the requirements of such a warrant or court order may lead to revocation or suspension of this certificate for reasons specified in 40 CFR Part 1039. It is also a term of this certificate that this certificate may be revoked or suspended or rendered void *ab initio* for other reasons specified in 40 CFR Part 1039.

This certificate does not cover engines sold, offered for sale, or introduced, or delivered for introduction, into commerce in the U.S. prior to the effective date of the certificate.



KUBOTA Corporation

EXECUTIVE ORDER U-R-025-0986

New Off-Road Compression-Ignition Engines Page 1 of 1

Pursuant to the authority vested in California Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)
2022	NKBXL01.0BCB	1.002	Diesel	3000
SPECIAL	FEATURES & EMISSION O	CONTROL SYSTEMS	TYPICAL EQUIPMENT APPLIC	ATION
	Indirect Diesel Inje	ection	Tractor, Compressor, Generator Set, Unit, Garden Tractor, Light Tower, Mo Steer Loader, Nonroad Sweeper,	ower, Roller, Skid

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for non-methane hydrocarbon (NMHC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED	EMISSION		+ (EXHAUST (g/kw-l	nr)		OF	PACITY (%	(o)	
POWER CLASS	STANDARD CATEGORY		NMHC NOx		NMHC+NOx	СО	PM	ACCEL	LUG	PEAK	
8 ≤ kW < 19	Tier 4 Final	STD	N/A	N/A	7.5	6.6	0.40	20	15	50	
		CERT			6.6	1.7	0.25	3	3	5	

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed on this 20th day of August 2021.

A**ll**en **⊭**yons, Chief

Emissions Certification and Compliance Division

Attachment: Engine Models EO #: U-R-025-0986 Family: NKBXL01.0BCB Attachment Last Revised: 7/30/2021

					Displacement -		Peak Power -	Peak Power -	Peak Power -	Peak Power - Fue		Peak Torque -		Peak Torque -	Peak Torque -				
Model	Code	Trim	Config	Displacement	Units	Peak Power	Units	Speed (rpm)	Fueling	Units	Peak Torque	Units	Speed (rpm)	Fuel	Fuel Units	OBD	GHG	Special	Notes
	D1005-EF01		I-3	1.002	Liters	18.2	kilowatt	3200	20.9	mm3/stroke	63.3	N-m	2400	22.9	mm3/stroke	N/A	N/A	N/A	N/A
	D1005-EF02		I-3	1.002	Liters	18.2	kilowatt	3200	20.8	mm3/stroke	61.3	N-m	2400	22.4	mm3/stroke	N/A	N/A	N/A	N/A
	D1005-EF02e		I-3	1.002	Liters	18.2	kilowatt	3200	20.8	mm3/stroke	61.3	N-m	2400	22.4	mm3/stroke	N/A	N/A	N/A	N/A
D1005-EF	D1005-EF03		I-3	1.002	Liters	17.2	kilowatt	3000	20.7	mm3/stroke	61.9	N-m	2200	22.6	mm3/stroke	N/A	N/A	N/A	N/A
D1005-EF	D1005-EF04		I-3	1.002	Liters	15.4	kilowatt	2800	19.7	mm3/stroke	60.9	N-m	2000	22.2	mm3/stroke	N/A	N/A	N/A	N/A
D1005-EF	D1005-EF05		I-3	1.002	Liters	14.6	kilowatt	2700	19.3	mm3/stroke	59.4	N-m	1900	21.7	mm3/stroke	N/A	N/A	N/A	N/A
D1005-EF	D1005-EF06		I-3	1.002	Liters	14.3	kilowatt	2600	19.3	mm3/stroke	60.9	N-m	1700	22.3	mm3/stroke	N/A	N/A	N/A	N/A
D1005-EF	D1005-EF07		I-3	1.002	Liters	14.0	kilowatt	2500	19.8	mm3/stroke	54.5	N-m	2000	19.8	mm3/stroke	N/A	N/A	N/A	N/A
D1005-EF	D1005-EF08		I-3	1.002	Liters	10.2	kilowatt	1800	19.8	mm3/stroke	54.4	N-m	1800	19.8	mm3/stroke	N/A	N/A	N/A	N/A
																			_
																-			
			-													-	-		
										 X						_	_		
																_			
																-	-		
			-																
								• . (
																			_

TO PURCHASE THIS PRODUCT PLEASE CONTACT US



Equipment Financing and Extended Warranties Available



Discount-Equipment.com is your online resource for commercial and industrial quality parts and equipment sales. 561-964-4949
visit us on line @ www.discount-equipment.com

Select an option below to find your Equipment

Search by Manufacturer

Search by Product Type

Request a Quote

We sell worldwide for the brands: Genie, Terex, JLG, MultiQuip, Mikasa, Essick, Whiteman, Mayco, Toro Stone, Diamond Products, Generac Magnum, Airman, Haulotte, Barreto, Power Blanket, Nifty Lift, Atlas Copco, Chicago Pneumatic, Allmand, Miller Curber, Skyjack, Lull, Skytrak, Tsurumi, Husquvarna Target, Stow, Wacker, Sakai, Mi-T-M, Sullair, Basic, Dynapac, MBW, Weber, Bartell, Bennar Newman, Haulotte, Ditch Runner, Menegotti, Morrison, Contec, Buddy, Crown, Edco, Wyco, Bomag, Laymor, EZ Trench, Bil-Jax, F.S. Curtis, Gehl Pavers, Heli, Honda, ICS/PowerGrit, IHI, Partner, Imer, Clipper, MMD, Koshin, Rice, CH&E, General Equipment, Amida, Coleman, NAC, Gradall, Square Shooter, Kent, Stanley, Tamco, Toku, Hatz, Kohler, Robin, Wisconsin, Northrock, Oztec, Toker TK, Rol-Air, APT, Wylie, Ingersoll Rand / Doosan, Innovatech, Con X, Ammann, Mecalac, Makinex, Smith Surface Prep, Small Line, Wanco, Yanmar