

# Safety Data Sheet

## SlabArmor™ — Closer



### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name:	SlabArmor™ Closer
Product Use:	Concrete Fixative
Effective Date:	March 1, 2014

### SECTION 2. HAZARD IDENTIFICATION

GHS Pictograms	
GHS Signal Word	WARNING This product is Alkali. Avoid contact with eyes and skin. Keep out of reach of children. The product may be harmful if it is inhaled or swallowed
<b>POTENTIAL HEALTH EFFECTS: CODE OF HAZARD STATEMENTS:</b>	
Physical Hazards	None
Health Hazards	H303 - May be harmful if swallowed. H312 - Harmful in contact with skin. H319 - Causes serious eye irritation. H333 - May be harmful if inhaled.
Environmental Hazards	None
<b>CODE OF PRECAUTIONARY STATEMENTS:</b>	
General	P101 - Keep out of reach of children. P103 - Read label before use.
Prevention Statements	P202 - Do not handle until all safety precautions have been read and understood. P262 - Do not get in eyes, on skin or on clothing. P264 - Wash thoroughly after handling using this product. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P284 - Wear respiratory protection.
Response Statements	P312 - Call a <b>POISON CENTER</b> or doctor/physician if you feel unwell. P331 - <b>DO NOT</b> induce vomiting. P340 - Remove victim to fresh air and keep at rest in a position comfortable for breathing. P352 - Wash with plenty of soap and water. P362 - Take off contaminated clothing and wash before reuse.
Storage	KEEP FROM FREEZING P403 - Store in well-ventilated place. P404 - Store in a closed container.
Routes of Entry	Eye Contact, Skin Absorption, Ingestion and Inhalation.
Carcinogenicity	None known at this time.

**TO PURCHASE THIS PRODUCT PLEASE CONTACT US**



**Equipment Financing and  
Extended Warranties Available**



**Discount-Equipment.com is your online resource for  
commercial and industrial quality parts and equipment sales.**

**561-964-4949**

**visit us on line @ [www.discount-equipment.com](http://www.discount-equipment.com)**

Select an option below to find your Equipment

**Search by Manufacturer**

**Search by Product Type**

**Request a Quote**

We sell worldwide for the brands: Genie, Terex, JLG, MultiQuip, Mikasa, Essick, Whiteman, Mayco, Toro Stone, Diamond Products, Generac Magnum, Airman, Haulotte, Barreto, Power Blanket, Nifty Lift, Atlas Copco, Chicago Pneumatic, Allmand, Miller Curber, Skyjack, Lull, Skytrak, Tsurumi, Husquvarna Target, Stow, Wacker, Sakai, Mi-T-M, Sullair, Basic, Dynapac, MBW, Weber, Bartell, Bennar Newman, Haulotte, Ditch Runner, Menegotti, Morrison, Contec, Buddy, Crown, Edco, Wyco, Bomag, Laymor, EZ Trench, Bil-Jax, F.S. Curtis, Gehl Pavers, Heli, Honda, ICS/PowerGrit, IHI, Partner, Imer, Clipper, MMD, Koshin, Rice, CH&E, General Equipment, Amida, Coleman, NAC, Gradall, Square Shooter, Kent, Stanley, Tamco, Toku, Hatz, Kohler, Robin, Wisconsin, Northrock, Oztec, Toker TK, Rol-Air, APT, Wylie, Ingersoll Rand / Doosan, Innovatech, Con X, Ammann, Mecalac, Makinex, Smith Surface Prep, Small Line, Wanco, Yanmar

# Safety Data Sheet

## SlabArmor™ — Closer



### SECTION 3. INGREDIENTS AND HAZARDS IDENTIFICATION

Component	CAS #	EINECS No	% by Weight	REACH Reg. #
Prop.	Prop.	Prop.	1-8	Yes
Mineral Salt	Prop.	Prop.	25-35	Yes
Water	7732-18-5	231-791-5	Balance	No

REACH Registration number is the EINECS # and CAS#:

### SECTION 4. FIRST AID MEASURES

<b>Eye Contact:</b>	Flush eyes with water immediately while holding eyelids open. Remove contacts, if worn, after initial flushing and continue flushing for at least 15 minutes. Seek medical attention if irritation persists.
<b>Skin Contact:</b>	Use soap and water to remove from the skin. Remove contaminated clothing and clean thoroughly before reuse.
<b>Inhalation:</b>	Move to fresh air. If not breathing, give rescue breathing. If breathing is difficult, give oxygen. Seek medical attention if breathing is still difficult.
<b>Ingestion:</b>	If swallowed, get medical attention immediately. <b>DO NOT INDUCE VOMITING.</b> Never give anything by mouth to an unconscious person.

### SECTION 5. FIRE FIGHTING MEASURES

<b>Flash Point:</b>	Not Flammable
<b>Flammability Limits:</b>	NE
<b>Fire Fighting Media:</b>	Dry chemical, Carbon Dioxide, and Water Spray.
<b>Special Fire Fighting Procedures:</b>	First responders need to wear full bunker-gear with SCBA. Never enter a confined space unless fully protected with proper personal protective equipment (PPE). Material is alkaline and may cause the floor to be slippery

### SECTION 6. ACCIDENTAL RELEASE MEASURES

<b>Clean-up Procedures:</b>	Material is alkaline, wear proper PPE. Stop the source of the release if you are not put at risk. Use absorbent material (such as sand or kitty litter) to absorb the spill. Use plastic shovel to pick up absorbent for disposal.
<b>Spills and Leaks:</b>	Dispose in accordance with local, state or federal regulations.

### SECTION 7. HANDLING AND STORAGE

<b>Handling:</b>	Do not get into eyes. Do not taste or swallow. Wash thoroughly after handling.
<b>Storage:</b>	Store in original labeled container. Keep in cool and dry areas. Do not freeze.

### SECTION 8. EXPOSURE CONTROL/PERSONAL PROTECTION

<b>Introductory Remarks:</b>	Consider the potential hazards of this product outlined in section 3. Use process exposures such as local exhaust ventilation, to control over exposure to airborne levels above recommended exposure limits.	
<b>Personal Protection:</b>	<b>Eyes:</b>	Wear safety goggles or safety glasses to prevent eye contact
	<b>Body:</b>	Long sleeve shirts, long pants, socks, rubber boots and chemical-resistant gloves
	<b>Hands:</b>	Chemical resistant gloves.
	<b>Respiratory:</b>	Wear an approved respirator (NIOSH TC-84A rated or EN 14387) that provides protection from this product if the airborne concentrations exceed the recommended exposure limits.
<b>Other:</b>	None.	

# Safety Data Sheet

## SlabArmor™ — Closer



### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Odor/Color	Tropical and Red Liquid	Vapor Pressure	> 2.2 torr @ 68° F (20° C)
pH	11.6	Solubility	> 95% in water
VOC	< 50 g/L	Boiling Point Freezing Point	212° F (100 °C) 32 °F (0 °C)
Evaporation Rate (water = 1)	< 1.0	Vapor Density (air = 1)	> 1

### SECTION 10. STABILITY AND REACTIVITY

Chemical Stability:	Considered stable under normal ambient temperatures.
Hazardous Decomposition:	If complete combustion, oxides of carbon and mineral salt are formed.
Hazardous Polymerization:	Will not occur.
Incompatibility~ Materials to Avoid:	May react with strong oxidizing agents and strong acids.

### SECTION 11. TOXICOLOGICAL INFORMATION

Acute Eye Irritation:	Irritating.
Acute Skin Irritation:	Chronic exposure may be irritating.
Acute Dermal Toxicity:	Not expected to be toxic through the skin.
Acute Inhalation Toxicity:	Not determined, expected to be an irritant to the respiratory system.
Carcinogenic Effects:	None
Existing Medical Conditions Aggravated by Exposure:	Exposure to eyes and skin may cause irritation to pre-existing conditions.

### SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity:	The toxicity of this product has not been determined.
Environmental Fate:	This product should be expected to be readily biodegradable.

### SECTION 13. DISPOSAL CONSIDERATIONS

Waste Disposal Method:	What ever cannot be saved for recovery or recycling should be managed by the local, state or Federal Regulations.
Container Handling and Disposal:	All containers should be triple rinsed and disposed of according to local, state and Federal regulations.

### SECTION 14. TRANSPORT INFORMATION


<b>KEEP FROM FREEZING</b>	
Ground Classification:	Not regulated by US DOT
Shipping Name:	SlabArmor™ Closer
Technical Shipping Name:	None
UNFIC:	None
Packaging Group:	None
Labels:	No US DOT Labels
Not regulated by IATA or IMO	

# Safety Data Sheet

## SlabArmor™ — Closer



### SECTION 15. REGULATORY INFORMATION

<b>EPCRA 311/312 Categories:</b>	Immediate (Acute) Health Effects:	Yes
	Delayed (Chronic) Health Effects:	Yes
	Fire Hazard:	No
	Sudden Release of Pressure	No
	Reactivity:	No
<b>European Community:</b>		Irritating (Xi) substances
<b>Right To Know Classification:</b>	All ingredients are listed in CA, FL, MA, MI, MN, PA and NJ.	
<b>TCSA</b>	All ingredients listed or exempt from listing	
<b>Reportable Quantity (RQ):</b>	None	
<b>Prop. 65:</b>	None	
<b>WHMIS:</b>	Xi (irritant to the eyes and skin)	
All ingredients are listed in chemical inventories of ACIS, ECL, EEC, ENCS, EU, Israel, MAC, MAK, MITI, PICCS, SWISS, Taiwan, USA and UK.		

#### ABBREVIATIONS

<b>CAS #</b>	Chemical Abstract Service Number	<b>EINECS</b>	European Inventory of existing Commercial Chemical Sales
<b>°C</b>	Celsius temperature scale	<b>°F</b>	Fahrenheit temperature scale
<b>Prop.</b>	Proprietary	<b>PE</b>	Personal Protective Equipment
<b>TLV</b>	Threshold Limit Value	<b>TWA</b>	Time Weighted Average
<b>STEL</b>	Short-term Exposure Limit	<b>PEL</b>	Permissible Exposure Limit
<b>OSHA</b>	Occupational Safety and Health	<b>NIOSH</b>	National Institute of Safety and Health
<b>NFPA</b>	National Fire Protection Agency	<b>WHMIS</b>	Workplace Hazardous Materials Information System
<b>NTP</b>	National Toxicology Program	<b>IARC</b>	Int. Agency for Research on Cancer
<b>RCRA</b>	Resource Conservation Recovery Act	<b>TSCA</b>	Toxic Substance Control Act
<b>EC50</b>	Effective Dose	<b>LC50</b>	Lethal Inhalation Concentration
<b>LD50</b>	Lethal Dose	<b>CAS</b>	Chemical Abstract Service Number
<b>LEL</b>	Lower Explosive Limit	<b>UEP</b>	Upper Explosive Limit
<b>NDA</b>	No Data Available	<b>ND</b>	Not determined
<b>NE</b>	None established	<b>NA</b>	Not Applicable
<b>&lt;</b>	Less Than or Equal To	<b>&gt;</b>	Greater Than or Equal To
<b>CNS</b>	Central Nervous System	<b>CI</b>	China
<b>DSL</b>	Canada	<b>ECL</b>	Korean Existing Chemicals List
<b>EEC</b>	European Economic Commission	<b>ENCS</b>	Japanese Existing and New Chemical List
<b>EU</b>	European Union	<b>MAC</b>	Netherlands
<b>MAK</b>	Germany	<b>MITI</b>	Japan
<b>PICCS</b>	Philippines	<b>SWISS</b>	Giffliste 1
<b>UK</b>	United Kingdom	<b>USA</b>	United States
<b>VOC</b>	Volatile organic content	<b>ACGIH</b>	American Conference of Government Industrial Hygienists
<b>SARA</b>	Superfund Amendments and Reauthorization Act	<b>AICS</b>	Australian Inventory of Chemical Substances
<b>IARC</b>	International Agency for Research on Cancer	<b>Taiwan</b>	List of Toxic Chemical Substances regulated under Taiwan Toxic Chemical Substances Control Act of 1086

# Safety Data Sheet

## SlabArmor™ — Closer



### SECTION 16. OTHER INFORMATION

Hazardous Material Information (HMIS)		National Fire Protection Association (NFPA)	
Health	1	Health	1
Fire	0	Fire	0
Reactivity	0	Instability	0
Personal Protection	E	NA	

#### LEGEND:

<b>Health</b>	4 - Deadly	3 - Extreme Danger	2 - Dangerous	1 - Slight Hazard	0 - No Hazard
<b>Fire</b>	4 - < 73 °C	3 - < 100° C	2 - < 200° C	1 - >200° C	0 - Will not burn
<b>Reactivity/Instability</b>	4 - May detonate	3 - Explosive	2 - Unstable	1 - Normally stable	0 - Stable

<b>Risk Phrases:</b>	R36	Irritating to Eyes
	R37	Irritating to Respiratory System
	R38	Irritating to Skin
<b>Safety Phrases:</b>	S2	Keep Out of Reach of Children
	S24	Avoid Contact with Skin
	S25	Avoid Contact with Eyes
	S37	Wear Suitable Gloves
	S39	Wear Eye/Face Protection

#### Disclaimer:

The information is furnished without warranty, representation, inducement, or license of any kind, except that it is accurate to the best of Multiquip Inc.'s knowledge. Because use conditions and applicable laws may differ from one location to another and may change with time, Recipient is responsible for determining whether the information is appropriate for recipient's use. Since Multiquip Inc. has no control over how this information may be ultimately used, all liability is expressly disclaimed and Multiquip Inc. assumes no liability

**TO PURCHASE THIS PRODUCT PLEASE CONTACT US**



**Equipment Financing and  
Extended Warranties Available**



**Discount-Equipment.com is your online resource for  
commercial and industrial quality parts and equipment sales.**

**561-964-4949**

**visit us on line @ [www.discount-equipment.com](http://www.discount-equipment.com)**

Select an option below to find your Equipment

**Search by Manufacturer**

**Search by Product Type**

**Request a Quote**

We sell worldwide for the brands: Genie, Terex, JLG, MultiQuip, Mikasa, Essick, Whiteman, Mayco, Toro Stone, Diamond Products, Generac Magnum, Airman, Haulotte, Barreto, Power Blanket, Nifty Lift, Atlas Copco, Chicago Pneumatic, Allmand, Miller Curber, Skyjack, Lull, Skytrak, Tsurumi, Husquvarna Target, Stow, Wacker, Sakai, Mi-T-M, Sullair, Basic, Dynapac, MBW, Weber, Bartell, Bennar Newman, Haulotte, Ditch Runner, Menegotti, Morrison, Contec, Buddy, Crown, Edco, Wyco, Bomag, Laymor, EZ Trench, Bil-Jax, F.S. Curtis, Gehl Pavers, Heli, Honda, ICS/PowerGrit, IHI, Partner, Imer, Clipper, MMD, Koshin, Rice, CH&E, General Equipment, Amida, Coleman, NAC, Gradall, Square Shooter, Kent, Stanley, Tamco, Toku, Hatz, Kohler, Robin, Wisconsin, Northrock, Oztec, Toker TK, Rol-Air, APT, Wylie, Ingersoll Rand / Doosan, Innovatech, Con X, Ammann, Mecalac, Makinex, Smith Surface Prep, Small Line, Wanco, Yanmar