

SlabSaver Concrete Saws

Includes
Side Winder Premium
Green Concrete Blade



The compact, lightweight, multi-purpose saw...

Ideal for commercial green and decorative concrete cutting

- Cuts control joints in green concrete
- Cuts decorative lines in cured concrete
- Powerful gasoline engine permits light slab demolition
- Center blade mount design for straight line cutting
- Saws completely to the edge of walls and columns
- Infinitely adjustable locking depth control with gauge
- Adjustable handle height for operator comfort
- Standard $\frac{5}{8}$ " blade arbor
- Includes 10" Green Concrete Blade

Construction Starts Here





SlabSaver Concrete Saws

Features

- Light and portable one-man operation
- 10" blade capacity for a 3 1/4" depth of cut
- Cuts control joints in green concrete and decorative lines in cured concrete
- Ideal for light demolition operations in cured concrete and asphalt
- Center cut — accurate straight line sawing
- Saws right to the edge of walls and columns
- Rear pointer drops into cut to ensure straight cutting
- Infinitely adjustable PosiLok blade depth control
- Adjustable handle height for operator comfort
- Tough polyurethane wheels equipped with permanently sealed ball bearings — rides smoothly on all surfaces
- 3/4" blade shaft assembly
- Standard 5/8" blade arbor
- 10 ga. jig-welded steel frame will not flex or bend
- Single premium 3VX belt drive
- Vacuum nozzle hook-up on blade guard




Dry Cutting Diamond Blades specially formulated for the SlabSaver Saw

Green Concrete

- **10SWG2** — 10" x .110" x 5/8"
Side Winder Premium
- **SS10G** — 10" x .110" x 5/8"
Segmented Pro Grade

Cured Concrete

- **10SW2** — 10" x .110" x 5/8"
Side Winder Premium
- **SS10C** — 10" x .110" x 5/8"
Segmented Pro Grade



© COPYRIGHT 2008, MULTIQUIP INC.

Specifications

FCG1-6H — Slab Saver with 5.5 HP Honda Engine*

FCG1-7R — Slab Saver with 7.0 HP Robin Engine*

Blade size

Up to 10" diameter with 5/8" round arbor

Also accepts 5", 7" and 9" V-groove (crack chaser) blades

Engine

7.0HP Robin EX21 with Cyclone pre-cleaner air cleaner;

5.5HP Honda GX200 with Cyclone pre-cleaner air cleaner

Weight

106 lb. (48 kg)

Depth of cut

Up to 3 1/4" maximum with 10" blade

Dimensions (H x L x W)

Handle retracted: 34" x 41" x 13"

Handle extended: 40" x 45" x 13"

TO PURCHASE THIS PRODUCT PLEASE CONTACT US



**Equipment Financing and
Extended Warranties Available**



**Discount-Equipment.com is your online resource for
commercial and industrial quality parts and equipment sales.**

561-964-4949

visit us on line @ www.discount-equipment.com

Select an option below to find your Equipment

Search by Manufacturer

Search by Product Type

Request a Quote

We sell worldwide for the brands: Genie, Terex, JLG, MultiQuip, Mikasa, Essick, Whiteman, Mayco, Toro Stone, Diamond Products, Generac Magnum, Airman, Haulotte, Barreto, Power Blanket, Nifty Lift, Atlas Copco, Chicago Pneumatic, Allmand, Miller Curber, Skyjack, Lull, Skytrak, Tsurumi, Husquvarna Target, Stow, Wacker, Sakai, Mi-T-M, Sullair, Basic, Dynapac, MBW, Weber, Bartell, Bennar Newman, Haulotte, Ditch Runner, Menegotti, Morrison, Contec, Buddy, Crown, Edco, Wyco, Bomag, Laymor, EZ Trench, Bil-Jax, F.S. Curtis, Gehl Pavers, Heli, Honda, ICS/PowerGrit, IHI, Partner, Imer, Clipper, MMD, Koshin, Rice, CH&E, General Equipment, Amida, Coleman, NAC, Gradall, Square Shooter, Kent, Stanley, Tamco, Toku, Hatz, Kohler, Robin, Wisconsin, Northrock, Oztec, Toker TK, Rol-Air, APT, Wylie, Ingersoll Rand / Doosan, Innovatech, Con X, Ammann, Mecalac, Makinex, Smith Surface Prep, Small Line, Wanco, Yanmar