

Pressure Relief Valve Adjustment LAY-TSB-15-003

Date: April 02, 2015 **Model:** SM300

Product Issue:

Laymor has identified that the current hydraulic pressure at the pressure relief valve is incorrect. In order to prolong the life and efficiency of the broom motor the pressure relief valve will require to be adjusted to **1650 PSI** cracking pressure, **1900 PSI** Max Operating Pressure **2100** (± **100) PSI** dead Head pressure.

Units affected:

SM300 units delivered between the dates of March 1, 2014 through March 24, 2015.

Approved SRT:

The Laymor approved standard repair time for this service bulletin is .50 hours.

04-02-15



PARTS FINDER Search Website Search Website Search Website Search Website







Discount-Equipment.com is your online resource for quality parts & equipment.

Florida: 561-964-4949 Outside Florida TOLL FREE: 877-690-3101

Need parts?

Click on this link: http://www.discount-equipment.com/category/5443-parts/ and choose one of the options to help get the right parts and equipment you are looking for. Please have the machine model and serial number available in order to help us get you the correct parts. If you don't find the part on the website or on one of the online manuals, please fill out the request form and one of our experienced staff members will get back to you with a quote for the right part that your machine needs.

We sell worldwide for the brands: Genie, Terex, JLG, MultiQuip, Mikasa, Essick, Whiteman, Mayco, Toro Stone, Diamond Products, Generac Magnum, Airman, Haulotte, Barreto, Power Blanket, Nifty Lift, Atlas Copco, Chicago Pneumatic, Allmand, Miller Curber, Skyjack, Lull, Skytrak, Tsurumi, Husquvarna Target, Stow, Wacker, Sakai, Mi-T-M, Sullair, Basic, Dynapac, MBW, Weber, Bartell, Bennar Newman, Haulotte, Ditch Runner, Menegotti, Morrison, Contec, Buddy, Crown, Edco, Wyco, Bomag, Laymor, EZ Trench, Bil-Jax, F.S. Curtis, Gehl Pavers, Heli, Honda, ICS/PowerGrit, IHI, Partner, Imer, Clipper, MMD, Koshin, Rice, CH&E, General Equipment, Amida, Coleman, NAC, Gradall, Square Shooter, Kent, Stanley, Tamco, Toku, Hatz, Kohler, Robin, Wisconsin, Northrock, Oztec, Toker TK, Rol-Air, APT, Wylie, Ingersoll Rand / Doosan, Innovatech, Con X, Ammann, Mecalac, Makinex, Smith Surface Prep,Small Line, Wanco, Yanmar

Tools needed:

- SAE ½" box wrench or socket
- 4 MM Allen head wrench or bit driver
- 15/16" SAE offset wrench
- 7/8" socket or wrench
- Pressure gauge
- Face seal Plug 08
- Paint marker
- Cleaning Solvent





Tools available for purchase

- 1000033 Pressure gauge 1/4 NPT
- 1000034 1/4 NPT Female SAE -08 FORFS Swivel hose
- al hose al hose order to order




Adjustment Instructions:

Clean off Hydraulic Manifold to access pressure relief valve








Adjustment Instructions:

Place a reference mark on the pressure relief valve and adjustment stem






Instructions:

Loosen jam nut on the pressure relief valve counter clockwise using a ½" socket or wrench.







Instructions:




Loosen the valve stem one complete revolution counter clockwise using a 4 MM Alan wrench or drive bit. Make sure to use your paint mark from before as a reference.



Instructions:

Tighten the jam nut up using your fingers






Instructions:

Stabilize the valve stem with the 4 MM drive bit or Alan wrench. Turn the jam nut clockwise with the $\frac{1}{2}$ " box wrench until firmly snug.






Manifold pressure check instructions:



Next remove hydraulic hose at BMA located on manifold using a 15/16" SAE off set wrench



Manifold pressure check instructions:



Install pressure gauge at BMA using 15/16" SAE offset wrench. Cap off existing hose from broom motor to BMA using a 08 face seal plug using 15/16" and 7/8" SAE wrenches.





Manifold pressure check instructions:



Step 1.

With everything tight and in place start the engine. Set the throttle at low idle. Engage the broom motor switch for no more than 5 seconds and record PSI reading. The reading should read between **1700** (± **100 PSI**) at low idle.

Step 2.

With engine still running and broom motor switch off increase the throttle to the max position. Engage the broom motor for no more than 5 seconds and record PSI reading. The reading should read 2100 (± 100) PSI

Step 3.

If the readings are not within specification shut the engine off and adjust the pressure relief valve. Rotate clockwise to increase and counter clockwise to reduce pressures. Adjusting in quarter turns is best practice.





REVISION HISTORY

	REVISIO	N HISTORY	Jak's
REVISION	DATE	DESCRIPTION OF CH	HANGE
0	04-02-15	NEW PROCEDURE	* 70°
		ord	
APPROVALS	AUTHO	R	DATE
Design Engineer	Kapil Ayyav	var	04-02-15

	APPROVALS	AUTHOR	DATE
	Design Engineer	Kapil Ayyawar	04-02-15
	Director of Engineer	Jim Keough	04-02-15
	Director of Quality	Barbara McCullough	04-02-15
COX	Oliscountie		



PARTS FINDER Search Website Search Website Search Website Search Website







Discount-Equipment.com is your online resource for quality parts & equipment.

Florida: 561-964-4949 Outside Florida TOLL FREE: 877-690-3101

Need parts?

Click on this link: http://www.discount-equipment.com/category/5443-parts/ and choose one of the options to help get the right parts and equipment you are looking for. Please have the machine model and serial number available in order to help us get you the correct parts. If you don't find the part on the website or on one of the online manuals, please fill out the request form and one of our experienced staff members will get back to you with a quote for the right part that your machine needs.

We sell worldwide for the brands: Genie, Terex, JLG, MultiQuip, Mikasa, Essick, Whiteman, Mayco, Toro Stone, Diamond Products, Generac Magnum, Airman, Haulotte, Barreto, Power Blanket, Nifty Lift, Atlas Copco, Chicago Pneumatic, Allmand, Miller Curber, Skyjack, Lull, Skytrak, Tsurumi, Husquvarna Target, Stow, Wacker, Sakai, Mi-T-M, Sullair, Basic, Dynapac, MBW, Weber, Bartell, Bennar Newman, Haulotte, Ditch Runner, Menegotti, Morrison, Contec, Buddy, Crown, Edco, Wyco, Bomag, Laymor, EZ Trench, Bil-Jax, F.S. Curtis, Gehl Pavers, Heli, Honda, ICS/PowerGrit, IHI, Partner, Imer, Clipper, MMD, Koshin, Rice, CH&E, General Equipment, Amida, Coleman, NAC, Gradall, Square Shooter, Kent, Stanley, Tamco, Toku, Hatz, Kohler, Robin, Wisconsin, Northrock, Oztec, Toker TK, Rol-Air, APT, Wylie, Ingersoll Rand / Doosan, Innovatech, Con X, Ammann, Mecalac, Makinex, Smith Surface Prep,Small Line, Wanco, Yanmar