# Leica Rugby 810, 820, 830 & 840

The toughest construction lasers on site







# The toughest construction lasers on site


Leica Rugby construction lasers are more than just a product, they are an intelligent, versatile, clever solution that significantly enhance your application performance. The Rugby lasers are an integrated part of the Leica Geosystems intelligent **CON**struction portfolio, providing a comprehensive solution for our customers.





### Laserman button triggers the Smart Targeting feature

Perform applications easier and faster thar ever before – no mistakes possible!











# Unique power concept

Unbeatable versatility – power and charge anywhere, anytime!

- Intelligent and rugged Li-Ion battery concep
- Interchangeable battery packs throughout the new Leica Rugby family (Alkaline and Li-Ion)

Run and charge anywhere – in the car, from a 12v battery or from a generator with external battery as a buffer









### **Toughest laser** in the market

Site proof design – rugged and robust housing provides reliable application performance even in the



- ▶ IP 68 protected (water proof to 1m (3') depth) and the only laser in the market with Military Grade Certification, the highest standard in water and dust protection!
  - Quality you can trust Lifetime manufacturer's warranty, 5 years no cost period and 2 years knockdown warranty
  - Maximum Temperature Stability guaranteed highest accuracy across the entire operating temperature range, providing the perfect solution in all conditions







### Intelligent, versatile, clever it's more than just a laser!

Intelligent laser systems combined with

- Operate and charge your laser at the same time using the solar panel – use the carry case and integrated bag to position the solar panel towards the sun



# Fit, fast, tough – select the best player for your site

Rugby 800 Series lasers level, align and square much quicker than ever before, eliminating costly errors and downtime.

### Leica Rugby 810



### Leveling made easy

- Simple and reliable, one button laser where no mistakes are possible
- Single axis slopes up to 45° with optional manual slope adapter
- High application performance with Leica Rod Eye 140 - with the built-in 5 inch detection window, you can easily detect the beam over the entire distance



### Leica Rugby 820



# Tough as concrete

- unbeatable with slopes
- Carry out concrete forming, pad placement and framework leveling; setting foundations and footings has never been more efficient
- Automatic slope in single or dual-axis with the Leica Rod Eye 180 RF receiver by using the Smart Targeting and Smart Lock functionality
- Set in manual operation up to 10% in single or dual-axis





# Keeps working when others stop

- Achieve the highest performance and precision, specifically for long range leveling applications in general construction and machine control up to 1.350 m (4.430 ft) and up to 60 °C (140 °F)
- No downtime with our solar panel power and charge anywhere, anytime
- For applications that require a slope, set in manual operation up to 10% in single or dual-axis

  Maximum Temperature Stability guaranteed highest accuracy across the entire operating temperature range



### Leica Rugby 830





# The laser that tackles it all

- Highest application performance for any leveling, aligning and squaring applications on site
- Smart Targeting: Tie-in slopes in single or dual axis and automatically align fast and easy, at the touch of a button
- Smart Lock: Monitor and correct the laser plane in real-time, always ensuring reliable results
- Complete application solution in one case, with Leica Rod Eye 180 RF remote receiver and RC400 remote control






# Leica Rugby 840





# The right team for every application on site





#### 1 Land leveling

Full system for agricultural land leveling with the best results.



#### Grade checking

Easily and reliably check grades over long distances.



#### 3 Slopes for ramps and driveways

Automatically tie-in slopes in single and dual axis using Smart Targeting.



#### 4 Formwork verticality

Automatically align parallel to the reference with Smart Targeting and check plumb of formwork.



#### Set-out walls

Automatically align two points with Smart Targeting and mark position of wall/formwork.



#### Concrete pouring

Check height of concrete and use digital readout for clear indication of offset.





#### 7 Batter board

Align batter board markings and set-out building axis.



#### 10 Level decks and slabs

Level decks and slabs easily and efficiently. Digital readout provides clear indication of offset.



#### Formwork leveling

Transfer reference height and level formwork.



#### Facade alignment

Align fixings for facade over the entire plane.



# Accessories

The Leica Rod Eye family of receivers and accessories offer solutions for any construction application. The Rod Master feature in each Rod Eye indicates if the battery of the Rugby laser is low. They are engineered to the highest standard and work seamlessly with the Leica Rugby laser portfolio.

### Leica Rod Eye 180 Digital RF



- Top of the range receiver with integrated radio remote functionality, digital readout, half millimetre accuracy and strobe rejection

  - Intelligence inside with
    Laserman, enabling the
    Smart Targeting
    functionality:

     Automatically align your
    laser plane at the touch of a
    button horizontal, vertical and dual axis
- Monitor and correct the laser plane in real-time using Smart Lock functionality

### Leica Rod Eye 160 Digital



- Capture digital readout for convenient height readings

## Leica Rod Eye 140 Classic



High application performance with Leica Rod Eye 140 – with the built-in 5 inch detection window you can easily detect






## Plug and play - perfect application set-up with clever accessories



A220 Batter Board clamp and adapter: provides a simple, string free set-up on batter boards. When not in use, the 90° receiver adapter attaches to the main clamp for easy storage.



A240 Manual Slope adapter: up to 90° slope possibility in one axis using the Leica Rugby in manual mode.



A280 Facade adapter: facade installations. The kit consists of two adapter brackets and a batter board clamp with the 90° receiver adapter.

# **Technical Specifications**

		Se	ŭi	con con
Technical data	Rugby 810	Rugby 820	Rugby 830	Rugby 840
H.I. (Height of Instrument or elevation alert)	Preventing errors due to sudden shifting or movement of the instrument or tripod			
Functionality	Self-leveling horizontal,	Self-leveling horizontal	Self-leveling horizontal	Self-leveling horizontal,
	single manual slope (with slope adapter)	& manual slope in dual axis	& manual slope in dual axis	vertical, 90° and manual slope in dual axis
Smart Targeting	- (With Stope adapter)		-	th (A)
Smart Lock		Smart Targeting		Smart Targeting
Maximum Temperature				
Stability			+ -	
Operating range (diameter)	1.100 m (3.600 ft)	1.100 m (3.600 ft)	1.350 m (4.430 ft)	700 m (2.300 ft)
Self-leveling accuracy*	± 1.5 mm at 30 m (± 1/16" at 100 ft)			
Self-leveling range			6°	
Rotation speed	10 rps	10 rps	10 rps	0, 2, 5, 10 rps
Scanning modes	-		-	10°, 45°, 90°
Laser diode type / class	635 nm (visible) / Class 2			
Dimensions (H × W × D)	235×238×190 mm (9.2×9.4×7.5 in)			
Weight with batteries	3.0 kg (6.6 lbs)			
Batteries (alkaline/rechargeable)	Four D-cells / Li-lon pack 60 hours / 50 hours @ 20°C			
Battery life** (alkaline/rechargeable	-20° to +50°C			
Extended operating temperature	(-40° to +122°F)	(-40° to +122°F)	(-40° to +142°F)	(-40° to +122°F)
Storage temperature		-40° to +70°C	-40° to +158°F)	
Environmental standard	IP 68 – water proof to 1m depth			
RC400 remote control				0°0 0°0 0.0
Operating range (diameter)	-	-		200 m (650 ft)
Laser				
Receivers				
Receivers		<u> </u>		₩ www.
	acc.	Bec.		Targeting
Technical data	Rod Eye 140 Class	sic Rod Eye 1	.60 Digital Ro	od Eye 180 Digital RF
Rod Master		Avai	lable	
Working diameter	1.350 m (4.430 ft)	1.350 m	(4.430 ft)	1.350 m (4.430 ft)
Extended detection window	120 mm / 5 in	120 mi	m / 5 in	120 mm / 5 in
Numeric readout height			/ 3.5 in	90 mm / 3.5 in
Detectable spectrum	600 nm to 800 nm	n 600 nm t	o 800 nm	600 nm to 800 nm
Detection accuracies				
Detection accuracies Ultra fine		± 0.5 mm	/ ± 0.02 in	± 0.5 mm / ± 0.02 in
	± 1.0 mm / ± 0.04 i			± 0.5 mm / ± 0.02 in ± 1.0 mm / ± 0.04 in
Ultra fine		in ± 1.0 mm	/ ± 0.04 in	
Ultra fine Super fine	± 1.0 mm / ± 0.04i	n ± 1.0 mm n ± 2.0 mm	/ ± 0.04 in / ± 0.08 in	± 1.0 mm / ± 0.04 in

<sup>\*</sup> Accuracy is defined at 25°C (77°F) \*\* Battery life is dependent upon environmental conditions

# **PROTECT by Leica Geosystems**

# Guaranteed reliability for the toughest construction lasers



Leica Rugby construction lasers get the job done, anywhere, anytime, providing reliability and accuracy even in harshest jobsite conditions. Our products are built to last. We offer a Lifetime Manufacturer's Warranty, 5 Years No Cost Period\* and a 2 Year Knockdown Warranty.

For more information, please visit our website or contact your local Leica Geosystems representative.

\* 5 Year No Cost applies to Leica Rugby 810, Leica Rugby 820, Leica Rugby 830, Leica Rugby 840, Leica Rugby 260SG, Leica Rugby 270SG & Leica Rugby 280DG.





# Leica Geosystems intelligent CONstruction Enhancing your performance

Fully understanding construction carried us beyond the ordinary. The Leica Rugby products are an integrated part of the Leica Geosystems intelligent CONstruction portfolio, enabling you to enhance your performance and increase your profitability through perfecting your construction workflow.

#### **iCONstruct**

Intelligent rotating lasers combined with unique accessories provide unbeatable application performance.

- Rugged and robust
- Versatile



- Reliable
- Interchangeable

### **iCONtrol**

Providing you with an efficient portfolio of rotating lasers that communicate with your machine receivers.



- High performance and precision for long range leveling
- Reliable and seamless receiver communication



### **iCONsult**

A global sales and support network, providing advice on intelligent CONstruction solutions to grow your business.



- Offering a best-in-class service with PROTECT by Leica Geosystems
- Personal service
- Professional consultancy

### **iCONnect**

Seamlessly integrate your rotating lasers with other intelligent construction products and solutions.



- Monitor and correct the laser plane in real-time
- Real-time data guarantees accurate jobs
- No downtime
- High productivity



Whether you have to precisely lay out a construction site, perform control measurements, collect height and angle data, align concrete forms, install ceilings and partitions, lay gravity flow pipe, locate underground services or complete site preparation and earthworks – Leica Geosystems offers the right instrument, construction laser or machine control installation specifically designed for your construction application.

Easy-to-use, jobsite-tough, accurate and reliable – Leica Geosystems instruments and lasers ensure the efficient use of your materials and resources. High-quality products, such as optical and electronic levels, construction lasers, total stations and machine automation systems, provide fast results, keep you working and increase your profitability.

#### When it has to be right.

805320en-us - 04.14 - galledia





Leica Rugby 810, 820, 830 & 840: Laser class 2 in accordance with IEC 60825-1 resp. EN 60825-1



**Leica DISTO™** Brochure



**Leica iCON build** Brochure



Illustrations, descriptions and technical data are not binding. All rights reserved.

Printed in Switzerland - Copyright Leica Geosystems AG, Heerbrugg, Switzerland, 2013.

PROTECT by Leica Geosystems Brochure



**Leica Piper 100/200** Brochure



**Leica Builder** Brochure

For more information on Leica Rugby products and services, please visit: www.leica-geosystems.com  $\,$ 

