

Rugged Diamond drilling tools to tackle your coring jobs.



HAND HELD CORE DRILL

The **CDM1H** is a value packed hand-held electric drill specifically designed to tackle multiple hole drilling applications. The unit operates at 110V/13A, generates 2,200 RPM, and provides slip clutch and overload protection. The High RPM system specifically supports the COBRA BIT Series (1" thru 5" dia.) for DRY drilling of Cured Concrete and hard Masonry. Supports WET Core Bits (up to 3" dia.). "Included is a Water Kit that supports WET Drilling."



KIT INCLUDES:

- Drill w/ convenient Shoulder Rest
- Water Kit
- Bit Wrenches
- Adapter M18F to 5/8"-11
- Adapter M18F to 1-1/4"-7
- Plastic Carrying Case



DRILL RIG SERIES - CDM2CSA

Complete Drill Rigs are ordered by Individual Components



CDM2CSA

Mini Angle Base Combo Stand 2" Square Column w/Carriage Column Height - 36" Bit Capacity - 9" Diameter Total Wt. w/Motor - 62 lbs.



CDM2CSA

Drill Motor, 120V/15A 60 Hz Integrated ON/OFF Switch 2-Speed 600/1,200 RPM Thread Size 1 1/4"- 7 Male



CDMVP

Vacuum Pump w/ Fittings 120V / 60Hz





DRILL RIG SERIES - CDM3CS - 3 RIGS

Complete Drill Rigs are ordered by Individual Components



RIG OPTION 1

CDM3CS	 Combo Stand - 42" Column 2 1/2" Square Column w/Carriage Bit Capacity - 6" Diameter Bit Capacity - 9" w/Spacer. 	
DM15A9C	 Drill Motor, 120V/15A 60 Hz Integrated ON/OFF Switch 2-Speed 600/1,200 RPM Thread Size 1 1/4"-7 Male 	
CDMVP	Vacuum Pump w/Fittings120V 60 Hz	
CDM3SP	Spacer Block, for 12" Dia. Bits	

RIG OPTION 2

CDM3CS	 90° Combo Stand 2 1/2" Square Column w/Carriage Column Height - 42" Bit Capacity - 10" Diameter Bit Capacity - 12" w/ Spacer
DM4094	 Drill Motor, 120V/20A 60 Hz Shear Pin 2-Speed 450/900 RPM Thread Size 1 1/4"-7 Male
CDMVP	Vacuum Pump w/ Fittings120V 60 Hz
CDM3CP	Control Panel, 120V For Milwaukee Motors
CDM3SP	Spacer Block, for 12" Dia. Bits











RIG OPTION 3

CDM3CS	 90° Combo Stand 2 1/2" Square Column w/Carriage Column Height - 42" Bit Capacity - 10" Diameter Bit Capacity - 12" w/ Spacer
DM4094	 Drill Motor, 120V/20A 60 Hz Slip clutch 2-Speed 450/900 RPM Thread Size 1 1/4"-7 Male
CDMVP	Vacuum Pump w/ Fittings120V 60 Hz
СОМЗСР	Control Panel, 120V For Milwaukee Motors
CDM3SP	Spacer Block, for 12" Dia. Bits



DRILL RIG SERIES - CDM3CS - 3 RIGS

Complete Drill Rigs are ordered by Individual Components There are 3 RIG options

RIG OPTION 1

CDM3CSA	 Combo Stand - Angle Mast 42" x 2 1/2" Square Column w/Carriage Bit Capacity - 6" Diameter Bit Capacity - 9" w/Spacer 	
DM15A9C	 Drill Motor, 120V/15A 60Hz Integrated ON/OFF Switch 2-Speed 600/1,200 RPM Thread Size 1 1/4"-7 Male 	
CDMVP	Vacuum Pump w/Fittings120V 60 Hz	
CDM3SP	Spacer Block, for 12" Dia. Bits	



RIG OPTION 2

CDM3CSA	 Combo Stand - Angle Mast 42" x 2 1/2" Square Column w/Carriage Bit Capacity - 6" Diameter Bit Capacity - 9" w/Spacer 	
DM4094	 Drill Motor, 120V/15A 60Hz Integrated ON/OFF Switch 2-Speed 600/1,200 RPM Thread Size 1 1/4"-7 Male 	
CDMVP	Vacuum Pump w/Fittings120V 60 Hz	
CDM3CP	Control Panel, 120V for Milwaukee Motors	
CDM3SP	Spacer Block, for 12" Dia. Bits	

RIG OPTION 3

CDM3CSA	 Combo Stand - Angle Mast 42" x 2 1/2" Square Column w/carriage Bit Capacity - 10" Diameter Bit Capacity - 12" w/Spacer 	
DM4096	 Drill Motor, 120V/15A 60Hz Slip clutch 2-Speed 450/900 RPM Thread Size 1 1/4"-7 Male 	
CDMVP	Vacuum Pump w/Fittings120V 60 Hz	
CDM3CP	Control Panel, 120V for Milwaukee Motors	
CDM3SP	Spacer Block, for 12" Dia. Bits	

Your Multiquip dealer is:





