

Construction Equipment Made to Last

MGT

NORTH AMERICA 

CATALOG 2025




Menegotti
GROUP

www.discount-equipment.com

Discount
Equipment

TO PURCHASE THIS PRODUCT PLEASE CONTACT US



**Equipment Financing and
Extended Warranties Available**



**Discount-Equipment.com is your online resource for
commercial and industrial quality parts and equipment sales.**

561-964-4949

visit us on line @ www.discount-equipment.com

Select an option below to find your Equipment

Search by Manufacturer

Search by Product Type

Request a Quote

We sell worldwide for the brands: Genie, Terex, JLG, MultiQuip, Mikasa, Essick, Whiteman, Mayco, Toro Stone, Diamond Products, Generac Magnum, Airman, Haulotte, Barreto, Power Blanket, Nifty Lift, Atlas Copco, Chicago Pneumatic, Allmand, Miller Curber, Skyjack, Lull, Skytrak, Tsurumi, Husquvarna Target, Stow, Wacker, Sakai, Mi-T-M, Sullair, Basic, Dynapac, MBW, Weber, Bartell, Bennar Newman, Haulotte, Ditch Runner, Menegotti, Morrison, Contec, Buddy, Crown, Edco, Wyco, Bomag, Laymor, EZ Trench, Bil-Jax, F.S. Curtis, Gehl Pavers, Heli, Honda, ICS/PowerGrit, IHI, Partner, Imer, Clipper, MMD, Koshin, Rice, CH&E, General Equipment, Amida, Coleman, NAC, Gradall, Square Shooter, Kent, Stanley, Tamco, Toku, Hatz, Kohler, Robin, Wisconsin, Northrock, Oztec, Toker TK, Rol-Air, APT, Wylie, Ingersoll Rand / Doosan, Innovatech, Con X, Ammann, Mecalac, Makinex, Smith Surface Prep, Small Line, Wanco, Yanmar

More than 80 years of history, building the future.

1ST GENERATION

1940 | 1980

The journey began with Mrs. Maria Kanzler Menegotti and Mr. Erwino Menegotti, driven by the dream of creating their own business.

What started with manufacturing axes and horseshoes evolved into creating the first Menegotti concrete mixer.

2ND GENERATION

1980 | 1990

Established leadership in the concrete mixer segment in Brazil.

Launched the Foundry Division.

Expanded into international markets with the start of exports.

4TH GENERATION

2010 | current

Opened the first international branch in Atlanta, Georgia, USA — transforming Menegotti into a multinational enterprise.

Introduced new brands - Menegotti Handling and Menegotti Garden & Farm.

Embraced innovation and sustainability as core principles.

Diversified the product mix to meet evolving market demands.

3RD GENERATION

1990 | 2010

Achieved management professionalization, fostering a culture of growth and innovation.

Modernized the industrial park, enhancing efficiency and capacity.

Launched the Steel Processing Division.

Secured a global footprint with a presence in over 40 countries.

A Brazilian Company, present in more than 40 countries.

Present in over 40 countries, the company employs more than 700 professionals across four production plants in Jaragua do Sul, Schroeder, and Corupa in Brazil and Atlanta, Georgia, in the United States.

As a family-owned business, Menegotti has continuously grown and diversified its operations over the years. The company focuses on two distinct business areas: manufacturing cast and machined parts for various industries and producing machinery and equipment for the construction sector.



Menfer Unit



Menmaq Unit



Mentec Unit



SCAN to learn
more about the
products


Menegotti
GROUP

 **ARA**
Associate Member

NEW PRODUCT

FastMixer™

The FastMixer is a versatile, multi-use mixer for concrete, mortar, and stucco. It features a fully adjustable water input and a powerful electric drivetrain, capable of mixing over 3900lb per hour.

The machine's 11-gauge steel construction ensures durability on job sites. Its continuous mixing technology allows for efficient, consistent output, reducing labor from multiple workers to just one. Easy to clean and maintain, it's ideal for tasks like decks, patios, pools, and hardscaping.



Professional Grade

DIY Friendly

2x Drum Volume

2x Steel Thickness

1.75 Tons of Mass Flow/h

Versatile: Ideal for mixing concrete, mortar, and stucco.

High Efficiency: Mixes over 3900 lb per hour.

Built-to-last: Made with 11-gauge (3mm) steel

Labor-Saving: Reduces the need for multiple workers; one person can operate it.

Adjustable Water Input: Ensures precise mixing consistency.

Easy Maintenance: Designed for quick cleaning and upkeep.

Applications: Suitable for decks, patios, pools, and various hardscaping projects.

*Compared to the closed competitor

MODEL	
Overall Dimensions	63 in (L) 26.6 in (W) 34.7 in (H)
Chute Height	17.5 in
Weight	165,34 lbs / 75 kg
Hopper Capacity	322 lbs
Body Construction	11 Gauge / 3 mm
Electrical Requirements	110 V 60 Hz
Motor Power	370 w / 0,5 HP
Rotation	120 rpm
Motor Protection Rating	IP55
Drum Volume	86L/ 3 cuft
Mass Flow	1.75 Ton/h



VERSATILE



EFFICIENT



SAVE TIME
& MONEY



WATER
CONTROL



EASY
MAINTENANCE



DURABLE



MULTI-USE

New

Line

Poly Drum

Made for Rental, great for rentability.



Mortar Mixer • Cement Mixer • Wheelbarrow Mixer

**Durable and
Low-Maintenance**

Corrosion-resistant poly drums reduce maintenance requirements, extend lifespan, and boost profitability.

Quiet Operation

Reduced noise makes poly drums ideal for residential and noise-sensitive sites, enhancing customer satisfaction.

Fast Cleaning

Non-stick surfaces make cleaning quick and labor-efficient, speeding up rental turnarounds.

**Lightweight and
Easy to Handle**

Lighter drums reduce strain, mishandling, and repair cost. Great for professionals and DIYers.

CONCRETE MIXERS

This equipment is designed for varied production capacities, handling small and large works. Ideal for use of self-employed professionals and cement artifact companies.

- Quick and easy maintenance. *The segmented ring gear* in six interchangeable pieces, allows a better adjustment against the pinion and also economy on the replacement of the gear.
- Gravity center balanced with the chassis, assuring more efficiency and less engine efforts.
- Reinforced drum base, with 1/4" thick steel plate.
- Reinforcements on the chassis and yoke arm, increase the resistance for impacts and allow operation on uneven ground.
- Oversized dump wheel – easier to discharge material.



Reinforced structure, for heavy duty operation.



Segmented ring gear in 6 pieces.

HEAVY DUTY
11 Cu Ft



SCAN ME to learn more about it




2 ½ " Tow bar, with 2" ball hitch or pintle hitch included.

TRIPLE
BOTTOM
DRUM



- 1 Superior Cone
- 2 Lower Cone
- 3 Drum Bottom



MODEL	11 Cu Ft Heavy Duty
Total Drum Volume	14 Cu Ft
Output Capacity (Mixed)	11 Cu Ft
Weight without Engine	485 Lbs
Drum Thickness	12g 5/64"
Flywheel Protection	Steel Plate
Wheels	Pneumatic Rim 14"
Towing	Tow bar for transport, with 2" ball tow hitch
Engine (optional)	Honda GX240

WHEELBARROW CONCRETE MIXER

Developed for small constructions, where the amount of concrete and mortar mixed is low.

- Plastic box for engine protection.
- Tubular Yoke arm, which guarantees stiffness to the equipment.
- Unload by inclination.
- Light and compact machine.
- Heavy Duty.
- Steel mixing paddles.
- Easy shipment and storage.
- Simple and fast assembly.



MODEL	Wheelbarrow Concrete Mixer 5 Cu Ft
Total Drum Volume	5 Cu Ft
Capacity (Unmixed)	2.3 Cu Ft
Number of cycles/hour	15 cycles/hour
Drum Rotation	35 rpm – 60 Hz • 30 rpm – 50 Hz
V-Belt	"V" 3L-330
Weight with electric motor	130 Lbs
Dimensions (L x W x H)	47 x 50 x 28 inches
Motor	Monophase - ½ hp - 4P 110/220V

WHEELBARROW CONCRETE MIXER

POLY DRUM for easy clean up

- Heavy Duty.
- Steel mixing paddles.
- Easy to transport.
- Can be used indoors or small spaces.
- Easy shipment and storage.
- Simple and fast assembly.
- Maximum silence.
- Light and compact machine.



SCAN ME to
learn more
about it



MODEL	Wheelbarrow Concrete Mixer 5 Cu Ft
Total Drum Volume	5 Cu Ft
Capacity (Unmixed)	2.3 Cu Ft
Number of cycles/hour	15 cycles/hour
Drum Rotation	35 rpm – 60 Hz • 28 rpm – 50 Hz
Belt	"V" 3L-230
Weight with electric motor	110,23 Lbs
Dimensions (L x W x H)	49 x 26 x 46 inches
Motor	Monophase - ½ hp - 4P 110/220V

Tip: It can also be used as a wheelbarrow to transport concrete, debris and other materials around the jobsite.

MORTAR MIXER

- Developed with robust structure and components, which provide greater yield and homogenization for mixing mortar.
- Provide a fine and more homogeneous mixture, greater mortar fluidity due to a horizontal rotating mixture with 4 blades. Unique lever system with two stages to tilt, providing a better ergonomy for the worker.
- Reinforced 3/16" drum thickness.
- Solid 2" paddle shaft in square hardened steel.
- Heavy duty 1/2" steel bars safety grid isolated bearings with cast iron pillow blocks, assuring a better performance.



MODEL	9 Cu Ft	7 Cu Ft
Total Volume	9 Cu Ft (250 liters)	7 Cu Ft (200 liters)
Drum Capacity	9 Cu Ft (250) 2½ - 3½ Bags	7 Cu Ft (200) 1½ - 2½ Bags
Weight without the Engine	790 Lbs	660 Lbs
Dimensions (L x W x H)	82 x 63 x 55 inches	74 x 63 x 55 inches
Drum Thickness	4g 3/16"	4g 3/16"
Engine	GX240	GX200 or GX240
Wheels	Pneumatic Rim 14"	Pneumatic Rim 14"
Towing	Tow bar for transporting and Towing, with 2" ball Tow Hitch.	Tow bar for transporting and Towing, with 2" ball Tow Hitch.

RAMMER COMPACTOR

Quick and practical operation with unbeatable price.

- Equipment designed to save time and reduce work.
- Prevent settling and provide a firm and solid base.
- Offers more comfort and ergonomy to the operator.



MODEL	RAM 65H	RAM 70H
Weight	143,3 lb	152 lb
Base Dimensions (W x L)	11 x 12.5 inches	11 x 12.6 inches
Stroke	up to 680 p/min	up to 680 p/min
Fuel	Gasoline - 4 Stroke	Gasoline - 4 Stroke
Fuel Consumption	0,26 gal/h	0,26 gal/h
Tank Capacity	0.79 gal	0.79 gal
Forward Speed	16 m/min	16 m/min
Impact Force	3.800 lbs	4046.56 lbs
Compaction Depth	up to 23.6 inch	up to 60 inch
Compaction Area	up to 280 m2-3,000 sqft/h	up to 280 m2-3,000 sqft/h
Engine	Honda GXR 120 - 4.0 HP	Honda GXR 120 - 4.0 HP

PLATE COMPACTOR

The best option for soil which does not require great compacting or settling depth. Prefect for compacting sandy soil, gravel, paving, paving leveling and asphalt reforms.

- High frequency vibration.
- Robust engine protection.
- Honda Engine.
- Water sprinkler to avoid to much dust during operation.

MODEL	MPC 80
Weight	176.3 lb
Base Dimensions (W x L)	17.7 x 21.6 inches
Fuel	Gasoline
Fuel Consumption	0.4 gal/h
Tank Capacity	0.95 gal
Water Tank Capacity	3.17 gal
Forward Speed	25 m/min - 80 ft/min
Impact Force	3.375 lbs
Compaction Depth	up to 11.8 inch
Compaction Area	up to 660 m2-7,000 sqft/h
Engine	GX200 - 6.5 HP



- All the asperision parts within the machine.
- Handle with unique design, allowing compacting near the walls.
- Higher working speed for increased compaction output.

PLATE COMPACTOR

Ideal for compacting soil in construction work, landscaping, road repairs and much more. It's vibration mechanism distributes pressure evenly over the surface, ensuring homoge-neous and durable compaction.

- Provides effective soil compaction, ensuring a solid base for buildings, roads, sidewalks and other projects.
- It reduces the time needed to complete a job and increases the productivity.
- The water sprinkler helps on the compaction process and also avoids too much dust during operation.

MODEL	MPV 100
Engine	Honda GX200
Power (Hp)	6.5
Working speed (mph)	1.2 to 1.5
Weight lbs. (kg)	1988.6 (90.2)
Compaction depth - in (mm)	12" (300)
Vibration frequency (vpm)	5500
Centrifugal force (lbf)	4047
Compaction Area (sqft/h)	7000
Base - in (mm)	19.7 x 18.11 (500x460)
Dimensions L x W x H - in (mm)	45.5 x 19.7 x 37.6 (1155 x 500 x 956)



Its simple and ergonomic operation makes the work more productive and safe for the operators.

CONCRETE CUTTER MPC350 • MPC450

Concrete Cutter with Honda Engine

A heavy duty and efficient machine, designed for cutting concrete floors with precision.

Equipped with a powerful engine and high-quality blade, it can handle a variety of building materials, providing clean and even cuts.

Compact and stable, this machine offers greater cutting precision and increases the durability of the blade.

Main features of the Honda Engine:

- Combustion chamber and air outlet optimized for improving the efficiency of the combustion;
- Less fuel consuming and emissions of exhaust gases;
- Light and compact.

Unique Features:

- Hose adapter (Plug and Play);
- Safety system with emergency button;
- Easy lifting.



MODEL	MPC 350		MPC 450
Engine	Honda GX200		Honda GX390
Power (Hp)	5.5		13
Weight - lbs	172		242.5
Maximum cutting depth - in (mm)	3.55 (90)		6.5 (165)
Cutting disc dimensions - in (mm)	12-14 (300-350)		14-18 (350-450)
Depth adjustment	Manual Rotation		Manual Rotation
Max. blade diameter in (mm)	14" (355)		18" (457)
Trigerring	Manual		Manual
Capacity of water tank - L	10		26
Dimensions L x W x H - in (mm)	39 x 19.3 x 37 (990 x 490 x 940)		51.5 x 21.25 x 31 (1306 x 540 x 785)

REVERSIBLE PLATE COMPACTOR

Equipped with a fully hydraulic displacement and vibration system, providing a better performance and comfort for the operator while working.

- Small and medium works.
- Basic sanitation ditches and bridge heads.
- Landscaping sector, in interlocking pavements and retaining walls.
- Asphalt repairs.
- Assist in road construction and structural engineering.




MODEL	MPR 3500	MPR 2500
Weight	460,76 lb	297,62 lb
Base Dimensions W x L	19,7 x 29,5 inch	19,7 x 29,5 inch
Fuel	Gasoline	Gasoline
Fuel Consumption	0.4 gal/h	0.4 gal/h
Tank Capacity	1.4 gal	0.82 gal
Water Tank Capacit	3.17 gal	3.17 gal
Forward Speed	22 m/min - 72 ft/min	22 m/min - 72 ft/min
Impact Force	7418.69 lbs	7868.31 lbs
Compaction Depth	up to 15,75 inch	up to 11,8 inch
Compaction Area	up to 900 m2/h 9,000 sqft/h	up to 700 m2/h 7,000 sqft/h
Engine	Honda GX270 - 9.0 HP	Honda GX200 - 6.5 HP

HIGH FREQUENCY CONCRETE VIBRATOR

Anticlockwise

Designed to compact and level fresh concrete. It consists of an electric motor that drives a high-speed vibrating shaft, allowing the concrete to be distributed evenly and air bubbles to be eliminated, thus guaranteeing superior quality for the project.

MODEL	IMMERSION VIBRATOR
Motor Type	Universal Single Phase
Max. Power	2.25 HP
Voltage	120V 50/60 Hz
Loading Consumption	15A
Unloaded Speed	18.000 rpm
Driving	LEFT (Anticlockwise)
Weight - lbs (kg)	13 lbs (5.8)



Plug with 15A 1,5 ft.



MODEL	Length Ft (m)	Weight lbs (kg)
MGT-O 7ft	7 (2.1)	9 (4)
MGT-O 10ft	10 (3)	11 (5)
MGT-O 13ft	13 (3.9)	13 (5.9)

SCAN ME to learn more about it



HEADS SIZE AVAILABLE: 1" | 1 ¼" | 1 ½" | 1 ¾" | 2 ¼"

POWER TROWEL MPT

Developed for smoothing and finishing concrete flooring.




Easy Pitch
Available on
both models.

- Developed for flattening and finishing concrete floors, with greater speed and uniformity, where smooth and flat surfaces are required.
- With a highly resistant aluminum reinforced transmission gear, which provides a better heat dissipation and longer lifetime.
- Ergonomic work position, due to its adjustable handlebar, with centrifugal emergency safety switch.
- 1 year warranty.

Flotation Disc



Finishing Blade



MODEL	MPT 36	MPT 46
Engine	Honda GX200	Honda GX270
Power - hp	6.5	9.0
Clutch	Centrifugal	Centrifugal
Reach diameter - in	36	46
Number Of Blades	4	4
Flotation disc - in	37	47
Product weight	196,21 lbs	249,12 lbs
Starting Mode	Manual Start	Manual Start

Solid Values, sustainable future.

Reaching over eight decades of history is a testament to our strength and continuous renewal. Guided by ethical and humanitarian values and unwavering in our commitment to quality, the Menegotti Group—alongside all its companies and brands—is dedicated to shaping a better, more sustainable future for the world.

SCAN for more
information
about us



**Discount
Equipment**

www.discount-equipment.com

Menegotti
GROUP

[illegible]

Discount-Equipment.com is your online resource for quality parts & equipment.

Florida: 561-964-4949 Outside Florida TOLL FREE: 877-690-3101

Need parts?

Click on this link: <http://www.discount-equipment.com/category/5443-parts/> and choose one of the options to help get the right parts and equipment you are looking for. Please have the machine model and serial number available in order to help us get you the correct parts. If you don't find the part on the website or on one of the online manuals, please fill out the request form and one of our experienced staff members will get back to you with a quote for the right part that your machine needs.

We sell worldwide for the brands: Genie, Terex, JLG, MultiQuip, Mikasa, Essick, Whiteman, Mayco, Toro Stone, Diamond Products, Generac Magnum, Airman, Haulotte, Barreto, Power Blanket, Nifty Lift, Atlas Copco, Chicago Pneumatic, Allmand, Miller Curber, Skyjack, Lull, Skytrak, Tsurumi, Husquvarna Target, Stow, Wacker, Sakai, Mi-T-M, Sullair, Basic, Dynapac, MBW, Weber, Bartell, Bennar Newman, Haulotte, Ditch Runner, Menegotti, Morrison, Contec, Buddy, Crown, Edco, Wyco, Bomag, Laymor, EZ Trench, Bil-Jax, F.S. Curtis, Gehl Pavers, Heli, Honda, ICS/PowerGrit, IHI, Partner, Imer, Clipper, MMD, Koshin, Rice, CH&E, General Equipment ,Amida, Coleman, NAC, Gradall, Square Shooter, Kent, Stanley, Tamco, Toku, Hatz, Kohler, Robin, Wisconsin, Northrock, Oztec, Toker TK, Rol-Air, APT, Wylie, Ingersoll Rand / Doosan, Innovatech, Con X, Ammann, Mecalac, Makinex, Smith Surface Prep, Small Line, Wanco, Yanmar