

ARW 65-S

WALK-BEHIND ROLLER WITH STEERING

"The control handle can be used to move the machine smoothly to the left, right, forward and back."



APPLICATIONS

- Earthworks and asphalt applications
- Sidewalk / cycle path construction & repair
- Sports grounds
- Agricultural / forest access roads construction & maintenance

HIGHLIGHTS

Soil and bitumen application

- High-amplitude setting for work on gravel / soil
- Low-amplitude setting for asphalt and bituminous materials
- Factory-installed scrapers, sprinkling system and water tank for work on asphalt

Hydraulic drive

- Ensures variable speed adjustment
- Offers smooth starting / braking action
- Low maintenance costs due to hydrostatic drive and vibration

Two amplitudes

- High amplitude (0.3 mm/0.01 in) for substructure
- Low amplitude (0.15 mm/0.005 in) for asphalt

Efficiency on edges

- Clearance on both drum sides allows compaction work close to obstacles.
- No time-consuming reworking on edges is needed.

Safety first

- Safety handle stops machine when operator releases grip.
- Safety handle moves to "forward" when machine works too close to operator while in reverse mode.
- In reverse mode the roller's reverse speed limit is set to 42 m/min (1.6 mph)

STANDARD EQUIPMENT

- Hydrostatic adjustable eccentric weights for 2 working modes
- Ergonomic handle
- Dead man's handle for operator safety
- Integrated hydraulic parking brake
- 60-litre water tank with sprinkling system
- Front- and back-drum scrapers
- Electric starter
- Remote starter (Hatz-E-Start version)
- 3-year extended warranty program

OPTIONAL EQUIPMENT

- Operating hour meter
- LED working lights
- Remote starter (Yanmar version)
- Starting handle (Hatz-E-Start version)
- Protective handle
- Ammann ServiceLink (Telematics)



www.discount-equipment.com

AMMANN

TECHNICAL SPECIFICATIONS

ARW 65-S



WEIGHT & DIMENSIONS

	HATZ	YANMAR	HONDA
OPERATING WEIGHT	812 kg	793 kg	777 kg
CECE	(1790 lb)	(1748 lb)	(1713 lb)
MAX. WEIGHT (WITH ELECTRIC START AND OPTIONS)	822 kg	800 kg	784 kg
	(1812 lb)	(1764 lb)	(1728 lb)
MACHINE LENGTH	2004 mm	2004 mm	2004 mm
	(78.9 in)	(78.9 in)	(78.9 in)
WHEEL BASE	600 mm	600 mm	600 mm
	(23.6 in)	(23.6 in)	(23.6 in)
DRUM DIAMETER	400 mm	400 mm	400 mm
	(15.7 in)	(15.7 in)	(15.7 in)
MACHINE HEIGHT	1207 mm	1207 mm	1207 mm
	(47.5 in)	(47.5 in)	(47.5 in)
TRANSPORT HEIGHT	1650 mm	1650 mm	1650 mm
	(65.0 in)	(65.0 in)	(65.0 in)
MACHINE WIDTH	720 mm	720 mm	720 mm
	(28.3 in)	(28.3 in)	(28.3 in)
DRUM WIDTH	650 mm	650 mm	650 mm
	(25.6 in)	(25.6 in)	(25.6 in)

COMPACTION FORCES

MAX. VIBRATION FREQUENCY	65 Hz (3900 rpm)	65 Hz (3900 rpm)	65 Hz (3900 rpm)
MAX. CENTRIFUGAL FORCE	14/23 kN (3147/5171 lbf)	14/23 kN (3147/5171 lbf)	14/23 kN (3147 / 5171 lbf)
LINEAR PRESSURE	6.3 kg/cm (35.4 lb/in)	6.1 kg/cm (34.2 lb/in)	6.0 kg/cm (33.5 lb/in)
AMPLITUDE	0.3 / 0.15 mm (0.01 / 0.005 in)	0.3 / 0.15 mm (0.01 / 0.005 in)	0.3 / 0.15 mm (0.01 / 0.005 in)
MAX. COMPACTION DEPTH (SOIL)	20 / 15 cm (7.9 / 5.9 in)	20 / 15 cm (7.9 / 5.9 in)	20 / 15 cm (7.9 / 5.9 in)
MAX. COMPACTION DEPTH (SAND)	30 / 25 cm (11.8 / 9.8 in)	30 / 25 cm (11.8 / 9.8 in)	30 / 25 cm (11.8 / 9.8 in)

ENGINE

	HATZ	YANMAR	HONDA
ENGINE	1D42	L100V	GX390
FUEL	Diesel	Diesel	Petrol
ENGINE OUTPUT AT RPM	6.4 kW (8.6 HP) 2800	6.1 kW (8.2 HP) 2800	7.8 kW (10.5 HP) 2800
FUEL CONSUMPTION	2.3 l/h (0.6 gal/h)	2.5 l/h (0.7 gal/h)	3 l/h (0.8 gal/h)

MISCELLANEOUS

SPEED (FORWARD)	67 m/min (2.5 mph)	67 m/min (2.5 mph)	67 m/min (2.5 mph)
SPEED (REVERSE)	42 m/min (1.6 mph)	42 m/min (1.6 mph)	42 m/min (1.6 mph)
GRADEABILITY W. / W.O. VIBRATION	25% / 45%	25% / 44%	25% / 44%
FUEL CAPACITY	5 l (1.3 gal)	4.7 l (1.2 gal)	4.7 l (1.2 gal)
WATER TANK CAPACITY	60 l (15.8 gal)	60 l (15.8 gal)	60 l (15.8 gal)
STEERING ANGLE	15°	15°	15°



ARW 65-S Walk-Behind Roller with 15° steering angle



www.discount-equipment.com



Materials and specification data are subject to change without notice.
MSS-3136-00-EN | © Ammann Group

TO PURCHASE THIS PRODUCT PLEASE CONTACT US



**Equipment Financing and
Extended Warranties Available**



**Discount-Equipment.com is your online resource for
commercial and industrial quality parts and equipment sales.**

561-964-4949

visit us on line @ www.discount-equipment.com

Select an option below to find your Equipment

Search by Manufacturer

Search by Product Type

Request a Quote

We sell worldwide for the brands: Genie, Terex, JLG, MultiQuip, Mikasa, Essick, Whiteman, Mayco, Toro Stone, Diamond Products, Generac Magnum, Airman, Haulotte, Barreto, Power Blanket, Nifty Lift, Atlas Copco, Chicago Pneumatic, Allmand, Miller Curber, Skyjack, Lull, Skytrak, Tsurumi, Husquvarna Target, Stow, Wacker, Sakai, Mi-T-M, Sullair, Basic, Dynapac, MBW, Weber, Bartell, Bennar Newman, Haulotte, Ditch Runner, Menegotti, Morrison, Contec, Buddy, Crown, Edco, Wyco, Bomag, Laymor, EZ Trench, Bil-Jax, F.S. Curtis, Gehl Pavers, Heli, Honda, ICS/PowerGrit, IHI, Partner, Imer, Clipper, MMD, Koshin, Rice, CH&E, General Equipment, Amida, Coleman, NAC, Gradall, Square Shooter, Kent, Stanley, Tamco, Toku, Hatz, Kohler, Robin, Wisconsin, Northrock, Oztec, Toker TK, Rol-Air, APT, Wylie, Ingersoll Rand / Doosan, Innovatech, Con X, Ammann, Mecalac, Makinex, Smith Surface Prep, Small Line, Wanco, Yanmar