

# APT

AMERICAN PNEUMATIC TOOLS

# 2025

PRODUCT CATALOG



**Discount  
Equipment**

[www.discount-equipment.com](http://www.discount-equipment.com)

**PROVEN POWER.  
RUGGED RELIABILITY.**

**TO PURCHASE THIS PRODUCT PLEASE CONTACT US**



**Equipment Financing and  
Extended Warranties Available**



**Discount-Equipment.com is your online resource for  
commercial and industrial quality parts and equipment sales.**

**561-964-4949**

**visit us on line @ [www.discount-equipment.com](http://www.discount-equipment.com)**

Select an option below to find your Equipment

**Search by Manufacturer**

**Search by Product Type**

**Request a Quote**

We sell worldwide for the brands: Genie, Terex, JLG, MultiQuip, Mikasa, Essick, Whiteman, Mayco, Toro Stone, Diamond Products, Generac Magnum, Airman, Haulotte, Barreto, Power Blanket, Nifty Lift, Atlas Copco, Chicago Pneumatic, Allmand, Miller Curber, Skyjack, Lull, Skytrak, Tsurumi, Husquvarna Target, Stow, Wacker, Sakai, Mi-T-M, Sullair, Basic, Dynapac, MBW, Weber, Bartell, Bennar Newman, Haulotte, Ditch Runner, Menegotti, Morrison, Contec, Buddy, Crown, Edco, Wyco, Bomag, Laymor, EZ Trench, Bil-Jax, F.S. Curtis, Gehl Pavers, Heli, Honda, ICS/PowerGrit, IHI, Partner, Imer, Clipper, MMD, Koshin, Rice, CH&E, General Equipment, Amida, Coleman, NAC, Gradall, Square Shooter, Kent, Stanley, Tamco, Toku, Hatz, Kohler, Robin, Wisconsin, Northrock, Oztec, Toker TK, Rol-Air, APT, Wylie, Ingersoll Rand / Doosan, Innovatech, Con X, Ammann, Mecalac, Makinex, Smith Surface Prep, Small Line, Wanco, Yanmar

# SUPPORT AND SERVICE



APT is a leading provider of outstanding tools for the construction and industrial markets. The APT brand has been synonymous with quality since 1938.

For decades, the APT brand has represented quality, performance, and innovation in the pneumatic tool industry. APT's product line offers a complete range of pneumatic tools. Superior performance, excellent product reliability, competitive pricing, ergonomic designs, and a great warranty are what makes APT an industry leader.

The products and parts are made in various countries by APT's affiliates and/or trusted suppliers.

## Worldwide Customer Support

Choosing APT is just the beginning. APT distributors offer reliable service and support. Genuine spare parts for your tools are available worldwide, with short delivery times. Refer to website for warranty, terms and conditions, and return policy information.

## Order Desk Hours

Monday through Friday | 6:00 a.m. to 4:00 p.m. Pacific Time (U.S. & Canada) | 8:00 - 16:00 UTC



# HANDHELD PNEUMATIC

## Paving Breakers

### Features

- Drop-forged alloy steel handle
- Built-in automatic oiler
- Rubber handle grips
- Latch-type retainer
- Swivel hose connection
- Standard universal air fitting
- Noise-dampening mufflers available
- Four-bolt backhead
- Replaceable chuck bushing (except for model 140/140A)



mufflers optional

| MODEL | CHUCK SIZE IN.        | BORE IN. | STROKE IN. | BPM   | CFM @90PSI | WEIGHT LBS. | LENGTH IN. | AIR INLET NPT |
|-------|-----------------------|----------|------------|-------|------------|-------------|------------|---------------|
| M117  | 7/8 x 3-1/4 • 1x4-1/4 | 1-3/4    | 3-3/8      | 1,850 | 34-48      | 33          | 21-3/4     | 3/8" male     |
| M140  | 1 x 4-1/4             | 1-7/8    | 4-1/4      | 1,500 | 48         | 43          | 21-1/8     | 1/2" male     |
| M160  | 1-1/8 x 6 • 1-1/4 x 6 | 2-1/4    | 4-1/8      | 1,680 | 60-65      | 70          | 25-3/4     | 1/2" male     |
| M190  | 1-1/8 x 6 • 1-1/4 x 6 | 2-5/8    | 6-1/8      | 1,350 | 75-80      | 91          | 29         | 3/4" male     |

## Airgo-Line® Paving Breakers

40 lb., 60 lb., 90 lb. classes

### Features

- Ergonomic handle dampens vibration; reduces shock to the operator
- Same hitting power as standard breaker, reduces operator fatigue
- Handle is interchangeable with APT standard model
- Replaceable vibration isolator



mufflers optional

| MODEL | CHUCK SIZE IN.        | BORE IN. | STROKE IN. | BPM   | CFM @90PSI | WEIGHT LBS. | LENGTH IN. | AIR INLET NPT |
|-------|-----------------------|----------|------------|-------|------------|-------------|------------|---------------|
| M140A | 1 x 4-1/4             | 1-7/8    | 4-1/4      | 1,500 | 48         | 46          | 24         | 1/2" male     |
| M160A | 1-1/8 x 6 • 1-1/4 x 6 | 2-1/4    | 4-1/8      | 1,680 | 60-65      | 68          | 28-1/4     | 1/2" male     |
| M190A | 1-1/8 x 6 • 1-1/4 x 6 | 2-5/8    | 6-1/8      | 1,350 | 75-80      | 90          | 31         | 3/4" male     |



### Airgo-Line® Backhead Assemblies

|                    |                    |                    |
|--------------------|--------------------|--------------------|
| M140A assy # 18034 | M160A assy # 17684 | M190A assy # 17720 |
|--------------------|--------------------|--------------------|

## Rock Drills

### Features

#### Model 109 - 9 lb. class

- Clockwise rotation
- Stop-rotation feature
- Lightweight cast alum. handle
- Built-in automatic oiler

#### Model 115 - 15 lb. class

- Stop-rotation feature
- Counterclockwise rotation
- Built-in automatic oiler

#### Model 115 cont.

- Latch-type retainer
- Lightweight cast alum handle

#### Model 137 - 30 lb. class

- 4 drilling speeds
- Replaceable piston stem bearing
- Available wet or dry
- Counterclockwise rotation

#### Model 137 cont.

- Rubber handle grips

#### Model 155 - 60 lb. class

- 3 drilling speeds
- Replaceable piston stem bearing
- Built-in automatic oiler
- Available wet or dry
- Counterclockwise rotation
- Rubber handle grips



optional mufflers available for 109 & 155

| MODEL             | CHUCK SIZE IN.               | BORE IN. | STROKE IN. | BPM   | CFM @90PSI | WEIGHT LBS. | LENGTH IN. | AIR INLET NPT |
|-------------------|------------------------------|----------|------------|-------|------------|-------------|------------|---------------|
| M109              | 3/4 X 3-3/4 Round Slotted    | 1-1/4    | 1          | 3,400 | 19-21      | 9           | 15         | 3/8" female   |
| M115              | 7/8 x 3-1/4                  | 1-15/16  | 1-3/8      | 2,900 | 32-36      | 19          | 18-3/8     | 3/8" male     |
| M137 <sup>†</sup> | 7/8 x 3-1/4 or 4-1/4 1x4-1/4 | 2-3/8    | 2-5/8      | 2,300 | 85-90      | 38          | 19-3/4     | 1/2" male     |
| M155              | 7/8 x 3-1/4 or 4-1/4 1x4-1/4 | 2-5/8    | 3          | 2,100 | 110-120    | 61          | 22-3/4     | 3/4" male     |

<sup>†</sup>No built-in automatic oiler reservoir - constant feed oiler recommended.



# HANDHELD PNEUMATIC

## Clay/Trench Diggers

### Features

- Deep case-hardened alloy steel cylinders
- Replaceable chuck bushing
- Latch-type retainer

#### Model 118 Clay Digger

- Built-in automatic oiler
- D-style handle
- Inside trigger for better control and safety

#### Model 119 Trench Digger

- Built-in automatic oiler
- T-style forged handle
- Rubber handle grips

#### Model 125 Clay Digger

- D-style handle
- Inside trigger for better control and safety
- Flapper valved designs allows dirt to pass without stopping tool
- Replaceable chuck and piston stem bushing



| MODEL | CHUCK SIZE IN.        | BORE IN. | STROKE IN. | BPM   | CFM @90PSI | WEIGHT LBS. | LENGTH IN. | AIR INLET NPT |
|-------|-----------------------|----------|------------|-------|------------|-------------|------------|---------------|
| M118  | 7/8 x 3-1/4 • 1x4-1/4 | 1-3/4    | 3-3/8      | 1,850 | 34-36      | 31          | 21-1/2     | 3/8" male     |
| M119  | 7/8 x 3-1/4 • 1x4-1/4 | 1-3/4    | 3-3/8      | 1,500 | 34-38      | 37          | 31         | 1/2" female   |
| M125  | 7/8 hex x 3-1/4       | 2-1/4    | 4-1/8      | 1,680 | 38-42      | 21          | 18-3/8     | 1/2" female   |

## Rivet Busters/Demolition Tools

### Features

- New closed-nose cylinder captivates the piston, thus adding an extra layer of safety. Includes traditional retainer system.
- Choice of 3 hand styles:
  - T-handle style with outside trigger
  - Pistol-grip style handle with outside trigger
  - Classic "D" handle with inside trigger
- Three stroke sizes: 6", 8" and 11"
- All models use jumbo extra heavy-duty (11x) steel
- 6' steel-braid reinforced whip hose and air fitting included with every tool



| MODEL    | CHUCK SIZE IN.    | BORE IN. | STROKE IN. | BPM   | CFM @90PSI | WEIGHT LBS. W/ RETAINER | LENGTH IN. W/ RETAINER | AIR INLET NPT |
|----------|-------------------|----------|------------|-------|------------|-------------------------|------------------------|---------------|
| M633CN   | D Handle          | 1-3/16   | 6          | 1,100 | 42-46      | 29                      | 20-1/2                 | 1/2" female   |
| M633CN   | Pistol Grip       | 1-3/16   | 6          | 1,100 | 42-46      | 28                      | 21                     | 1/2" female   |
| M133CN   | D Handle          | 1-3/16   | 8          | 1,140 | 42-46      | 32                      | 22-1/2                 | 1/2" female   |
| M133CN   | Pistol Grip       | 1-3/16   | 8          | 1,140 | 42-46      | 31                      | 23                     | 1/2" female   |
| M1133CN  | D Handle          | 1-3/16   | 11         | 850   | 48-52      | 35                      | 25-1/2                 | 1/2" female   |
| M1133CN  | Pistol Grip       | 1-3/16   | 11         | 850   | 48-52      | 34                      | 26                     | 1/2" female   |
| M133CNT  | Extended T Handle | 1-3/16   | 8          | 1,140 | 42-46      | 36                      | 32                     | 3/8" male     |
| M1133CNT | Extended T Handle | 1-3/16   | 11         | 850   | 48-52      | 39                      | 35                     | 3/8" male     |

## Chipping Hammers

### Features

- Deep case-hardened alloy steel cylinders
- Drop-forged handles
- All models are 7/8" - 24 fine thread
- Replaceable bushing
- Adjustable exhaust deflector
- Price includes oval retainer, locking spring and whip hose assembly - 7/8" - 24 male swivel, 6' steel braid-reinforced whip hose and air fitting

#### 260 & M43/44 Series

- 2-bolt and 4-bolt handle for ease of maintenance
- Patented ball valve design (U.S. pat #8,276,682 B2)
- Forgiving of dirt and debris, corrosion resistant
- Available in 3" and 4" strokes

#### 650 Series

- Flapper valve design allows dirt to pass without stopping the tool
- Traditional pistol grip handle
- Available in 2", 3", 4" strokes



| Part # | Retainers  |
|--------|--|
| 9431   | Standard oval retainer (7022 with 1941 spring)       |
| 5550   | Quick change/ball retainer w/ 1941 spring - optional |
| 18290  | Bolt-on quick change/ball retainer - optional        |

| MODEL             |      | BORE IN. | STROKE IN. | BPM   | CFM @90PSI | WEIGHT LBS. w/o RETAINER | LENGTH IN. w/o RETAINER | CHUCK BUSHING          | AIR INLET |
|-------------------|------|----------|------------|-------|------------|--------------------------|-------------------------|------------------------|-----------|
| 650 SERIES        | M652 | 1-1/8    | 2          | 2,100 | 32-34      | 12                       | 13-1/4                  | .680 Round or .580 Hex | 7/8-24    |
|                   | M653 | 1-1/8    | 3          | 1,650 | 33-35      | 14                       | 15-1/4                  | .680 Round or .580 Hex | 7/8-24    |
|                   | M654 | 1-1/8    | 4          | 1,375 | 34-36      | 16                       | 16                      | .680 Round or .580 Hex | 7/8-24    |
| 260 SERIES 2-BOLT | M263 | 1-1/8    | 3          | 1,650 | 33-35      | 14                       | 14-9/16                 | .680 Round or .580 Hex | 7/8-24    |
|                   | M264 | 1-1/8    | 4          | 1,375 | 34-36      | 15                       | 15-9/16                 | .680 Round or .580 Hex | 7/8-24    |
| M43/ M44 SERIES   | M43  | 1-1/8    | 3          | 1,650 | 33-35      | 21                       | 16-3/4                  | .680 Round or .580 Hex | 7/8-24    |
|                   | M44  | 1-1/8    | 4          | 1,375 | 34-36      | 22                       | 17-3/4                  | .680 Round or .580 Hex | 7/8-24    |

# HANDHELD PNEUMATIC

## Backfill Tamper

### Features

- Built-in large automatic oiler
- Flapper valve design allows dirt to pass without stopping the tool
- Internally reinforced large malleable 6" iron butt (standard)
- Pole butt (half-moon), and 3" diameter butt available



131

| MODEL | BORE IN. | STROKE IN. | BPM | CFM @90PSI | WEIGHT LBS. | LENGTH IN. | AIR INLET NPT |
|-------|----------|------------|-----|------------|-------------|------------|---------------|
| M131  | 1-1/2    | 5-1/2      | 670 | 38-42      | 37          | 51-7/8     | 1/2 Female    |

## Needle Scalars

### Model 307/317

- Rubber-faced throttle valve for positive seal
- Lever-type throttle for easy control
- Alloy steel cylinder
- Assembly of 19 seven-inch steel needles, with attachment housing
- Optional chisel accessories sold separately (3 included in M317 kit)

| MODEL    | BPM   | CFM @90PSI | WEIGHT LBS. | LENGTH IN. | AIR INLET NPT |
|----------|-------|------------|-------------|------------|---------------|
| M307/217 | 4,000 | 7          | 6.7         | 18-1/2     | 1/4 Female    |
| M121     | 4,500 | 5.5        | 4           | 11-3/4     | 1/4 Male      |



**M307** power unit with anvil (included)

**M307** 7" needles and housing (included)

**M317** chisels

(included in M317 kit, or sold separately)



**Model 121**  
Mini Needle Scaler



**Model 317 Kit**

- M307 power unit
- 7" needle assembly with housing
- 3 chisels
- Carrying case

## Retrofit Dust Suppression Spray Kit

- 36" retrofit kit that can be attached to any size tool (Breakers, Rivet Busters, and Chipping Hammers)
- Equipped with 6 GPH atomized water (or mist) nozzle that can cover 80 degree cone around the tool at 40 psi
- Connects to garden hose making it simple to utilize any water source on the job site
- Part no. 9753300015



## Air Tool Accessories

(R) = Recommended (O) = Optional (S) = Standard

### Needle Scalars

18743 (R) WHIPHOSE ASSY (UF, OL, 3/8" Hose x 6ft, 1/4" NPT Male)

### Rivet Busters

18837 (R) WHIPHOSE ASSY (UF, 2L, 1/2" Braided Hose x 6ft, 1/2" NPT Swivel)  
18836 (O) WHIPHOSE ASSY (UF, 1L, 1/2" Braided Hose x 6ft, 1/2" NPT Swivel)  
18833 (O) WHIPHOSE ASSY (UF, 1/2" Braided Hose x 6ft, 1/2" NPT Swivel)  
18842 (R) WHIPHOSE ASSY (UF, 1L, Braided Hose x 6ft, 3/8" Female)  
18840 (O) WHIPHOSE ASSY (UF, 1/2" Braided Hose x 6ft, 3/8" NPT Female)

### Chipping Hammers

18835 (S) WHIPHOSE ASSY (UF, 1L, 1/2" Braided Hose x 6ft, with 7/8"-24 Swivel)  
18832 (S) WHIPHOSE ASSY (UF, 1/2" Braided Hose x 6ft, with 7/8"-24 Swivel)  
18833 (Old-Style-Coarse Thread) WHIPHOSE ASSY (UF, 1/2" Braided Hose x 6ft, with 1/2" NPT Swivel)

### 109 Rock Drill

18841 (R) WHIPHOSE ASSY (UF, 1L, 1/2" Braided Hose x 6ft, 3/8" NPT Male)  
18839 (O) WHIPHOSE ASSY (UF, 1/2" Braided Hose x 6ft, 3/8" NPT Male)

### 115 Rock Drill

18842 (R) WHIPHOSE ASSY (UF, 1L, 1/2" Braided Hose x 6ft, 3/8" NPT Female)  
18840 (O) WHIPHOSE ASSY (UF, 1/2" Braided Hose x 6ft, 3/8" NPT Female)

### 131 Backfill Tamper

18838 (R) WHIPHOSE ASSY (UF, 2L, 1/2" Braided Hose x 6ft, 1/2" NPT Male)  
18834 (O) WHIPHOSE ASSY (UF, 1/2" Braided Hose x 6ft, 1/2" NPT Male)

### 117 Paving Breaker

18842 (R) WHIPHOSE ASSY (UF, 1L, 1/2" Braided Hose x 6ft, 3/8" NPT Female)  
18840 (O) WHIPHOSE ASSY (UF, 1/2" Braided Hose x 6ft, 3/8" NPT Female)

### 119 Trench Digger

18838 (R) WHIPHOSE ASSY (UF, 2L, 1/2" Braided Hose x 6ft, 1/2" NPT Male)  
18834 (O) WHIPHOSE ASSY (UF, 1/2" Braided Hose x 6ft, 1/2" NPT Male)

### 118 Clay Digger

18842 (R) WHIPHOSE ASSY (UF, 2L 1/2" Braided Hose x 6ft, 1/2" NPT Swivel)  
18840 (O) WHIPHOSE ASSY (UF, 2L 1/2" Braided Hose x 6ft, 1/2" NPT Swivel)

### 125 Clay Digger

18837 (R) WHIPHOSE ASSY (UF, 1L, 1/2" Braided Hose x 6ft, 3/8" NPT Female)  
18834 (O) WHIPHOSE ASSY (UF, 1/2" Braided Hose x 6ft, 3/8" NPT Female)

### Whiphose for 137 & 155 Rock Drill

19058 8' WHIPHOSE ASSY 3/4" HOSE, CONSTANT-FEED OILER & (2) UNIVERSAL COUPLINGS

### Whiphose for 190 Paving Breaker

19059 8' 3/4" WHIPHOSE W/2L OILER & UNIVERSAL COUPLINGS

**NOTE:** For enhanced performance and longer life when using Paving Breakers, APT recommends the 18331 3/4" whiphose with oiler, which provides an inline oiler within 10' of the operating tool for efficient lubrication.

### Safety Cables

18754 Hose to Hose  
18755 Hose to Tool

### Universal Couplings

18503 3/8" NPT Male  
17193 3/8" NPT Female  
18504 1/2" NPT Male  
17194 1/2" NPT Female  
18291 3/4" NPT Male  
17195 3/4" NPT Female

### O-Ring Seal & Repair Kits

18774 (M117)  
18775 (M140)  
18776 (M140A)  
18777 (M160)  
18778 (M160A)  
18779 (M180, M190)  
18780 (M180A, M190A)  
18781 (M109)  
18782 (M115)  
18783 (M137)  
18784 (M155)  
18785 (M633, M133, M1133)  
18786 (M263, M264)  
18787 (M652, M653, M654)  
18788 (M118)  
18789 (M119)  
18790 (M125)  
18791 (M131)  
18793 (M307 Scaler, M317 Scaler Kit)

### APT Oilers

18307 OL 1.4 OZ. (X small) - 1/2 NPT  
17755 1L 3.7 OZ. (small) - 3/4 NPT  
17756 2L 11.0 OZ. (med) - 3/4 NPT  
17757 3L 16.0 OZ. (large) - 1/2 NPT  
18646 2L- Constant Feed (Rock Drill use only) - 3/4 NPT

### Muffler Kits

6465 (M117, M118, M119)  
18099 (M140)  
17752 (M160)  
17753 (M190)  
18756 (M155)

### Side Rod Kits & Latch Kits

18299 Side Rod Kit (M140)  
18298 Side Rod Kit (M160, M180)  
18581 Side Rod Kit (M190)  
18796 Side Rod Kit (M109)  
18797 Side Rod Kit (M115)  
18798 Side Rod Kit (M137)  
18799 Side Rod Kit (M155)

18794 Latch Kit (M115)  
18295 Latch Kit (M117, M118, M119, M125)  
18301 Latch Kit (M140)  
18296 Latch Kit (M160, M180, M190)

18741 Standard Rivet Buster Kit (with black bumper) M633, M133, M1133

18826 Optional Rivet Buster Kit (with orange bumper) M633, M133, M1133

# PARTS FINDER

**Search Website  
by Part Number**



**Search Manual  
Library For Parts  
Manual & Lookup Part  
Numbers – Purchase  
or Request Quote**

**Search Manuals**

Enter part number or description to find parts manual or lookup part numbers.

\* Part #

\* Model

Serial

Part Number

Comments

**Can't Find Part or  
Manual? Request Help  
by Manufacturer,  
Model & Description**

**Parts Order Form**

Please fill in the following information:

Manufacturer:

Model:

Description:

Part Number:

Quantity:

Unit Price:

Total Price:

Customer Name:

Company:

Address:

City:

State:

Zip:

Phone:

Fax:

E-mail:

Comments:

Discount-Equipment.com is your online resource for quality parts & equipment.

Florida: **561-964-4949** Outside Florida TOLL FREE: **877-690-3101**

**Need parts?**

Click on this link: <http://www.discount-equipment.com/category/5443-parts/> and choose one of the options to help get the right parts and equipment you are looking for. Please have the machine model and serial number available in order to help us get you the correct parts. If you don't find the part on the website or on one of the online manuals, please fill out the request form and one of our experienced staff members will get back to you with a quote for the right part that your machine needs.

We sell worldwide for the brands: Genie, Terex, JLG, MultiQuip, Mikasa, Essick, Whiteman, Mayco, Toro Stone, Diamond Products, Generac Magnum, Airman, Haulotte, Barreto, Power Blanket, Nifty Lift, Atlas Copco, Chicago Pneumatic, Allmand, Miller Curber, Skyjack, Lull, Skytrak, Tsurumi, Husquvarna Target, Stow, Wacker, Sakai, Mi-T-M, Sullair, Basic, Dynapac, MBW, Weber, Bartell, Bennar Newman, Haulotte, Ditch Runner, Menegotti, Morrison, Contec, Buddy, Crown, Edco, Wyco, Bomag, Laymor, EZ Trench, Bil-Jax, F.S. Curtis, Gehl Pavers, Heli, Honda, ICS/PowerGrit, IHI, Partner, Imer, Clipper, MMD, Koshin, Rice, CH&E, General Equipment, Amida, Coleman, NAC, Gradall, Square Shooter, Kent, Stanley, Tamco, Toku, Hatz, Kohler, Robin, Wisconsin, Northrock, Oztec, Toker TK, Rol-Air, APT, Wylie, Ingersoll Rand / Doosan, Innovatech, Con X, Ammann, Mecalac, Makinex, Smith Surface Prep, Small Line, Wanco, Yanmar