

Light and Medium Pneumatic Breakers



Standard Scope of Supply

The Chicago Pneumatic **CP 0112** and **CP 1210** are ranges of hand-held light and medium pneumatic breakers designed for demolition of materials such as concrete, floors, pavements, asphalt and brickwork. The pneumatic breakers are designed for vertical use.

Special attention has been given to the overall product quality, user friendliness, ease of serviceability, and economical operation to ensure best in class cost of ownership.

Available Models

CP 0112 US	H25 X 108	H22 X 82.5	
CP 0112 EXT	H25 X 108	H22 X 82.5	
CP 0112 S	H25 X 108		
CP 1210 US	H25 X 108		
CP 1210 S US	H25 X 108		
CP 1210 SVR US	H25 X 108		
CP 1210 SVR	H25 X 108	H28 X 160	H32 X 160
CP 1210 S	H28 X 160	H32 X 160	

Features

- Tuned valve system
- Improved modern design
- Reversible piston & heavy-duty front head springs
- New swivel design
- Air cushions
- Four-bolt backhead

Benefits

- More power, increased productivity
- Excellent durability
- Reduces maintenance cost
- Increased maneuverability
- Smooth breaking
- Rugged use

Technical data basic unit

CP 0112		CP 0112 S	CP 0112 EX	CP 0112	CP 0112 EXT
Weight	kg	14.5	16	13.5	
Length	mm	535	800	535	
Air consumption at 6 bar	l/s	23	23	23	
Impact rate	blows/min	1,620	1,620	1,620	
Vibration level 3 axes (ISO 20643))	m/s ²	16.3	-	-	
Sound power level guaranteed (2000/14/EC)	Lw, dB(A)	105	-	-	
Sound pressure level (ISO 11203)	Lp, r=1m	93	-	-	
Air Inlet		3/4" NPTF	3/4" NPTF	3/4" NPTF	
Max Head Diameter	mm	-	-	-	
Part Number: 25 x 108 mm (ISO Standard)		8900 0030 25	-	-	
Part Number: 25 x 108 mm (N. American)			8900 0030 24	8900 0030 23	
Part Number: 22 X 82.5 mm			-	-	

CP 1210		CP 1210	CP 1210 S	CP 1210 S	CP 1210 SVR	CP 1210 SVR
Weight	kg	20	22	22.5	24.5	25
Length	mm	540	540	585	600	650
Air consumption at 6 bar	l/s	26.5	26.5	26.5	26.5	26.5
Impact rate	blows/min	1,400	1,400	1,400	1,400	1,400
Vibration level 3 axes (ISO 20643))	m/s ²	-	14.6	14.6	5.3	5.3
Sound power level guaranteed (2000/14/EC)	Lw, dB(A)	-	105	105	105	105
Sound pressure level (ISO 11203)	Lp, r=1m	-	92	92	92	92
Air Inlet		3/4" NPTF	3/4" NPTF	3/4" NPTF	3/4" NPTF	3/4" NPTF
Part Number: 25 x 108 mm (N. American)		8900 0030 01	8900 0030 03	-	8900 0030 05	-
Part Number: 25 x 108 mm (ISO Standard)		8900 0030 02	8900 0030 04	-	8900 0030 06	-
Part Number: 28 X 160 mm		-	-	8900 0030 07	-	8900 0030 08
Part Number: 32 X 160 mm		-	-	8900 0030 09	-	8900 0030 10

Accessories

Shank - H 28 x 160 mm

	Working length	Total length	Tip width	Part number
Moil point	380	546	-	3083 3271 00
	450	616	-	3083 3272 00
	1,000	1,166	-	3083 3273 00
Narrow chisel	380	556	36	3083 3274 00
	450	616	36	3083 3275 00
	1,000	1,166	36	3083 3276 00
Wide chisel	380	546	75	3083 3277 00
Asphalt cutter	300	466	115	3083 3278 00
Digging chisel	380	546	75	3083 3279 00
Digging spade	380	546	125	3083 3280 00
Clay spade	380	546	140	3083 3281 00
Wedge chisel	400	566	40	3083 3282 00
Shaft for tamping pad	230	396	-	3083 3283 01
Tamping pad, round	-	-	180	3083 3301 00
Tamping pad, square	-	-	200	3376 3197 00
Driver pad	-	-	150	3376 1120 77
Driver pad	-	-	120	3376 1120 79

Shank - H 32 x 160 mm

	Working length	Total length	Tip width	Part number
Moil point	380	546	-	3083 3205 00
	450	616	-	3083 3206 00
	1,000	1,166	-	3083 3207 00
Narrow chisel	380	546	36	3083 3208 00
	450	616	36	3083 3209 00
	1,000	1,166	36	3083 3210 00
Wide chisel	380	546	75	3083 3211 00
Asphalt cutter	300	466	115	3083 3212 00
Digging chisel	380	546	75	3083 3213 00
Digging spade	380	546	125	3083 3214 00
Clay spade	380	546	140	3083 3215 00
Wedge chisel	400	566	40	3083 3216 00
Shaft for tamping pad	235	401	-	3083 3218 01
Tamping pad, round	-	-	180	3083 3301 00
Tamping pad, square	-	-	150	3083 3302 00
Driving pad	-	-	120	3376 1120 79
Driving pad	-	-	150	3376 1120 77

Light and Medium Pneumatic Breakers - Product Reference

Shank - H 25 x 108 mm

	Working length	Total length	Tip width	Part number
Moil point	380	500	-	3083 3253 00
Narrow chisel	380	500	25	3083 3254 00
Wide chisel	380	500	75	3083 3255 00
Digging chisel	380	500	75	3083 3256 00
Digging spade	380	500	120	3083 3257 00
Clay spade	430	550	125	3083 3033 00
Wedge chisel	380	500	35	3083 3258 00
Shaft for tamping pad	280	400	-	3083 3259 00
Tamping pad, round	-	-	175	3083 3252 10
Tamping pad, square	-	-	175	3083 3239 00
Driver Pad, Round			100	9245 2817 90
Driver Pad, Round			65	3371 8060 12
Posthole Pad			40	9245 2822 30

Options / Accessories

The **CP** breaker range is available with accessories, providing utmost flexibility.

- RED-X Compressed Air Hose:
- Claw Coupling
- Lubricator

Supplied Documentation

The unit is delivered with documentation regarding:

- Operating and instruction manual
- Spare parts manual
- Electronic copies of both ASL and AIB.
- Declaration of conformity

Warranty Coverage

12 months from the date of commissioning or 18 months from the date of invoicing from manufacturing company or an Chicago Pneumatic Distribution Center or 1000 hours of operation (whichever occurs first).



www.discount-equipment.com

TO PURCHASE THIS PRODUCT PLEASE CONTACT US



**Equipment Financing and
Extended Warranties Available**



**Discount-Equipment.com is your online resource for
commercial and industrial quality parts and equipment sales.**

561-964-4949

visit us on line @ www.discount-equipment.com

Select an option below to find your Equipment

Search by Manufacturer

Search by Product Type

Request a Quote

We sell worldwide for the brands: Genie, Terex, JLG, MultiQuip, Mikasa, Essick, Whiteman, Mayco, Toro Stone, Diamond Products, Generac Magnum, Airman, Haulotte, Barreto, Power Blanket, Nifty Lift, Atlas Copco, Chicago Pneumatic, Allmand, Miller Curber, Skyjack, Lull, Skytrak, Tsurumi, Husquvarna Target, Stow, Wacker, Sakai, Mi-T-M, Sullair, Basic, Dynapac, MBW, Weber, Bartell, Bennar Newman, Haulotte, Ditch Runner, Menegotti, Morrison, Contec, Buddy, Crown, Edco, Wyco, Bomag, Laymor, EZ Trench, Bil-Jax, F.S. Curtis, Gehl Pavers, Heli, Honda, ICS/PowerGrit, IHI, Partner, Imer, Clipper, MMD, Koshin, Rice, CH&E, General Equipment, Amida, Coleman, NAC, Gradall, Square Shooter, Kent, Stanley, Tamco, Toku, Hatz, Kohler, Robin, Wisconsin, Northrock, Oztec, Toker TK, Rol-Air, APT, Wylie, Ingersoll Rand / Doosan, Innovatech, Con X, Ammann, Mecalac, Makinex, Smith Surface Prep, Small Line, Wanco, Yanmar