



CONCRETE

Concrete Mixer CM

Building the American Dream



MODEL	CM4
Batch capacity bags	.33 bag
Batch capacity cu. ft. (lts.)	4 cu.ft. (115)
Power	Honda 5.5 HP OR 1.5 HP electric
Drive	V-Belt To gears
Wheels	12 x 4.8 High - Speed
Overall Width in (cm)	51" (129)
Tow Pole In Length in (cm)	76" (193)
Drum Down Height in (cm)	58" (147)
Weight (approx.) Lbs (kgs)	500Lbs (226)

Batch capacity varies, based on ratio of materials used.
Batch size will never equal total volume.



www.discount-equipment.com



CONCRETE

Concrete Mixer CM

Building the American Dream



MODEL	CM 7	CM 9	CM 12
Batch capacity bags	.5 bag	1 bag	1.5 - 2 bags
Batch capacity cu. ft. (Its.)	7 cu.ft. (220)	9 cu.ft. (260)	12 cu.ft. (340)
Power	Honda 5.5 to 8 HP or 2 HP electric	Honda 5.5 to 8 HP or 3 HP electric	Honda 13 HP or 3 HP electric
Drive	V-Belt To gears	V-Belt To gears	V-Belt To gears
Wheels	12 x 4.8 High - Speed	13 x 6.5 High - Speed	13 x 6.5 High - Speed
Overall Width in (cm)	51" (129)	51" (129)	51" (129)
Tow Pole in Length in (cm)	76" (193)	78" (198)	80" (203)
Drum Down Height in (cm)	58" (147)	63" (160)	69" (175)
Weight (approx.) Lbs (kgs)	790 Lbs(359)	868Lbs(394)	895Lbs (406)

Batch capacity varies, based on ratio of materials used.
Batch size will never equal total volume.



www.discount-equipment.com

E-mail: manager@tkequip.com



Building the American Dream

CONCRETE

Concrete Mixer CMP



MODEL	CM 6P
Batch capacity bags	.5 bag
Batch capacity cu. ft. (lts.)	6 cu.ft. (180)
Power	Honda 5.5 to 8 HP or 2 HP electric
Drive	V-Belt To gears
Wheels	12 x 4.8 High - Speed
Overall Width in (cm)	51" (129)
Tow Pole In Length in (cm)	76" (193)
Drum Down Height in (cm)	58" (147)
Weight (approx.) Lbs (kgs)	500Lbs (226)

Batch capacity varies, based on ratio of materials used.
Batch size will never equal total volume.



www.discount-equipment.com

E-mail: manager@tkequip.com



Building the American Dream

CONCRETE

Concrete Mixer CMP

The welded drum is manufactured using high abrasion steel giving TK Mixers long life and high performance

Durable & Easy cleaning polyethylene drum for extended life and high performance

Rugged 14 gauge steel engine shroud efficiently ventilated

Multi-position dump latch

Oversized dump wheel with handle grip, for easier control while discharging material

Powered with Reliable HONDA engine or electric motor

Heavy Duty steel hood latch rather than rubber

Cast Iron Pinion Tilting

High speed hubs & Wheels

No Extra Cost, heavy duty retractable schedule 80 tow tongue (hitch)

Available with 2" ball or pintle hitch

Axle springs for less bounce, less sway Standard in 9 cu.ft. Available for 6 cu. ft.

Heavy Duty Safety Chain

Reinforced A-Frame with 4 gussets for Better Stability

MODEL	CM 6P	CM 9P
Batch capacity bags	.5 bag	1 bag
Batch capacity cu. ft. (lts.)	6 cu.ft. (180)	9 cu.ft. (260)
Power	Honda 5.5 to 8 HP or 2 HP electric	Honda 5.5 to 8 HP or 3 HP electric
Drive	V-Belt To gears	V-Belt To gears
Wheels	12 x 4.8 High - Speed	13 x 6.5 High - Speed
Overall Width in (cm)	51" (129)	51" (129)
Tow Pole In Length in (cm)	76" (193)	78" (198)
Drum Down Height in (cm)	58" (147)	63" (160)
Weight (approx.) Lbs (kgs)	500Lbs (226)	580Lbs (263)

Batch capacity varies, based on ratio of materials used.
Batch size will never equal total volume.



www.discount-equipment.com



Building the American Dream

CONCRETE

Concrete Mixer MAX MIX



PEDESTAL CONCRETE MIXERS MAX MIX

- o Ideal for home owners and small contractors
- o Steel Drum and Replaceable bolted in blades
- o Powder coat finish design for heavy duty use
- o With versatile design, the Max Mix can be used as a wheel barrow to transport concrete or as a pedestal style mixer.
- o Built in enclosed cast iron gear reducer drive system for life extension.
- o 3 cu.ft. capacity (80 lts)
- o Easy Packed in a 26"x 36" x 26" Box
- o Operating Weight lbs. (kg): 128 lbs. (58)
- o Power: 1/3 HP Electric Motor.
- o Voltage: 110V/60Hz
- o Drum Speed: 23 RPM
- o Wheels size 10" (25 cm) Diameter 2 1/2" (6.3 cm) Width



Batch capacity varies, based on ratio of materials used.
Batch size will never equal total volume.



Designs and specifications subject to change without notice or obligations.
Exact weights are dependent upon power source.



www.discount-equipment.com