



Generac Mobile Products

MLT6

Light Towers

Specification Sheet

To order go to Discount-Equipment.com

TO PURCHASE THIS PRODUCT PLEASE CONTACT US



**Equipment Financing and
Extended Warranties Available**



**Discount-Equipment.com is your online resource for
commercial and industrial quality parts and equipment sales.**

561-964-4949

visit us on line @ www.discount-equipment.com

Select an option below to find your Equipment

Search by Manufacturer

Search by Product Type

Request a Quote

We sell worldwide for the brands: Genie, Terex, JLG, MultiQuip, Mikasa, Essick, Whiteman, Mayco, Toro Stone, Diamond Products, Generac Magnum, Airman, Haulotte, Barreto, Power Blanket, Nifty Lift, Atlas Copco, Chicago Pneumatic, Allmand, Miller Curber, Skyjack, Lull, Skytrak, Tsurumi, Husquvarna Target, Stow, Wacker, Sakai, Mi-T-M, Sullair, Basic, Dynapac, MBW, Weber, Bartell, Bennar Newman, Haulotte, Ditch Runner, Menegotti, Morrison, Contec, Buddy, Crown, Edco, Wyco, Bomag, Laymor, EZ Trench, Bil-Jax, F.S. Curtis, Gehl Pavers, Heli, Honda, ICS/PowerGrit, IHI, Partner, Imer, Clipper, MMD, Koshin, Rice, CH&E, General Equipment, Amida, Coleman, NAC, Gradall, Square Shooter, Kent, Stanley, Tamco, Toku, Hatz, Kohler, Robin, Wisconsin, Northrock, Oztec, Toker TK, Rol-Air, APT, Wylie, Ingersoll Rand / Doosan, Innovatech, Con X, Ammann, Mecalac, Makinex, Smith Surface Prep, Small Line, Wanco, Yanmar

MLT6

LIGHT TOWERS

GENERAC[®]
MOBILE



MLT6 LIGHT TOWERS

The gold standard in mobile lighting, MLT6 series light towers from Generac Mobile provide versatile, low maintenance, reliable lighting in a compact footprint.

METAL HALIDE

Our industry-leading MLT6 metal halide light tower offers solid, reliable performance, and can be outfitted with Generac Mobile's fully programmable Power Zone® controller and an electric winch for enhanced versatility and ease of use. Choose between Mitsubishi, Kubota and Cat engines. An optional diffuse metal halide light kit allows for even, glare-free lighting.

MLT6
METAL HALIDE



FULLY ROTATIONAL MAST with tool-less adjustment from the ground

GAS-ASSISTED REAR HATCH opens easily, and stays secure for quick and easy unobstructed maintenance access

LARGE FUEL CAPACITY for extended runtime

ILLUMINATED CONTROLS AND LED running lights for enhanced visibility and safety

EXPORT POWER up to 6kW for tools and other jobsite power needs

NEW LONGER SERVICE INTERVALS
MORE UPTIME AND LESS LABOR COSTS

ANALOG OR DIGITAL POWER ZONE CONTROLLER
Choose a controller that suits you

NEW LED MODELS

Why buy more or less light tower than you need? New MLT6SMDS and MLT6SKDS LED models offer many of the same benefits as our popular MLT6SMD LED light tower, but with simplified features and controls, and your choice of Mitsubishi or Kubota engine.

The full-featured MLT6SMD comes standard with our Power Zone controller for maximum programmability, including auto start and stop and dusk-to-dawn sensor, as well as a variable ECOSpeed engine for ultimate fuel efficiency.

DURABLE GENERAC® LEDs

All MLT6 LED light towers feature our robust LED fixtures, designed to last the life of the tower, warranted for 5 years.



MLT6 LED

INSTANT ON/OFF LIGHT

No waiting, save time and enhance safety.

BRIGHT, CONSISTENT LIGHTING

Truer colors, important for hazard and warning labels and signage, as well as wiring applications. LEDs degrade very minimally over time, unlike metal halide bulbs which lose 50% of their light output within the first 10,000 hours.

FUEL EFFICIENT

LEDs consume less power, resulting in extended run times and significant fuel savings.

LONG LASTING, DURABLE GENERAC LED FIXTURES

Won't break and don't require bulb changes, for ease of operation and more uptime.

Generac Mobile continues to innovate with the most technologically advanced diffuse mobile light solution on the market. New diffuse LED fixtures deliver powerful, even, glare-free lighting that stands up to the rigors of rental yards and job sites. Diffuse LED is ideal for roadwork, construction, outdoor events – any application that requires diffuse light.




LED VS. METAL HALIDE

LED technology has caught up to metal halide bulb output. In addition to many benefits of LED light, powerful Generac LEDs offer comparable light coverage to that of metal halide light, but with a more focused, directional spread.

CHOOSE THE TOWER THAT IS RIGHT FOR YOU

MLT6 LED COVERAGE


(4) 296W LED Fixtures




COVERAGE: 19,526 ft² (1,814 m²) @ min. 0.5 ft-c

MLT6 METAL HALIDE COVERAGE

(4) 1,110W Metal Halide Fixtures



COVERAGE: 31,863 ft² (2,960 m²) @ min. 0.5 ft-c



LED

Model	MLT6SMDS	MLT6SKDS	MLT6SMD
USA (METRIC)			
Engine Make	Mitsubishi®	Kubota®	Mitsubishi® ECOSpeed
Onboard Export Power: kW	6		
Max Mast Height	23 ft (7 m)		
Winch	Manual, Electric Option		
Lights	(4) 296W LED		
Total Lumens (Bare Bulb)	N/A		
Total Fixture Lumens (Actual Usable)**	172,200		
Coverage @ Min. 0.5 ft-c	19,526 ft ² (1,814 m ²)		
Diffuse Light	Choose Standard or Diffuse LEDs		
Max Run Time (Lights Only)*	117 hrs	138 hrs	203 hrs
Standard Controller	Analog, Digital Power Zone Optional		Digital Power Zone
Dusk-To-Dawn Sensor	Optional with Power Zone		Standard
Individual On/Off Light Control	No		Yes
Oil Service Interval*	1000 hrs	750 hrs	1000 hrs
CSA	Yes		

METAL HALIDE

Model	MLT6SK	MLT6SM	MLT6SC
USA (METRIC)			
Engine Make	Kubota®	Mitsubishi®	Cat®
Onboard Export Power: kW	6		
Max Mast Height	23 ft (7 m)		
Winch	Manual, Electric Option		
Lights	(4) 1,100W MH		
Total Lumens (Bare Bulb)	528,000		
Total Fixture Lumens (Actual Usable)**	281,424		
Coverage @ Min. 0.5 ft-c	31,863 ft ² (2,960 m ²)		
Diffuse Light	Accessory Kit Available		
Max Run Time (Lights Only)*	95 hrs	93 hrs	89 hrs
Standard Controller	Analog, Digital Power Zone Optional		
Dusk-To-Dawn Sensor	Optional with Power Zone		
Individual On/Off Light Control	Yes		
Oil Service Interval*	1000 hrs	1000 hrs	500 hrs
CSA	Yes		

Specifications are subject to change without notice. Additional options available.

*Results based on engine manufacturer and field test data after 100 hour engine break-in period and may vary based on factors including age and maintenance of equipment, environmental conditions and fuel density. Consult the Owner's Manual for fuel and maintenance recommendations

**Fixture lumens is a measure of the actual lumen output of the bulb inside of the fixture.

To order go to Discount-Equipment.com



*Assembled in the USA using domestic and foreign parts



Part No. 0202560 REV 03/2019
©2019 Generac Power Systems, Inc. All Rights Reserved.
Specifications are subject to change without notice.